


EQUINOX CATERING LTD  
MILWAUKEE, WI 53212

Monument  
Sign

Set Back 5'

# Internally Illuminated Raceway Mounted Channel Letters



**WING-STOP** 23.5

190"

ITEM	DESCRIPTION
1	RETURN 5" .040 PREFINISHED METALLIC FINISH OUTSIDE & WHITE INSIDE
2	BACK .063 PRE-FINISHED WHITE INTERIOR
3	HOLES WEEP HOLES
<b>FACE / DECORATION</b>	
4	RETURN 1" METALLIC SILVER
5	FACE 3/16" WHITE ACRYLIC 7328
<b>LIGHTING / ASSEMBLY</b>	
6A	WHITE LED PRINCIPAL PL-QM3-TW200-P-TW200-TRUE WHITE
6B	GREEN LED PRINCIPAL PL-QM3-GR129-P-(M-QM1X0-GR) FOR HALO LIGHTING
6C	ALL LEDS AC L.D WITH SILICONE / CAULK APPROVED FOR OUT DOOR APPLICATIONS
7	POWER SUPPLY PRINCIPAL 60W POWER SUPPLY PRIP-60-2-J
8	SUBORDINARY SJ-PPLY CABLL WITH GROUND ACCORDING TO CODE
9	WIRING 90° LOW CONDUCTOR TO SLAB - 1/2" PAINTED TO MATCH RACEWAY
10	SWITCH ON / OFF SWITCH ON ENCLOSURE BOX
11	RACEWAY .090 FABRICATED 4 1/2" X 1 1/2" RACEWAY PAINTED TO MATCH STRUCTURE - AS DETAIL FD
<b>MOUNTING / SUPPORT</b>	
12	B/G PANEL .090 ALUMINUM CONTIGOR BACKGROUND PAINTED AKZO NOBL MS #355 SATIN GRILL
13	MOUNTING FABRICATED BRACKET W/ NON-CORROSIVE HARDWARE TO SECURE TO RACEWAY ALL PAINTED TO MATCH RACEWAY - AS DETAILED
14	REGISTER 3M VINYL PHOTO WHITE ON CONTOUR BOTTOM OF "P" AS REFERED


**STRICTLY NEON, INC.**  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX

**LOCATION**  
5610 W. CAPITOL DR.  
MILWAUKEE, WI

**CLIENT**  
WING STOP

- \* Raceway Mounted Letters
- \* Faces 3/16" 7328 White.
- \* Returns 5" .040 Metallic Finish outside White Alum.
- \* Trim Cap 1" Metallic Silver.
- \* Background .080 PMS # 335 Satin Green.
- \* Interior lighting on Letters white and Back Light with Green LEDs.

# Internally Illuminated Raceway Mounted Channel Letters



# WING STOP

23.5

190"

ITEM	DESCRIPTION
1	RETURN 5" .040 PRE-FINISHED METALLIC FINISH OUTSIDE & WHITE INSIDE
2	BACK .063 PRE-FINISHED WHITE / WHITE INTERIOR
3	HOLES WEEP HOLES
<b>FACE / DECORATION</b>	
4	RETAINER 1" .063 METALLIC SILVER
5	FACE 3/16" WHITE ACRYLIC 7328
<b>LIGHTING / ASSEMBLY</b>	
6A	UNFILLED PRINCIPAL PL-QM3-1W206-F-1R-01 WHITE
6B	GREEN LED PRINCIPAL PI-QM3-GR129-P (M-QM7X-C-3) FOR HALO LIGHTING
6C	ALL LEDS ATTACHED WITH SILICONE / CALIF. APPROVED FOR OUTDOOR APPLICATIONS
7	POWER SUPPLY PRINCIPAL 60W POWER SUPPLY PRIPL-60-12-U
8	SECONDARY SUPPLY CABLE WITH CONTROL ACCORDING TO CODE
9	WIRING 90° F BOW CONNECTOR TO SEA-TITE PAINTED TO MATCH RACEWAY
10	SWITCH ON/OFF SWITCH ON ENCLOSURE BOX
11	RACEWAY .090 FABRICATED 4 1/2" X 4 1/2" RACEWAY PAINTED TO MATCH STRUCTURE - AS DETAILED
<b>MOUNTING / SUPPORT</b>	
12	R/C PANEL .090 ALUMINUM CONTROL BACK ROUND PAINTED ACRYLIC PMS #335 SATIN GREEN
13	MOUNTING FABRICATED BRACKET W/ NON-CORROSIVE HARDWARE TO SECURE TO RACEWAY ALL PAINTED TO MATCH RACEWAY - AS DETAILED
14	REGISLER 3M VINYL 40' 0" WITH CONTOUR BOILING - "P" AS RENDRLD

**STRICTLY NEON, INC.**  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX

LOCATION  
5610 W. CAPITOL DR.  
MILWAUKEE, WI

WING STOP


- \* Raceway Mounted Letters
- \* Faces 3/16" 7328 White.
- \* Returns 5" .040 Metallic Finish outside White Alum.
- \* Trim Cap 1" Metallic Silver.
- \* Background .080 PMS # 335 Satin Green.
- \* Interior lighting on Letters white and Back Light with Green LEDs.



# Internally Illuminated Raceway Mounted Channel Letters



ITEM	DESCRIPTION	
1	RETURN	5" .040 PREFINISHED METALLIC FINISH OUTSIDE & WHITE INSIDE
2	BACK	.063 PREFINISHED WHITE INTERIOR
3	HOLES	WEEP HOLES
<b>FACE / DECORATION</b>		
4	RETAINER	1" JEWELRY METALLIC SILVER
5	FACE	3/8" WHITE ACRYLIC #328
<b>LIGHTING / ASSEMBLY</b>		
6A	WHITE LED	PRINCIPAL PL-QM3-W200-P-1-RUE WHITE
6B	GREEN LED	PRINCIPAL PL-QM3-GR129-7 (M-QMT-0-GR) FOR HIGHLIGHTING
6C	AIRLEDS	ATTACHED WITH SILICONE / CAULK APPROVED FOR OUTDOOR APPLICATIONS
7	POWER SUPPLY	PRINCIPAL 60W POWER SUPPLY P3IP-60-2-J
8	SECONDARY	SUPPLY CABLE WITH GROUND ACCORDING TO CODE
9	WIRING	90° FIBROW CONNECTOR TO SEAL THE FAINTO TO MATCH RACEWAY
10	SWITCH	ON / OFF SWITCH ON ENCLOSURE BOX
11	RACEWAY	.090 FABRICATED 4" X 4 1/2" RACEWAY PAINTED TO MATCH STRUCTURE-AS DETAILED
<b>MOUNTING / SUPPORT</b>		
12	B/G PANEL	.090 ALUMINUM CONTROL BACKGROUND PAINTED AK70 NOBEL PMS #355 SATIN GREEN
13	MOUNTING	FABRICATED BRACKET W/ NON-CORROSIVE HARDWARE TO SECURE TO RACEWAY ALL PAINTED TO MATCH RACEWAY-AS DETAILED
14	© R.GISLER	3M VINYL #3010 WHITE ON CONTOUR BOTTOM OF "P" AS R.NDLR.D




STRICTLY NEON, INC.  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX

LOCATION  
5610 W. CAPITOL DR.  
MILWAUKEE, WI

WING STOP



# Internally Illuminated Raceway Mounted Channel Letters



190"

**WING-STOP**

23.5

ITEM	DESCRIPTION
1	RETURN 5" .040 PREFINISHED METALLIC FINISH OUTSIDE & WHITE INSIDE
2	BACK .063 PREFINISHED WHT / WHT-INTERIOR
3	HOLE WEEP HOLES
<b>FACE / DECORATION</b>	
4	RETAINER 1" JEWELITE - METALLIC SILVER
5	FACE 3/16" WHITE ACRYLIC #7328
<b>LIGHTING / ASSEMBLY</b>	
6A	WHT-LED PRINCIPAL P.-QMS-TW200-P-TR-3-WHITE
6B	GREEN LED PRINCIPAL P.-QMS-GR129-P (M-QM120-GR) FOR HALO LIGHTING
6C	ALL LEDS ATTACHED WITH SILICONE / CAJIK APPROVED FOR OUTDOOR APPLICATIONS
7	POWER SUPPLY PRINCIPAL 60W POWER SUPPLY PRL-60-12-U
8	SECONDARY SUPPLY CABLE WITH GROUNDING ACCORDING TO CODE
9	WIREFEED 90° FIBROW CONNECTOR TO SEAL-TITE PAINTED TO MATCH RACEWAY
10	SWITCH ON / OFF SWITCH ON ENCLOSURE BOX
11	RACEWAY .090 FABRICATED 4 1/2" X 4 1/2" RACEWAY PAINTED TO MATCH STRUCTURE AS DETAILED
<b>MOUNTING / SUPPORT</b>	
12	FIG PANEL .090 ALUMINUM CONTOUR BACKROLL AND PAINTED AN70 NOBEL PMS #355 SATIN GREEN
13	MOUNTING FABRICATED BRACKET W/ NON-CORROSIVE HARDWARE TO SECURE TO RACEWAY ALL PAINTED TO MATCH RACEWAY AS DETAILED
14	REGISLER 3/16" VINYL #310 WHITE ON CONCRETE BOLT WITH 1/4" DIA. AS REQUIRED

STRICTLY NEON, INC.  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX

LOCATION  
5610 W. CAPITOL DR.  
MILWAUKEE, WI

CLIENT  
WING STOP

- \* Raceway Mounted Letters
- \* Faces 3/16" 7328 White.
- \* Returns 5" .040 Metallic Finish outside White Alum.
- \* Trim Cap 1" Metallic Silver.
- \* Background .080 PMS # 335 Satin Green.
- \* Interior lighting on Letters white and Back Light with Green LEDs.

# Monument on Existing Foundation


## Day time image

72"



1/8" Aluminum Painted  
PMS 368 C Green

3/16" Plastic Back Mounted Second  
Surface. 7327 white



- \* THE FOUNDATION IS 7' WIDE 4' DEEP
- \* THE BRICK IS DECORATIVE BRICK WITH A SANDSTONE CAP

STRICTLY NEON, INC.  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX


LOCATION  
5610 W. CAPITOL DR.  
MILWAUKEE, WI

CLIENT  
WING STOP

WARRANTY: 7 yrs Parts & Labor

# Monument on Existing Foundation

## Night time image




STRICTLY NEON, INC.  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX

LOCATION  
5610 W. CAPITOL DR.  
MILWAUKEE, WI



CLIENT  
WING STOP

WARRANTY: 7 yrs Parts & Labor

# Illuminated Sign Box with routed Push Thru Letters



Example of push thru lettering



STRICTLY NEON, INC.  
 4608 W. 137TH ST.  
 CRESTWOOD, IL 60445  
 (708)597-1616  
 (708)597-8638 FAX


LOCATION  
 5610 W. CAPITOL DR.  
 MILWAUKEE, WI

CLIENT  
 WING STOP

\* THE FOUNDATION IS 7' WIDE 4' DEEP  
 \* THE BRICK IS DECORATIVE BRICK WITH A SANDSTONE CAP



# Monument Sign with Opaque Background on Existing Foundation



- 2.) LUMENS TOTAL:  
LUMENS PER SQ. FOOT:
- 3.) LEDs: PRO260-50K, (300) REQUIRED
- 4.) POWER SUPPLY: (8) ADVANCE POWER SUPPLY
- 5.) -- AMPS @120VAC
- 6.) (-) 20 AMP CIRCUIT, 60 Hz UL 48 & NEC COMPLIANT
- 7.) SIGN IS TO BE WIRED WITH 14 GAGE MTW WIRE. SIGN MUST BE GROUNDED WITH 14 GAGE GREEN WIRE.
- 8.) MATERIAL SPECIFICATIONS:  
ALUMINUM SHAPES: 6063-T5  
ALUMINUM SHEETS: 3003-H14  
STEEL SHAPES: ASTM A36  
STEEL SHEET: ASTM A591  
STEEL TUBE: ASTM A500B
- 9.) PAINT SPECIFICATIONS: (SIGN)  
INTERIOR:  
EXTERIOR: DUNKIN D. BROWN COLOR  
GRAPHIC AND COLOR SPECIFICATIONS: (FACE) ARLON  
COLOR PMS
- 10.) PREFERRED DECORATION METHOD:
- 11.) MAXIMUM DESIGN WIND LOAD:  
--- MPH WIND SPEED 3-SECOND GUST- EXPOSURE C.

B

STRICTLY NEON, INC.  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX

LOCATION  
5610 W. CAPITOL DR.  
MILWAUKEE, WI

CLIENT  
WING STOP

**WARRANTY: 7 yrs Parts & Labor**

# Internally Illuminated Raceway Mounted Channel Letters

## Starbuck Signage



**WING-STOP** 23.5

190"

STRICTLY NEON, INC.  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX

LOCATION  
5610 W. CAPITOL DR.  
MILWAUKEE, WI

CLIENT  
WING STOP

- \* Raceway Mounted Letters
- \* Faces 3/16" 7328 White.
- \* Returns 5" .040 Metallic Finish outside White Alum.
- \* Trim Cap 1" Metallic Silver.
- \* Background .080 PMS # 335 Satin Green.
- \* Interior lighting on Letters white and Back Light with Green LEDs.

# Internally Illuminated Raceway Mounted Channel Letters

**WING·STOP**

# Starbuck Signage



**WING·STOP**

23.5

190"

ITEM	DESCRIPTION
1	RETURN 5" .040 PRLH NIS-ED METALLIC FINISH OUTSIDE & WHITE INSIDE
2	BACK .083 PRETINIS-ED WHITE INTERIOR
3	HOLLS WLP HILLS
<b>FACE / DECORATION</b>	
4	RETURN 1" JELWELL METALLIC SILVER
5	FACE 3/16" WHITE ACRYLIC 7328
<b>LIGHTING / ASSEMBLY</b>	
6A	WHITE LED PRINCIPAL PI-QM3-TW200-P-TRUF WHITE
6B	GREEN LED PRINCIPAL PI-QM3-GR79-P (A-QM3-GR) FOR HALO LIGHTING
6C	A1 LEDS ATTACHED WITH SILICONE / CAULK APPROVED FOR OUTDOOR APPLICATIONS
7	POWER SUPPLY PRINCIPAL 60W POWER SUPPLY PRIP-50-7-J
8	SECONDARY SJ-PLY CABLE WITH GROUND ACCORDING TO CODE
9	WIRE FEED 90° ELBOW CONNECTOR TO SEAL-TITE PAINTED TO MATCH RACEWAY
10	SWITCH 05 / 07 SWITCH ON ENCLOSURE BOX
11	RACEWAY .090 FABRICAID 4 1/2" X 4 1/2" RACEWAY PAINTED TO MATCH STRUCTURE AS DETAILED
<b>MOUNTING / SUPPORT</b>	
12	BACK PANEL .090 ALUMINUM CONTOUR BACKGROUND PAINTED ANZO NOBEL PMS 3355 SATIN GREEN
13	MOUNTING FABRICATED BRACKET W/ NON-CORROSIVE HARDWARE TO SECURE TO RACEWAY ALL PAINTED TO MATCH RACEWAY AS DETAILED
14	REGISTER 3M VINYL #1010 WHITE ON CONTOUR BOTTOM OF "P" AS REFERENCED

STRICTLY NEON, INC.  
 4608 W. 137TH ST.  
 CRESTWOOD, IL 60445  
 (708)597-1616  
 (708)597-8638 FAX

LOCATION  
 5610 W. CAPITOL DR.  
 MILWAUKEE, WI

WING STOP

- \* Raceway Mounted Letters
- \* Faces 3/16" 7328 White.
- \* Returns 5" .040 Metallic Finish outside White Alum.
- \* Trim Cap 1" Metallic Silver.
- \* Background .080 PMS # 335 Satin Green.
- \* Interior lighting on Letters white and Back Light with Green LEDs.



# Internally Illuminated Raceway Mounted Channel Letters



STRICTLY NEON, INC.  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX

LOCATION  
5610 W. CAPITOL DR.  
MILWAUKEE, WI

CLIENT  
WING STOP

- \* Raceway Mounted Letters
- \* Faces 3/16" 7328 White.
- \* Returns 5" .040 Metallic Finish outside White Alum.
- \* Trim Cap 1" Metallic Silver.
- \* Background .080 PMS # 335 Satin Green.
- \* Interior lighting on Letters white and Back Light with Green LEDs.

# Illuminated Sign Box with routed Push Thru Letters



STRICTLY NEON, INC.  
4608 W. 137TH ST.  
CRESTWOOD, IL 60445  
(708)597-1616  
(708)597-8638 FAX

LOCATION  
5610 W. CAPITOL DR.  
MILWAUKEE, WI

CLIENT  
WING STOP

- \* THE FOUNDATION IS 7' WIDE 4' DEEP
- \* THE BRICK IS DECORATIVE BRICK WITH A SANDSTONE CAP



# Internally Illuminated Raceway Mounted Channel Letters

## Night time image



# WING-STOP

23.5"

190"

ITEM	DESCRIPTION
1	RETURN 5" .040 PRE-FINISHED METALLIC TRIM (OUTSIDE & W/ IT INSIDE)
2	BACK .080 PMS # 335 SATIN GREEN
3	TRIM CAPS
FACE / DECORATION	
4	RETURNS 1" MELTALIC SILVER
5	FACE 3/16" 7328 WHITE
LIGHTING / ASSEMBLY	
6A	W/ LIT LED
6B	GREEN LED
6C	ALL LEDS
7	POWER SUPPLY
8	WIRE TUBING
9	WIRE TUBING
10	SWITCH
11	RACEWAY
MOUNTING / SUPPORT	
12	BACK PART
13	ADJUSTERS
14	SPACERS

STRICTLY NEON, INC.  
 4608 W. 137TH ST.  
 CRESTWOOD, IL 60445  
 (708)597-1616  
 (708)597-8638 FAX

LOCATION  
 5610 W. CAPITOL DR.  
 MILWAUKEE, WI

WING STOP

- \* Raceway Mounted Letters
- \* Faces 3/16" 7328 White.
- \* Returns 5" .040 Metallic Finish outside White Alum.
- \* Trim Cap 1" Meltallic Silver.
- \* Background .080 PMS # 335 Satin Green.
- \* Interior lighting on Letters white and Back Light with Green LEDs.