

# Summary of DNS Violations Status

## Housing Authority City of Milwaukee

| Property Portfolio     | Total Opened from Jun. 2024 - Jan. 2025 | Total Still Open | Total Completed or No Violation Found |
|------------------------|---|------------------|---------------------------------------|
| Public Housing         | 110                                     | 3                | 107                                   |
| BNS Housing            | 21                                      | 4                | 17                                    |
| Affordable LLC Housing | 51                                      | 1                | 50                                    |
| Westlawn               | 29                                      | 7                | 22                                    |
| Totals                 | 211                                     | 15               | 196                                   |

**Public Housing / DNS Violations  
January 2025, Sorted By Development  
(2024 Spreadsheets on Following Pages)**

|           | COMPLETED         |               |               |                      |                                |        |                |                        |          |          |             |
|-----------|-------------------|---------------|---------------|----------------------|--------------------------------|--------|----------------|------------------------|----------|----------|-------------|
| PROPERTY  | ADDRESS           | UNIT          | DATE RECEIVED | DATE TO BE COMPLETED | EXTENSION DATE TO BE COMPLETED | WO #   | WORK COMPLETED | DNS VERIFIED COMPLETED | 1ST FINE | 2ND FINE | total fines |
| ARLINGTON | 1633 N ARLINGTON  | 408           | 1/21/2025     |                      |                                |        | 1/21/2025      | CLOSED<br>REFERRED     |          |          |             |
| ARLINGTON | 1633 N ARLINGTON  | 408           | 1/23/2025     |                      |                                |        |                | CLOSED                 |          |          |             |
| HILLSIDE  | 609 W GALENA ST   | 200           | 1/22/2025     |                      |                                |        |                | ABATED                 |          |          |             |
| HILLSIDE  | 523 W GALENA      | 207           | 1/22/2025     |                      |                                |        |                | CLOSED<br>REFERRED     |          |          |             |
| HILLSIDE  | 717 W VLIET ST    | 320           | 1/23/2025     |                      |                                |        |                | CLOSED                 |          |          |             |
| MITCHELL  | 2600 NATIONAL     |               | 1/15/2025     |                      |                                |        |                | ABATED                 |          |          |             |
| PARKLAWN  | 4233 N 44TH WAY   |               | 1/9/2025      | 2/24/2025            |                                | 201419 |                |                        |          |          |             |
| PARKLAWN  | 4301 N 44TH ST    |               | 1/17/2025     | 1/21/2025            |                                |        | Yes            |                        |          |          |             |
| PARKLAWN  | 4341 W CONGRESS   |               | 1/18/2025     |                      |                                |        |                | CLOSED                 |          |          |             |
| RIVERVIEW | 1300 E KANE PL    |               | 1/25/2025     |                      |                                |        |                |                        |          |          |             |
| SS        | 1562 W PLAINFIELD |               | 1/15/2025     |                      |                                |        |                | CLOSED                 |          |          |             |
| SS        | 5845 N 79TH ST    |               | 1/25/2025     | 4/30/2025            |                                |        |                |                        |          |          |             |
| SS        | 2439 N 35TH ST    | VACANT<br>LOT | 2/4/2025      |                      |                                |        |                | CLOSED<br>REFERRED     |          |          |             |

**Public Housing / DNS Violations  
Jun 2024 - Jan 2025, Sorted By Development**

|                                |                             |           | COMPLETED              |      |                           |                      |                                |                          |                        |                      |          |             |
|--------------------------------|-----------------------------|-----------|------------------------|------|---------------------------|----------------------|--------------------------------|--------------------------|------------------------|----------------------|----------|-------------|
| VIOLATION #                    | VIOLATION                   | PROPERTY  | ADDRESS                | UNIT | DATE RECEIVED             | DATE TO BE COMPLETED | EXTENSION DATE TO BE COMPLETED | WORK COMPLETED           | DNS VERIFIED COMPLETED | 1ST FINE             | 2ND FINE | total fines |
| ENF-2024-22644                 | BATHROOM AND KITCHEN        | ARLINGTON | 1633 N ARLINGTON PL    | 505  | 7/19/2024                 | 8/20/2024            |                                |                          | CLOSED                 | \$203.20<br>08/13/24 |          |             |
| ORD-24-08413                   | BATHROOM AND KITCHEN        | ARLINGTON | 1633 N ARLINGTON PLACE | 505  | 7/19/2024                 | 8/20/2024            |                                | 07/19/2024 &<br>8/9/2024 |                        |                      |          |             |
| ENF-2024-26857                 | BLINDS AND TUB              | ARLINGTON | 1633 N ARLINGTON       | 505  | 8/15/2024                 |                      |                                | 8/21/2024                |                        |                      |          |             |
| ENF-2024-37737                 | NO HEAT                     | ARLINGTON | 1633 N ARLINGTON       | 505  | 11/5/2024                 |                      |                                |                          | CLOSED                 |                      |          |             |
| ENF-2024-23152                 | STOVE                       | COLLEGE   | 3334 W HIGHLAND        |      | 7/20/2024                 |                      |                                | No unit attached         |                        |                      |          |             |
| ENF-2024-23382 ord-24-09222    | TILES AND CABINET           | COLLEGE   | 3334 W HIGHLAND        | 308  | 7/23/2024                 | 9/18/2024            |                                | 8/26/2024                | 10/2/2024              |                      |          |             |
| ENF-2024-23148                 | BATH SINK FAUCET NO WATER   | COLLEGE   | 3334 W HIGHLAND        | 510  | 7/23/2024                 |                      |                                | 7/25/2024                |                        |                      |          |             |
| ENF-2024-27810                 | PAINTING AND VENTS          | COLLEGE   | 3334 W HIGHLAND        | 304  | 8/20/2024                 |                      |                                | YES                      | YES                    |                      |          |             |
| ORD-24-10742                   | PESTS AND COVE BASE         | COLLEGE   | 3334 W HIGHLAND        | 319  | 9/5/2024                  | 10/18/2024           |                                | YES 9/11/24              | 10/2/2024              |                      |          |             |
| ORD-24-13368                   | CROSS CONNECTION SURVEY     | COLLEGE   | 3334 W HIGHLAND        |      | 10/18/2024                | 11/17/2024           |                                | ABATED                   |                        |                      |          |             |
| ENF-2024-29521                 | BEDBUGS                     | COLLEGE   | 3334 W HIGHLAND        | 1119 | 9/4/24 NO VIOLATION FOUND |                      |                                | YES                      | YES                    |                      |          |             |
| ENF-2024-19437                 | MICE/ROACHES                | COLLEGE   | 3334 W HIGHLAND        | 1107 | NO VIOLATION              |                      |                                | YES                      |                        |                      |          |             |
| ENF-2024-21392                 | MICE/ROACHES                | COLLEGE   | 3334 W HIGHLAND        | 1107 | NO VIOLATION FOUND        | NO VIOLATION FOUND   |                                | YES                      | YES                    |                      |          |             |
| ORD-24-07073                   | life and safety             | HILLSIDE  | 1407 N 6th ST          |      | 6/17/2024                 |                      |                                | 1/9/2025                 | ABATED-REFERRED        |                      |          |             |
| ENF-2024-18605                 |                             | HILLSIDE  | 1544 N 7th ST          | 226  | 6/18/2024                 |                      |                                |                          |                        |                      |          |             |
| ORD-24-07108                   | MULTIPLE ISSUES             | HILLSIDE  | 1544 N 7TH ST          | 226  | 6/18/2024                 | 7/18/2024            |                                |                          | 8/16/2024              |                      |          |             |
| ORD-24-07624 ENF-2024-20620    | PLUMBING AND MOLD           | HILLSIDE  | 803 W GALENA           | 478  | 7/1/2024                  | 8/19/2024            |                                |                          | 8/15/2024              |                      |          |             |
| ORD-24-07767 ENF-2024-21004    | APPLIANCES AND CARPET       | HILLSIDE  | 806 E ESSEX            | 614  | 7/3/2024                  | 8/14/2024            |                                |                          | 8/15/2024              |                      |          |             |
| ENF-2024-22191                 | CENTRAL AIR                 | HILLSIDE  | 1545 N 7TH ST          |      | 7/15/2024                 | NO VIOLATION FOUND   |                                | NO VIOLATION FOUND       | YES                    |                      |          |             |
| ENF-2024-22592<br>ORD-24-08382 | LEAK AND WINDOWS            | HILLSIDE  | 1545 N 7TH ST          | 4E   | 7/19/2024                 | 8/19/2024            |                                |                          | CLOSED                 |                      |          |             |
| ORD-24-08464 ENF-2024-21485    |                             | HILLSIDE  | 707 W GALENA ST        | 433  | 7/22/2024                 |                      |                                |                          |                        |                      |          |             |
| ENF-2024-21485                 | ELECTRICAL                  | HILLSIDE  | 707 W GALENA           | 433  | 7/23/2024                 |                      |                                | 7/23/2024                |                        |                      |          |             |
| ENF-2024-24428                 | MOLD                        | HILLSIDE  | 1438 N 9TH ST          | 568  | 7/30/2024                 |                      |                                | YES                      | YES                    |                      |          |             |
| ORD-24-09048                   | MOLD AND WATER DAMAGE, RATS | HILLSIDE  | 1438 N 9TH ST          | 568  | 7/30/2024                 | 9/6/2024             |                                |                          | 9/13/2024              |                      |          |             |

**Public Housing / DNS Violations  
Jun 2024 - Jan 2025, Sorted By Development**

| VIOLATION #                      | VIOLATION                     | PROPERTY     | ADDRESS          | UNIT    | DATE RECEIVED | DATE TO BE COMPLETED | EXTENSION DATE TO BE COMPLETED | WORK COMPLETED | DNS VERIFIED COMPLETED | 1ST FINE | 2ND FINE | total fines |
|----------------------------------|-------------------------------|--------------|------------------|---------|---------------|----------------------|--------------------------------|----------------|------------------------|----------|----------|-------------|
| ENF-2024-24974                   | FIRE ALRAM                    | HILLSIDE     | 1545 N 7TH       |         | 8/1/2024      | NO VIOLATION FOUND   |                                | YES            | YES                    |          |          |             |
| ORD-24-09299 ENF-2024-25443      | RATS AND BASEMENT             | HILLSIDE     | 717 W VIET ST    | 319     | 8/6/2024      | 9/20/2024            |                                |                | 10/7/2024              |          |          |             |
| ENF-2024-25984 ORD-24-09443      | RATS                          | HILLSIDE     | 1346 N 8TH ST    |         | 8/8/2024      | 9/20/2024            |                                |                | 9/13/2024              |          |          |             |
| ENF-2024-26245                   | ROACHES                       | HILLSIDE     | 717 W VLIET ST   |         | 8/10/2024     |                      |                                | YES            | YES                    |          |          |             |
| ORD-24-09635                     | LIGHT AND OUTLET              | HILLSIDE     | 707 W GALENA     | 433     | 8/13/2024     | 9/20/2024            |                                |                | ABATED 10/18/24        |          |          |             |
| ENF-2024-27311 CGCCO-24-06428    | DEBRIS                        | HILLSIDE     | 1419 N 8TH ST    |         | 8/16/2024     | 24 HOURS             |                                |                | CLOSED                 |          |          |             |
| ENF-2024-27777                   | RATS                          | HILLSIDE     | 802 W ESSEX      | 802     | 8/20/2024     | CLOSED               |                                | YES            | YES                    |          |          |             |
| ENF-2024-29106                   | MULTIPLE ISSUES               | HILLSIDE     | 803 W GALENA     | 478     | 8/29/2024     |                      |                                | CLOSED         |                        |          |          |             |
| ORD-24-10622                     | TUB AND MOLD                  | HILLSIDE     | 803 W GALENA     | 478     | 8/29/2024     |                      |                                | YES            | YES 9/5/24             |          |          |             |
| ENF-2024-29411                   | APPLIANCE                     | HILLSIDE     | 638 W VLIET ST   |         | 9/3/2024      |                      |                                |                |                        |          |          |             |
| ORD-24-10621                     | MULTIPLE ITEMS                | HILLSIDE     | 638 W VLIET ST   |         | 9/3/2024      | 10/16/2024           |                                |                | ABATEED 11/4/24        |          |          |             |
| ORD-24-10621                     | FRIDGE/CARPET/ROACHES         | HILLSIDE     | 638 W VLIET ST   |         | 9/3/2024      | 10/16/2024           |                                |                | ABATED 11/4/24         |          |          |             |
| ENF-2024-33541                   | NUISANCE VEHICLE              | HILLSIDE     | 1959 N 7TH ST    |         | 10/11/2024    |                      |                                |                | CLOSED                 |          |          |             |
| ENF-2024-35590                   | DEBRIS/TREES                  | HILLSIDE     | 1419 N 8TH ST    |         | 10/18/2024    |                      |                                |                | CLOSED REFERRED        |          |          |             |
| ENF-2024-35591                   | RATS                          | HILLSIDE     | 1419 N 8TH ST    |         | 10/18/2024    |                      |                                |                | CLOSED REFERRED        |          |          |             |
| ENF-2024-36620                   | MULTIPLE ISSUES               | HILLSIDE     | 802 W ESSEX      | 609     | 10/25/2024    |                      |                                |                | CLOSED-REFERRED        |          |          |             |
| ENF-2024-36621                   | DEBRIS                        | HILLSIDE     | 802 W ESSEX      | 609     | 10/25/2024    |                      |                                |                | CLOSED                 |          |          |             |
| ORD-HACM-24-00032                | FLOORING, SCREEN DOOR, CAULK  | HILLSIDE     | 802 W ESSEX      | 609     | 11/5/2024     | 12/20/2024           |                                |                |                        |          |          |             |
| ENF-2024-38025                   | MOLD                          | HILLSIDE     | 818 W ESSEX LANE |         | 11/7/2024     |                      |                                |                | CLOSED                 |          |          |             |
| ORD-HACM-24-00036 ENF-2024-40497 | FLOORING                      | HILLSIDE     | 806 W ESSEX LANE |         | 12/2/2024     | 1/10/2025            |                                |                | CLOSED                 |          |          |             |
| ORD-24-08382                     | WINDOWS AND MOLD              | HILLSIDE     | 1545 N 7TH ST    | 4E      |               | 8/19/2024            |                                |                | CLOSED                 |          |          |             |
| ORD-24-10621                     |                               | HILLSIDE     | 638 W VLIET      |         |               |                      |                                |                | ABATED                 |          |          |             |
| ENF-2024-21032                   | LAUNDRY MACHINES AND ELEVATOR | LINCOLN      | 2325 S HOWELL    |         | 7/3/2024      |                      |                                |                | CLOSED                 |          |          |             |
| ORD-24-07316 ENF-2024-19757      | BATHROOMAND ELEVATOR          | LOCUST COURT | 1350 E LOCUST    | COMMO N | 6/24/2024     | 7/31/2024            |                                |                | ABATED 8/14/24         |          |          |             |
| ENF-2024-19855                   | TOILET SEAT                   | LOCUST COURT | 1350 E LOCUST    | 602     | 6/24/2024     | NO VIOLATION FOUND   |                                | YES            | YES                    |          |          |             |
| ENF-2024-19264                   | MULTIPLE ISSUES               | LOCUST COURT | 1350 E LOCUST    | 1404    | 6/24/2024     | NO VIOLATION FOUND   |                                | YES            | YES                    |          |          |             |

**Public Housing / DNS Violations  
Jun 2024 - Jan 2025, Sorted By Development**

| VIOLATION #                 | VIOLATION             | PROPERTY     | ADDRESS             | UNIT                    | DATE RECEIVED         | DATE TO BE COMPLETED | EXTENSION DATE TO BE COMPLETED | WORK COMPLETED  | DNS VERIFIED COMPLETED      | 1ST FINE | 2ND FINE | total fines |
|-----------------------------|-----------------------|--------------|---------------------|-------------------------|-----------------------|----------------------|--------------------------------|-----------------|-----------------------------|----------|----------|-------------|
| ENF-2024-21767              | ILLEGAL DOOR HARDWARE | LOCUST COURT | 1350 E LOCUST ST    |                         | 7/17/2024             | 8/28/2024            |                                |                 |                             |          |          |             |
| ORD-24-08313                | DOOR HARDWARE         | LOCUST COURT | 1350 E LOCUST       |                         | 7/17/2024             | 8/28/2024            |                                |                 | 8/28/2024                   |          |          |             |
| ENF-2024-22947              | RATS                  | LOCUST COURT | 1350 E LOCUST       | BACK LOT                | 7/19/2024             | NO VIOLATION FOUND   |                                | YES             | YES                         |          |          |             |
| ORD-24-07316                |                       | LOCUST COURT |                     |                         | 7/22/2024             |                      |                                |                 | 8/14/2024                   |          |          |             |
| ORD-24-10762 ENF-2024-29944 | BATHROOM REPAIRS      | LOCUST COURT | 1350 E LOCUST       | 1403                    | 9/5/2024              |                      |                                |                 | ABATED 10/21/24             |          |          |             |
| ENF-2024-34346              | KITCHEN SINK          | LOCUST COURT | 1350 W LOCUST       | 205                     | 10/8/2024             |                      |                                | CLOSED-REFERRED |                             |          |          |             |
| ENF-2024-22706              | CEILING LEAK          | MITCHELL     | 2600 W NATIONAL AVE | 1004 AND COMMUNITY ROOM | 7/22/2024             |                      |                                |                 | 7/18/24N NO VIOLATION FOUND |          |          |             |
| ORD-HACM-24-00027           | STOVE AND TOILET      | MITCHELL     | 2600 W NATIONAL     | 201                     | 10/31/2024            | 12/10/2024           |                                |                 | CLOSED                      |          |          |             |
| ORD-HACM-24-00028           | STOVE AND BLINDS      | MITCHELL     | 2600 W NATIONAL     | 205                     | 10/31/2024            | 12/10/2024           |                                |                 | CLOSED                      |          |          |             |
| ENF-2024-37308              | TOILET AND LIGHT      | MITCHELL     | 2600 W NATIONAL     | 905                     | 10/31/2024            |                      |                                |                 | CLOSED                      |          |          |             |
| ENF-2024-37423              | ADVISORY ISSUED       | MITCHELL     | 2600 W NATIONAL     |                         | 11/1/2024             |                      |                                |                 | CLOSED - REFERRED           |          |          |             |
| ENF-2024-37306              | STOVE AND BUGS        | MITCHELL     | 2600 W NATIONAL     | 205                     | 11/1/2024             |                      |                                |                 | CLOSED                      |          |          |             |
| ADV-24-01500                | ADVISORY              | MITCHELL     | 2600 NATIONAL       |                         | 11/1/2024             |                      |                                |                 | CLOSED                      |          |          |             |
| ENF-2024-20643              | WATER LEAK            | PARKLAWN     | 4345 W CONGRESS     | 471                     | 7/2/2024              | NO VIOLATION FOUND   |                                | YES             | YES                         |          |          |             |
| ORD-24-05740                |                       | PARKLAWN     | 4301 N 44TH ST      |                         | 7/22/2024             |                      |                                |                 | ABATED                      | 203.2    | 406.4    |             |
| ENF-2024-36750              | PARKING               | PARKLAWN     | 4616 W RICE WAY     |                         | 10/27/2024            |                      |                                |                 | CLOSED                      |          |          |             |
| ORD-24-05743                |                       | PARKLAWN     | 4343 N 44TH ST      |                         | 11/12/2024            |                      |                                |                 |                             |          |          |             |
| ENF-2024-42032              | MOLD, LEAK            | PARKLAWN     | 4328 W OLIVE WAY    | 438                     | 12/11/2024            |                      |                                |                 | CLOSED - REFERRED           |          |          |             |
| ORD-HACM-24-00045           | WALLS                 | PARKLAWN     | 4328 W OLIVE WAY    |                         | 12/13/2024            |                      |                                |                 | ABATED                      |          |          |             |
| ORD-HACM-24-00044           | COVE BASE             | PARKLAWN     | 4328 W OLIVE WAY    |                         | 12/13/2024            |                      |                                |                 | ABATED                      |          |          |             |
| ENF-CID-24-29948            | ILLEGAL DUMPING       | RIVERVIEW    | 1300 KANE PLACE     |                         | 9/5/24 NON ACTIONABLE |                      |                                | YES             | YES                         |          |          |             |
| PWCF-24-03374               | WEEDS                 | SS           | 2808 N 22ND ST      | OUTSIDE                 | 6/14/2024             |                      |                                |                 | ABATED                      | YES      |          |             |
|                             | SANITATION            | SS           | 2626 N 23RD ST      |                         | 7/16/2024             |                      |                                |                 |                             |          |          |             |
|                             | SANITATION            | SS           | 5010 N 65TH ST      |                         | 7/16/2024             |                      |                                |                 |                             |          |          |             |
| ORD-24-08309                | POSSIBLE PIT BULL     | SS           | 2788 S SUPERIOR ST  |                         | 7/16/2024             |                      |                                |                 | CLOSED                      |          |          |             |
| GBG-24-01730                | GARBAGE               | SS           | 3125 N 26TH ST      |                         | 7/18/2024             |                      |                                |                 | CLOSED                      |          |          |             |
| ENF-2024-22817              | GARBAGE               | SS           | 3125 N 26TH ST      |                         | 7/18/2024             |                      |                                |                 | CLOSED                      |          |          |             |
| ENF-2024-22972              | LARGE ITEMS           | SS           | 3025 N 58TH ST      |                         | 7/18/2024             |                      |                                |                 | CLOSED                      |          |          |             |
| ENF-2024-22996 GBG-24-01747 | GARBAGE               | SS           | 3031 N 58TH ST      | YARD                    | 7/19/2024             | 24 HOURS             |                                |                 | CLOSED                      |          |          |             |

**Public Housing / DNS Violations  
Jun 2024 - Jan 2025, Sorted By Development**

| VIOLATION #                 | VIOLATION                               | PROPERTY          | ADDRESS               | UNIT | DATE RECEIVED                    | DATE TO BE COMPLETED | EXTENSION DATE TO BE COMPLETED | WORK COMPLETED | DNS VERIFIED COMPLETED           | 1ST FINE         | 2ND FINE | total fines |
|-----------------------------|---|-------------------|-----------------------|------|----------------------------------|----------------------|--------------------------------|----------------|----------------------------------|------------------|----------|-------------|
| ENF-2024-23108 ORD-24-08412 | NO GRASS IN FRONT BOAT ON GRASS IN BACK | SS                | 3031 N 58TH ST        |      | 7/19/2024                        | 8/5/2024             |                                |                | CLOSED                           | 203.2<br>8/30/24 |          |             |
| ENF-2024-23278              | MOLD AND WATER DAMAGE                   | SS                | 5818 S 14TH ST        |      | 7/23/2024                        |                      |                                |                | CLOSED                           |                  |          |             |
| ENF-2024-24390              | VERIFY LAND USE CODE                    | SS                | 4356 N 20TH ST        |      | 7/29/2024                        |                      | NO VIOLATION FOUND             | YES            | YES                              |                  |          |             |
| ORD-24-08936                | LIFE AND SAFETY                         | SS                | 4356 N 20TH ST        |      | 7/29/2024                        |                      | 9/18/2024                      | YES            | 10/2/2024                        |                  |          |             |
| PWCF-24-06090               | TREES                                   | SS                | 1244 N 18TH ST        |      | 7/30/2024                        |                      | NO VIOLATION FOUND             |                |                                  |                  |          |             |
|                             | SANITATION                              | SS                | 2035 N 22ND ST        |      | 7/31/2024                        |                      |                                |                |                                  |                  |          |             |
| ORD-24-09067                | SMOKE ALARMS                            | SS                | MULTIPLE UNITS        |      | 7/31/2024                        | 9/9/2024             |                                |                | 11/12/24<br>ABATED               |                  |          |             |
|                             | DEBRIS                                  | SS                | 439 S 92ND ST         |      | 8/8/2024                         |                      |                                |                |                                  |                  |          |             |
| ENF-2024-26351              | GARBAGE                                 | SS                | 2228 W CHERRY ST      |      | 8/9/2024                         |                      |                                |                | CLOSED                           |                  |          |             |
| GBG-24-01953                | DEBRIS                                  | SS                | 2228 W CHERRY ST      |      | 8/12/2024                        | 24 HOURS             |                                |                | CONTRACTOR<br>ABATED             |                  |          |             |
| ENF-2024-26355              | GARBAGE                                 | SS                | 2228 W CHERRY         |      | 8/12/2024                        |                      |                                |                | CLOSED                           |                  |          |             |
| ENF-2024-27733              | WATER HEATER AND BASEMENT               | SS                | 1543 W PLAINFIELD AVE |      | 8/23/2024                        |                      |                                |                | 8/21/24 NO<br>VIOLATION<br>FOUND |                  |          |             |
| ORD-HACM-24-00038           | BROKEN WINDOWS                          | SS                | 1981 W LAWRENCE AVE   |      | 12/5/2024                        |                      |                                |                | ABATED                           |                  |          |             |
|                             | SANITATION                              | SS                | 2642N 38TH ST         |      | 7/13/24                          |                      |                                |                |                                  |                  |          |             |
| ENF-2024-30785              | DEBRIS                                  | SS                | 1561 W PLAINFIELD     |      | 9/11/24 NO<br>VIOLATION<br>FOUND | 9/11/2024            |                                | YES            | YES                              |                  |          |             |
| PWCF-24-03809               | WEEDS                                   | SS                | 1808 W WALNUT         |      |                                  |                      | NO VIOLATION<br>FOUND          |                |                                  |                  |          |             |
| ENF-2024-24921              | VERIFY LAND USE CODE                    | SS HIGHLAND HOMES | 1228 N 18TH ST        |      |                                  |                      | NO VIOLATION<br>FOUND          |                |                                  |                  |          |             |
| ORD-24-09067                |   |                   | 447 S 84TH ST         |      |                                  |                      |                                |                | ABATED                           |                  |          |             |

**BNS / DNS Violations  
January 2025, Sorted By Development**

| COMPLETED      |                |           |                |      |               |                      |                                |                |                        |          |          |             |
|----------------|----------------|-----------|----------------|------|---------------|----------------------|--------------------------------|----------------|------------------------|----------|----------|-------------|
| VIOLATION #    | VIOLATION      | PROPERTY  | ADDRESS        | UNIT | DATE RECEIVED | DATE TO BE COMPLETED | EXTENSION DATE TO BE COMPLETED | WORK COMPLETED | DNS VERIFIED COMPLETED | 1ST FINE | 2ND FINE | total fines |
| ENF-2025-02076 | NO HEAT        | BERRYLAND | 6114 N HOPKINS | 354  | 1/21/2025     |                      |                                |                | CLOSED                 |          |          |             |
| ORD-25-00127   | FIRE RECORD    | BERRYLAND | 6017 N 40TH ST |      | 1/6/2025      | 2/14/2025            |                                |                |                        |          |          |             |
| ENF-2025-03394 | NO ELECTRICITY | BERRYLAND | 6033 N 42ND ST |      | 2/1/2025      |                      |                                | 2/1/2025       | CLOSED                 |          |          |             |

**BNS / DNS Violations**  
**Jun 2024 - Dec 2024, Sorted By Developments**

|                             |                     |           | COMPLETED            |      |               |                      |                |                    |                        |                           |          |
|-----------------------------|---------------------|-----------|----------------------|------|---------------|----------------------|----------------|--------------------|------------------------|---------------------------|----------|
| VIOLATION #                 | VIOLATION           | PROPERTY  | ADDRESS              | UNIT | DATE RECEIVED | DATE TO BE COMPLETED | EXTENSION DATE | WORK COMPLETED     | DNS VERIFIED COMPLETED | 1ST FINE                  | 2ND FINE |
| ENF-2024-21373              | MOLD FROM WATER     | BERRYLAND | 4105 W DOUGLAS AVE   |      | 7/8/2024      | NO VIOLATION FOUND   |                | NO VIOLATION FOUND | YES                    |                           |          |
| ORD-24-08007                | MULTIPLE ISSUES     | BERRYLAND | 4106 W KAUL AV       |      | 7/8/2024      | 8/16/2024            |                |                    | 8/30/2024              |                           |          |
| ENF-2024-21373              | MOLD FROM WATER     | BERRYLAND | 4105 W DOUGLAS AVE   |      | 7/8/2024      | NO VIOLATION FOUND   |                | NO VIOLATION FOUND | YES                    |                           |          |
| ORD-24-07352 ENF-2024-18549 | ELECTRIC            | NORTHLAWN | 2040 W FAIRMOUNT AV  |      | 6/25/2024     | 7/17/2024            |                |                    | ABATED 7/31/24         |                           |          |
| GBG-24-01684                | GARBAGE ON PORCH    | NORTHLAWN | 5117 N 22ND ST       |      | 7/11/2024     | 24 HOURS             |                | YES                | YES                    |                           |          |
| GBG-24-01684                | GARBAGE ON PORCH    | NORTHLAWN | 5117 N 22ND ST       |      | 7/11/2024     | 24 HOURS             |                | YES                | YES                    |                           |          |
| ORD-24-08112                | TOILET/CEILING      | NORTHLAWN | 5141 N 22ND ST       |      | 7/12/2024     | 8/23/2024            |                |                    | CLOSED                 |                           |          |
| ORD-24-08577                | WATER LEAK AND DOOR | NORTHLAWN | 5117 N 22ND ST       |      | 7/12/2024     |                      |                |                    | CLOSED                 |                           |          |
| ORD-24-08114 ENF-2024-21426 | CEILING LEAK/DOOR   | NORTHLAWN | 5117 N 22ND ST       |      | 7/15/2024     | 8/23/2024            |                |                    | ABATED 11/18/24        |                           |          |
| ORD-24-08114                | MULTIPLE ISSUES     | NORTHLAWN | 5117 N 22ND ST       |      | 7/15/2024     | 8/23/2024            |                |                    | ABATED 11/18/24        |                           |          |
| ORD-24-07397                |                     | NORTHLAWN | 5005 N 20TH ST       |      | 7/22/2024     |                      |                | 8/12/2024          | 8/12/2024              |                           |          |
| ORD-24-08934 ENF-2024-24338 | BASEMENT            | NORTHLAWN | 5142 N 22D ST        |      | 7/30/2024     | 8/30/2024            |                |                    | 9/16/24 ABATED         | YES PERMIT WAS NOT PULLED |          |
| ENF-2024-21275              | TOILET              | NORTHLAWN | 5141 N 22ND ST       |      |               |                      |                |                    | CLOSED                 |                           |          |
| ORD-HACM-24-00037           | PLUMBING            | NORTHLAWN | 2114 W FAIRMOUNT AVE |      | 12/2/2024     |                      |                |                    | ABATED 1/2/2025        |                           |          |
| ORD-HACM-24-00047           | HEAT                | NORTHLAWN | 5127 N 22ND ST       |      | 12/17/2024    |                      |                |                    | ABATED                 |                           |          |
| ORD-HACM-24-00041           | WALLS & LIGHTS      | NORTHLAWN | 2122 W COLFAX PL     |      | 12/6/2024     |                      |                |                    |                        |                           |          |
| ORD-HACM-24-00013           | BASEMENT            | NORTHLAWN | 5142 N 23RD ST       |      | 10/23/2024    |                      |                |                    |                        |                           |          |
| ORD-HACM-24-00046           | FLOORS & WALLS      | SOUTHLAWN | 2301 W SUNBURY CT    |      | 12/16/2024    |                      |                |                    |                        |                           |          |



**Affordable LLC / DNS Violations  
January 2025, Sorted By Developments**

|                |             |          | COMPLETED         |      |               |                      |                                |                |                        |          |          |             |
|----------------|-------------|----------|-------------------|------|---------------|----------------------|--------------------------------|----------------|------------------------|----------|----------|-------------|
| VIOLATION #    | VIOLATION   | PROPERTY | ADDRESS           | UNIT | DATE RECEIVED | DATE TO BE COMPLETED | EXTENSION DATE TO BE COMPLETED | WORK COMPLETED | DNS VERIFIED COMPLETED | 1ST FINE | 2ND FINE | Total Fines |
| PWCF-25-00055  | TREES       | BECHER   | 1800 W BECHER ST  |      | 1/14/2025     |                      |                                |                |                        |          |          |             |
| ENF-2025-01825 | BATHROOM    | CHERRY   | 1525 N 24TH ST    | 322  | 1/17/2025     |                      |                                |                | CLOSED                 |          |          |             |
| ORD-25-00482   | FIRE RECORD | HIGHLAND | 1818 W JUNEAU AVE |      | 1/13/2025     |                      |                                |                | ABATED                 |          |          |             |
| ENF-2025-01973 | BEDBUGS     | MERRILL  | 222 N 33RD ST     | 706  | 1/18/2025     |                      |                                |                | CLOSED                 |          |          |             |

**Affordable LLC / DNS Violations**  
**Jun 2024 - Dec 2024**

|  |                                    |              | COMPLETED         |               |               |                      |                |                |                            |          |          |
|--|------------------------------------|--------------|-------------------|---------------|---------------|----------------------|----------------|----------------|----------------------------|----------|----------|
| VIOLATION #                                | VIOLATION                          | PROPERTY     | ADDRESS           | UNIT          | DATE RECEIVED | DATE TO BE COMPLETED | EXTENSION DATE | WORK COMPLETED | DNS VERIFIED COMPLETED     | 1ST FINE | 2ND FINE |
| *****                                      | MULTIPLE ISSUES                    | BECHER       | 1802 W BECHER     | 118           | 6/27/2024     | 8/9/2024             |                |                | CLOSED                     |          |          |
| ENF-2024-20806 ORD-24-07611 ENF-2024-20800 | PANTRY DOOR                        | BECHER       | 1802 W BECHER     | 217           | 6/28/2024     | 8/9/2024             |                |                | CLOSED                     |          |          |
| ENF-2024-20797                             | AC BLOWING FUSE                    | BECHER       | 1802 W BECHER     | 112           | 6/28/2024     |                      |                |                | CLOSED                     |          |          |
| ORD-24-07609                               | FURNITURE IN HALLWAY               | BECHER       | 1802 W BECHER     | 520           | 6/28/2024     | 7/19/2024            |                |                | CLOSED                     |          |          |
| ORD-24-07610                               | WALLS                              | BECHER       | 1802 W BECHER     | 216           | 6/28/2024     | 8/19/2024            |                |                | CLOSED 11/7/24             | 203.2    |          |
| ORD-24-07608 ENF-2024-20795                | BATHROOM FLOOR                     | BECHER       | 1802 W BECHER     | 517           | 7/1/2024      | 8/9/2024             |                | 9/20/2024      | 9/20/2024                  | WAIVED   |          |
| ENF-2024-20658                             | LIGHT AND PLUMBING                 | BECHER       | 1802 W BECHER     | 527           | 7/3/2024      | 8/14/2024            |                |                | CLOSED                     |          |          |
| ORD-24-07766                               | MULTIPLE ISSUES                    | BECHER       | 1802 W BECHER     | 527           | 7/9/2024      | 8/14/2024            |                |                | 8/30/2024                  |          |          |
| ENF-2024-29210                             | PEST CONTROL                       | BECHER       | 1802 W BECHER ST  | 214           | 8/30/2024     |                      |                |                | 8/30/24 NO VIOLATION FOUND |          |          |
| ENF-2024-35211                             | NO HEAT                            | BECHER       | 1802 W BECHER ST  | 117           | 10/13/2024    |                      |                |                | CLOSED - REFERRED          |          |          |
| ENF-2024-36206                             | NO HEAT AND WINDOWS                | BECHER       | 1802 BECHER       | 618           | 10/23/2024    |                      |                |                | CLOSED                     |          |          |
| ENF-2024-36349                             | NO HEAT                            | BECHER       | 1802 W BECHER ST  | 117           | 10/23/2024    | NO VIOLATION FOUND   |                |                | CLOSED 11/7/24             |          |          |
| ENF-2024-40462                             | COMMON NO HEAT                     | BECHER       | 1802 W BECHER ST  | COMMON AREAS  | 11/27/2024    |                      |                |                | CLOSED                     |          |          |
| ENF-2024-41741                             | PLUMBING                           | BECHER       | 1802 W BECHER ST  | 112 AND 114   | 12/8/2024     |                      |                |                | CLOSED                     |          |          |
| ORD-24-07200                               |                                    | CARVER PARK  | 604 W VINE ST     |               | 7/22/2024     |                      |                |                | NO VIOLATION FOUND         |          |          |
| ORD-24-12946                               | CROSS CONECTION SERVEY             | CARVER PARK  | 1951 N 7TH ST     |               | 10/12/2024    | 11/11/2024           |                |                | ABATED 10/24/24            |          |          |
| ORD-24-14070                               | CROSS CONNECTION SURVEY            | CARVER PARK  | 705 W BROWN ST    |               | 10/30/2024    | 11/29/2024           |                |                | ABATED 11/5/24             |          |          |
| ORD-24-09223 ENF-2024-25130                | MULTIPLE                           | CHERRY COURT | 1525 N 24TH ST    |               | 8/5/2024      | 9/18/2024            |                |                | ABATED 11/8/24             |          |          |
| ENF-2024-33666                             | CEILING                            | CHERRY COURT | 1525 N 24TH ST    |               | 10/2/2024     |                      |                |                | CLOSED - REFERRED          |          |          |
| ENF-2024-41613                             | NO HEAT                            | CHERRY COURT | 1525 N 24TH ST    | 306           | 12/7/2024     |                      |                |                | CLOSED                     |          |          |
| ENF-2024-43411 ORD-HACM-24-00048           | FLOORING COMING UP AND OTHER ITEMS | CHERRY COURT | 1525 N 24TH ST    | 201           | 12/21/2024    | 1/31/2024            |                |                | CLOSED                     |          |          |
| ENF-2024-22701                             |                                    | CONVENT HILL | 455 W OGDEN       | COMMO N AREAS |               |                      |                |                | 7/24/24 NO VIOLATION FOUND |          |          |
| ENF-2024-22061                             | DOORS                              | HIGHLAND     | 1818 W JUNEAU AVE |               | 7/15/2024     | 8/28/2024            | 11/1/2024      |                | CLOSED                     |          |          |
| ENF-2024-31498                             | MULTIPLE ISSUES                    | HIGHLAND     | 1818 W JUNEAU AVE | 304           | 9/16/2024     |                      | CLOSED         |                |                            |          |          |

**Affordable LLC / DNS Violations**  
**Jun 2024 - Dec 2024**

|                             |                           |                 | COMPLETED         |                                   |               |                      |                |                    |                        |                  |          |
|-----------------------------|---------------------------|-----------------|-------------------|-----------------------------------|---------------|----------------------|----------------|--------------------|------------------------|------------------|----------|
| VIOLATION #                 | VIOLATION                 | PROPERTY        | ADDRESS           | UNIT                              | DATE RECEIVED | DATE TO BE COMPLETED | EXTENSION DATE | WORK COMPLETED     | DNS VERIFIED COMPLETED | 1ST FINE         | 2ND FINE |
| ENF-2024-37413              | HOLE IN FLOOR             | HIGHLAND        | 1818 W JUNEAU AVE | 109                               | 11/1/2024     |                      |                |                    | CLOSED                 |                  |          |
| ORD-24-08314                | DOORS                     | HIGHLAND PARK   | 1818 W JUNEAU     | COMMO<br>N<br>DOORS               | 7/15/2024     | 8/28/2024            |                |                    |                        | 203.2<br>8/30/24 |          |
| ORD-24-08310                | BATHROOM AND KITCHEN      | HIGHLAND PARK   | 1818 W JUNEAU     | 315                               | 7/16/2024     | 8/28/2024            |                |                    | 8/29/2024              |                  |          |
| ENF-2024-22260              | PEST CONTROL              | HIGHLAND PARK   | 1818 W JUNEAU     | 304                               | 7/17/2024     | NO VIOLATION FOUND   |                | NO VIOLATION FOUND | YES                    |                  |          |
| ENF-2024-34239              | THERMOSTATE               | HIGHLAND PARK   | 1818 W JUNEAU AVE | 105                               |               | 10/8/2024            |                |                    | CLOSED - REFERRED      |                  |          |
| ORD-24-08373                |                           | HOLTON          | 2825 N HOLTON ST  | CROSS<br>CONNE<br>CTION<br>SURVEY | 7/19/2024     | 8/18/2024            |                |                    | ABATED<br>10/16/24     |                  |          |
| ENF-2024-26046              | BEDBUGS                   | HOLTON          | 2825 N HOLTON ST  | 515                               | 8/9/2024      | CLOSED               |                |                    | CLOSED                 |                  |          |
| ENF-2024-25384              | BED BUGS                  | HOLTON TERRACE  | 2825 N HOLTON ST  | 513                               | 8/5/2024      | CLOSED               |                | YES                | YES                    |                  |          |
| ENF-2024-36820              | BUGS                      | HOLTON TERRACE  | 2825 N HOLTON ST  | 406                               | 10/29/2024    |                      |                |                    | CLOSED                 |                  |          |
| ENF-2024-37950              | LOW WATER PRESSURE        | HOLTON TERRACE  | 2825 N HOLTON ST  | 714                               | 11/6/2024     |                      |                |                    | CLOSED                 |                  |          |
| ENF-2024-37950              | LOW WATER PRESSURE        | HOLTON TERRACE  | 2825 N HOLTON ST  | 714                               |               |                      |                |                    | CLOSED                 |                  |          |
| ENF-2024-37802              | PLUMBING                  | LAPHAM          | 1901 N 6TH ST     | 804                               | 11/5/2024     |                      |                |                    | CLOSED                 |                  |          |
| ORD-HACM-24-00030           | FAUCET, UNSANITARY        | LAPHAM          | 1901 N 6TH ST     | 804                               | 11/5/2024     | 12/20/2024           |                |                    | CLOSED                 |                  |          |
| ORD-24-07190                | FIRE ALARM                | LAPHAM/CARVER   |                   | MULTIPL<br>E UNITS                | 6/18/2024     | 7/26/2024            |                | YES                | YES                    |                  |          |
| ORD-24-07196                | FIRE ALARM                | LAPHAM/CARVER   |                   | MULTIPL<br>E UNITS                | 6/18/2024     | 7/29/2024            |                | YES                | YES                    |                  |          |
| ORD-24-07191                | FIRE ALARM                | LAPHAM/CARVER   |                   | MULTIPL<br>E UNITS                | 6/18/2024     | 7/26/2024            |                | YES                | YES                    |                  |          |
| ORD-24-077195               | FIRE ALARM                | LAPHAM/CARVER   |                   | MULTIPL<br>E UNITS                | 6/18/2024     | 7/29/2024            |                | YES                | YES                    |                  |          |
| ORD-24-10686 ENF-2024-29574 | BED BUGS                  | LAPHAM/CARVER   | 1901 N 6TH ST     | 717                               | 9/4/2024      | 10/16/2024           |                |                    | ABATED                 |                  |          |
| ORD-24-15329                | CROSS CONECTION SERVEY    | MERRIL PARK     | 222 N 33RD ST     |                                   | 11/21/2024    | 12/21/2024           |                |                    | ABATED                 |                  |          |
| ENF-2024-43806              | ELEVATORS                 | MERRIL PARK     | 222 N 33RD ST     |                                   | 12/30/2024    |                      |                |                    | CLOSED                 |                  |          |
| ENF-2024-34397              | PLUMBING                  | MERRIL PARK     | 222 N 33RD ST     | 404                               |               | 10/8/2024            |                |                    | CLOSED - REFERRED      |                  |          |
| ORD-24-16822                | PLUMBING                  | MERRIL          | 222 N 33RD ST     |                                   | 12/27/2024    | 2/5/2025             |                |                    | ABATED                 |                  |          |
| SANITATION                  | RECYCLE CART CONTAMINATED | Scattered Sites | 5019 N 67TH ST    |                                   |               | 24 HOURS             |                |                    |                        |                  |          |

**Westlawn / DNS Violations  
January 2025, Sorted By Development**

|                         |                 | COMPLETED           |             |                      |                             |                                       |                       |                               |                 |                 |                    |
|-------------------------|-----------------|---------------------|-------------|----------------------|-----------------------------|---------------------------------------|-----------------------|-------------------------------|-----------------|-----------------|--------------------|
| <b>VIOLATION</b>        | <b>PROPERTY</b> | <b>ADDRESS</b>      | <b>UNIT</b> | <b>DATE RECEIVED</b> | <b>DATE TO BE COMPLETED</b> | <b>EXTENSION DATE TO BE COMPLETED</b> | <b>WORK COMPLETED</b> | <b>DNS VERIFIED COMPLETED</b> | <b>1ST FINE</b> | <b>2ND FINE</b> | <b>total fines</b> |
| CROSS CONNECTION SURVEY | WESTLAWN        | 6220 W SHERIDAN AVE |             | 1/30/2025            | 2/28/2025                   |                                       |                       |                               |                 |                 |                    |
| CROSS CONNECTION SURVEY | WESTLAWN        | 5460 N 62ND ST      |             | 2/1/2025             | 3/3/2025                    |                                       |                       |                               |                 |                 |                    |

**Westlawn / DNS Violations**  
**Jun 2024 - Dec 2024**

| COMPLETED         |                         |          |                           |                    |               |                      |                |                   |                        |                 |          |
|-------------------|-------------------------|----------|---------------------------|--------------------|---------------|----------------------|----------------|-------------------|------------------------|-----------------|----------|
| VIOLATION #       | VIOLATION               | PROPERTY | ADDRESS                   | UNIT               | DATE RECEIVED | DATE TO BE COMPLETED | EXTENSION DATE | WORK COMPLETED    | DNS VERIFIED COMPLETED | 1ST FINE        | 2ND FINE |
| ORD-24-08338      |                         | WESTLAWN | 6614 W Birch              | 6612 and 6614      | 7/31/2024     |                      | 10/15/2024     |                   | ABATED                 | 203.2           | 406.4    |
| ORD-24-06942      |                         | WESTLAWN | 5438 N 61ST ST            |                    | 7/22/2024     |                      |                |                   | 7/25/2024              |                 |          |
| ORD-24-06907      |                         | WESTLAWN | 5510 N 66TH ST            |                    | 7/22/2024     |                      | 8/6/2024       | X                 | 8/7/2024               |                 |          |
| ORD-24-08342      | MULTIPLE                | WESTLAWN | 6525 W SILVER SPRING #110 | COMMON AREAS & 110 | 7/18/2024     | 8/30/2024            |                |                   | 9/20/2024              | 203.2<br>9/4/24 |          |
| ORD-24-08310      |                         | WESTLAWN | 6525 W SILVER SPRING #315 | 315                | 7/19/2024     |                      | 8/28/2024      | 8/29/2024         | 8/29/2024              |                 |          |
| ORD-24-09265      | LIFE AND SAFETY         | WESTLAWN | 6111 W BIRCH              |                    | 8/5/2024      | 9/20/2024            |                |                   | ABATED                 |                 |          |
| ORD-24-09268      | MULTIPLE                | WESTLAWN | 6405 W SHERIDAN           |                    | 8/5/2024      | 9/20/2024            |                |                   | DISMISSED              |                 |          |
| ORD-24-09307      | LIFE AND SAFETY         | WESTLAWN | 5450 N 65TH ST            |                    | 8/6/2024      | 9/17/2024            |                |                   | ABATED                 |                 |          |
| ORD-24-09308      | LIFE AND SAFETY         | WESTLAWN | 5436 N 65TH ST            |                    | 8/6/2024      | 9/17/2024            |                |                   | ABATED                 |                 |          |
| ORD-24-09338      | FIRE ALRM TESTING       | WESTLAWN | 5545 N 66TH ST            |                    | 8/5/2024      | 9/17/2024            |                | 9/18/2024         | 9/18/2024              |                 |          |
| ORD-24-09155      | LIFE AND SAFETY         | WESTLAWN | 5555 N 62ND ST            |                    | 8/2/2024      | 9/16/2024            |                | 9/18/2024         | 9/18/2024              |                 |          |
| ORD-24-08852      |                         | WESTLAWN | 6033 W BIRCH AVENUE       |                    | 8/13/2024     | 8/29/2024            |                | 8/30/2024         | 8/30/2024              |                 |          |
| ORD-24-09153      | SMOKE ALARM REPORT      | WESTLAWN | 6014 W SHERIDAN           |                    |               |                      |                | DISMISSED         |                        |                 |          |
| ORD-24-09262      | ?                       | WESTLAWN | 6119 W BIRCH              |                    |               |                      |                | DISMISSED         |                        |                 |          |
| ORD-24-9261       | ?                       | WESTLAWN | 6229 W BIRCH              |                    |               |                      |                |                   |                        |                 |          |
| ORD-24-0269       | ?                       | WESTLAWN | 6525 W SILVER SPRING      |                    |               |                      |                |                   |                        |                 |          |
| ORD-24-11712      | CROSS CONNECTION SURVEY | WESTLAWN | 5555 N 62ND ST            |                    | 9/20/2024     | REINSPECT 10/21/24   |                |                   |                        |                 |          |
| ENF-2024-33140    | MICE AND ROACHES        | WESTLAWN | 5461 N 64TH ST            |                    | 9/27/2024     |                      |                | CLOSED - REFERRED |                        |                 |          |
| ENF-2024-35733    | NO HEAT                 | WESTLAWN | 5555 N 62ND ST            | 307                | 10/18/2024    |                      |                |                   | CLOSED                 |                 |          |
| ENF-2024-38537    | NO HEAT AND TOILET      | WESTLAWN | 5555 N 62ND ST            | 307                | 11/12/2024    |                      |                |                   | CLOSED                 |                 |          |
| ENF-2024-38839    | NO HEAT                 | WESTLAWN | 5555 n 62ND ST            | 307                | 11/21/2024    |                      |                |                   |                        |                 |          |
| ORD-HACM-24-00039 | SMOKE DETECTOR          | WESTLAWN | 6612 W BIRCH SVE          |                    | 12/4/2024     | 12/10/2024           |                |                   | ABATED                 |                 |          |
| ORD-HACM-24-00040 |                         |          |                           |                    |               |                      |                |                   |                        |                 |          |
| ENF-2024-40943    | HEAT AND WINDOW         | WESTLAWN | 6405 W SHERIDAN           | 103                | 12/4/2024     | 1/13/2025            |                |                   | CLOSED                 |                 |          |
| ORD-24-16375      | CROSS CONNECTION SURVEY | WESTLAWN | 6102 W BIRCH AV           |                    | 12/12/2024    | 1/12/2025            |                |                   |                        |                 |          |
| ENF-2024-40824    | BATHROOM AND ROACHES    | WESTLAWN | 5461 N 64TH ST            | 325                | 12/3/2024     |                      |                |                   | CLOSED - REFERRED      |                 |          |
| ORD-HACM-24-00043 | SMOKES                  | WESTLAWN | 6041 W SHERIDAN AVE       |                    | 12/10/2024    |                      |                |                   | ABATED                 |                 |          |
| ORD-HACM-24-00042 | ELECTRICAL              | WESTLAWN | 6041 W SHERIDAN AVE       |                    | 12/9/2024     | 1/8/2025             |                |                   |                        |                 |          |