

Specifications: LP® SmartSide® Lap Siding

CEDAR TEXTURE LAP SIDING


THE BOLD LOOK OF CEDAR WITHOUT MANY OF THE WORRIES

- One of the most durable lap siding options on the market today
- Available in lengths up to 16' to help speed installation
- May create fewer seams than traditional 12' siding
- Primed for exceptional paint adhesion
- APA-certified lap siding
- Treated with the SmartGuard® process for superior protection and resistance against the weather, fungal decay and termites




Cedar Texture


38 SERIES CEDAR TEXTURE LAP



76 SERIES CEDAR TEXTURE LAP



76 SERIES SMARTLOCK CEDAR TEXTURE LAP



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Lap	12 ft. (144 in.)(3.7 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	28869	1.5 PSF
	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	25796	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	25797	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	25799	1.5 PSF
76 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.418 in. (10.6 mm)	25786	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (301 mm)	0.418 in. (10.6 mm)	25787	1.5 PSF
76 Series SmartLock Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.418 in. (10.6 mm)	30317	1.5 PSF

Specifications: LP® SmartSide® Lap Siding Coverage

Lap Siding 12' Length	Reveal (size)
Area (sq. ft.)	6-7/8" (8")
100	15 pcs.
200	30 pcs.
300	44 pcs.
400	59 pcs.
500	73 pcs.
600	88 pcs.
700	102 pcs.
800	117 pcs.
900	131 pcs.
1000	146 pcs.
1500	219 pcs.
2000	291 pcs.
2500	364 pcs.
3000	437 pcs.
3500	510 pcs.
4000	582 pcs.
4500	655 pcs.
5000	728 pcs.

Lap Siding 16' Length	Reveal (size)			
Area (sq. ft.)	4-7/8" (6")	5-7/8" (7")	6-7/8" (8")	10-7/8" (12")
100	16 pcs.	13 pcs.	11 pcs.	7 pcs.
200	31 pcs.	26 pcs.	22 pcs.	14 pcs.
300	47 pcs.	39 pcs.	33 pcs.	21 pcs.
400	62 pcs.	52 pcs.	44 pcs.	28 pcs.
500	77 pcs.	64 pcs.	55 pcs.	35 pcs.
600	93 pcs.	77 pcs.	66 pcs.	42 pcs.
700	108 pcs.	90 pcs.	77 pcs.	49 pcs.
800	124 pcs.	103 pcs.	88 pcs.	56 pcs.
900	139 pcs.	115 pcs.	99 pcs.	63 pcs.
1000	154 pcs.	128 pcs.	110 pcs.	69 pcs.
1500	231 pcs.	192 pcs.	164 pcs.	104 pcs.
2000	308 pcs.	256 pcs.	219 pcs.	138 pcs.
2500	385 pcs.	320 pcs.	273 pcs.	173 pcs.
3000	462 pcs.	383 pcs.	328 pcs.	207 pcs.
3500	539 pcs.	447 pcs.	382 pcs.	242 pcs.
4000	616 pcs.	511 pcs.	437 pcs.	276 pcs.
4500	693 pcs.	575 pcs.	491 pcs.	311 pcs.
5000	770 pcs.	639 pcs.	546 pcs.	345 pcs.



CEDAR TEXTURE SHAKES




THE LUXURIOUS APPEAL OF CEDAR

- The look of traditional cedar with easier maintenance over time
- Staggered edges offer a lively, textured effect
- Can be used as a decorative accent or on the entire structure
- Shiplap ends for seamless appearance
- Reversible staggered or straight edge offers exceptional design versatility
- Treated with the SmartGuard® process for superior protection and resistance against the weather, fungal decay and termites

38 SERIES CEDAR TEXTURE SHAKES



Staggered



Straight

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Cedar Texture Shakes	4ft. (48.63 in.)(1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	42092	2 PSF

Specifications: LP® SmartSide® Cedar Texture Shakes Coverage

Cedar Texture Shakes 4' Length	Reveal (size)	
	6-7/8" (12")	9-7/8" (12")
100	44 pcs.	31 pcs.
200	88 pcs.	61 pcs.
300	131 pcs.	92 pcs.
400	175 pcs.	122 pcs.
500	219 pcs.	152 pcs.
600	262 pcs.	183 pcs.
700	306 pcs.	213 pcs.
800	350 pcs.	244 pcs.
900	393 pcs.	274 pcs.
1000	437 pcs.	304 pcs.
1500	655 pcs.	456 pcs.
2000	873 pcs.	608 pcs.
2500	1091 pcs.	760 pcs.
3000	1310 pcs.	912 pcs.
3500	1528 pcs.	1064 pcs.
4000	1746 pcs.	1216 pcs.
4500	1964 pcs.	1368 pcs.
5000	2182 pcs.	1519 pcs.

Disclaimer: The above Tables do not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above Coverage Chart.

Specifications: LP® SmartSide® Trim

CEDAR TEXTURE TRIM


THE CLASSIC APPEARANCE OF CEDAR

- Exterior use, including corner boards, windows and doors
- Narrow widths for more design flexibility
- Primed for exceptional paint adhesion
- 16' length can result in faster installation and fewer seams
- Treated with the SmartGuard® process for superior protection and resistance against the weather, fungal decay and termites




Cedar Texture


190 SERIES CEDAR TEXTURE TRIM




440 SERIES CEDAR TEXTURE TRIM



540 SERIES CEDAR TEXTURE TRIM



440 SERIES CEDAR TEXTURE PLOUGHED FASCIA



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT	
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	28448	2 PSF	
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.578 in. (14.7 mm)	28450	2 PSF	
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.578 in. (14.7 mm)	28452	2 PSF	
440 Series Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (38 mm)	0.675 in. (17.1 mm)	25877	2 PSF	
	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.675 in. (17.1 mm)	25878	2 PSF	
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	25880	2 PSF	
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	25882	2 PSF	
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	25883	2 PSF	
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	25884	2 PSF	
540 Series Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (38 mm)	0.970 in. (24.6 mm)	25886 *	3 PSF	
	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	25887 *	3 PSF	
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	25888	3 PSF	
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	25890	3 PSF	
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	25891	3 PSF	
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	25892	3 PSF	
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	25893	3 PSF	
	440 Series Cedar Texture Ploughed Fascia	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	27240 *	2 PSF
		16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	27819 *	2 PSF


*Special order item. Requires minimum quantity and extended lead times.

Specifications: LP® SmartSide® Trim

BRUSHED SMOOTH TRIM


SMOOTH APPEARANCE, ADVANCED DURABILITY OF ENGINEERED WOOD

- Helps protect against moisture intrusion, impacts from hail, and damage from freeze/thaw cycles
- Treated with the SmartGuard® process for superior protection and resistance against the weather, fungal decay and termites
- 16' length can result in faster installation and fewer seams
- Primed for exceptional paint adhesion
- Backed by an industry-leading 5/50 year limited warranty




Brushed Smooth Trim


440 SERIES BRUSHED SMOOTH TRIM



440 SERIES SMOOTH FINISH TRIM



540 SERIES BRUSHED SMOOTH TRIM



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
440 Series Brushed Smooth Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	46000	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	46001	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	46002	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	46003	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	46004	2 PSF
	540 Series Brushed Smooth Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	46005
16 ft. (192 in.)(4.9 m)		3.50 in. (89 mm)	0.970 in. (24.6 mm)	45992	3 PSF
16 ft. (192 in.)(4.9 m)		5.50 in. (140 mm)	0.970 in. (24.6 mm)	45993	3 PSF
16 ft. (192 in.)(4.9 m)		7.21 in. (183 mm)	0.970 in. (24.6 mm)	45995	3 PSF
16 ft. (192 in.)(4.9 m)		9.21 in. (234 mm)	0.970 in. (24.6 mm)	45997	3 PSF
16 ft. (192 in.)(4.9 m)		11.21 in. (285 mm)	0.970 in. (24.6 mm)	45998	3 PSF