

..Number

240999

..Version

SUBSTITUTE 2

..Reference

..Sponsor

ALD. PEREZ, BAUMAN, ZAMARRIPA AND BURGELIS

..Title

A substitute ordinance relating to zoning regulations for accessory dwelling units.

..Sections

295-201-5	cr
295-203-1-L	cr
295-403-2-a (table)	am
295-404-1 (table)	am
295-503-1 (table)	am
295-503-2-f	rn
295-503-2-f	cr
295-503-2-g	rn
295-503-2-h	rn
295-503-2-i	rn
295-503-2-j	rn
295-503-2-k	rn
295-503-2-L	rn
295-503-2-m	rn
295-503-2-n	rn
295-503-2-o	rn
295-503-2-p	rn
295-503-2-q	rn
295-503-2-r	rn
295-503-2-s	rn
295-503-2-t	rn
295-503-2-u	rn
295-503-2-v	rn
295-503-2-w	rn
295-503-2-x	rn
295-503-2-y	rn
295-503-2-z	rn
295-503-2-aa	rn
295-505-2 (table)	am
295-505-2-j-5	rc
295-505-2-L-5	cr
295-505-2.5	cr
295-505-2.5 (table)	cr
295-603-1 (table)	am
295-603-2-c	rn
295-603-2-c	cr
295-603-2-d	rn
295-603-2-e	rn

295-603-2-f	rn
295-603-2-g	rn
295-603-2-h	rn
295-603-2-i	rn
295-603-2-j	rn
295-603-2-k	rn
295-603-2-L	rn
295-603-2-m	rn
295-603-2-n	rn
295-603-2-o	rn
295-603-2-p	rn
295-603-2-q	rn
295-603-2-r	rn
295-603-2-s	rn
295-603-2-t	rn
295-603-2-u	rn
295-603-2-v	rn
295-603-2-w	rn
295-603-2-x	rn
295-603-2-y	rn
295-603-2-z	rn
295-603-2-aa	rn
295-603-2-bb	rn
295-603-2-cc	rn
295-603-2-dd	rn
295-603-2-ee	rn
295-603-2-ff	rn
295-603-2-gg	rn
295-605-2.5	cr
295-703-1 (table)	am
295-803-1 (table)	am
295-803-2-b	rn
295-803-2-b	cr
295-803-2-c	rn
295-803-2-d	rn
295-803-2-e	rn
295-803-2-f	rn
295-803-2-g	rn
295-803-2-h	rn
295-803-2-i	rn
295-803-2-j	rn
295-803-2-k	rn
295-803-2-L	rn
295-803-2-m	rn
295-803-2-n	rn
295-803-2-o	rn
295-803-2-p	rn
295-803-2-q	rn
295-803-2-r	rn

295-903-2-a (table) am

295-905-2-a (table) am

..Analysis

This ordinance defines an “accessory dwelling unit” as “a room or set of rooms with its own cooking, sleeping and sanitary facilities which is located on the same lot as a single-family or 2-family dwelling and which is smaller in area than the main dwelling to which it is accessory.”

The ordinance also classifies an accessory dwelling unit as a limited use in residential and commercial zoning districts, as well as the industrial-mixed zoning district, with the following limited use standards:

- a. Only one accessory dwelling unit shall be located on the parcel.
- b. The parcel shall contain a single-family or 2-family dwelling.
- c. At the time a building permit application is submitted for an accessory dwelling unit accessory to an existing principal dwelling unit, at least one owner of the existing principal dwelling unit shall occupy the existing principal dwelling unit as the owner’s principal residence.

If any of these limited use standards would not be met, the accessory dwelling unit is classified as a prohibited use.

In addition, an accessory dwelling unit shall meet the design standards set forth in the code. These design standards relate to floor area, building height, setbacks, pedestrian connections to the street, balconies and decks, and vary depending on whether the accessory dwelling unit is internal to the main dwelling unit, attached to it, or detached from it.

...Body

The Mayor and Common Council of the City of Milwaukee do ordain as follows:

Part 1. Section 295-201-5 of the code is created to read:

295-201. Definitions.

5. ACCESSORY DWELLING UNIT means a room or set of rooms with its own cooking, sleeping and sanitary facilities which is located on the same parcel as a single-family or 2-family dwelling and which is smaller in floor area than the largest dwelling unit to which it is accessory. On any property located in a district permitting a 2-family dwelling or multiple principal buildings on one parcel, a principal structure containing 2 dwelling units and meeting required lot area per dwelling unit standards shall be considered a 2-family dwelling and not an accessory dwelling unit for purposes of use classification. The 3 types of accessory dwelling units are:

- a. Internal Accessory Dwelling Unit. This type is located within the walls of an existing or newly-constructed dwelling.
- b. Attached Accessory Dwelling Unit. This type is located in a separate addition to an existing dwelling.
- c. Detached Accessory Dwelling Unit. This type is a freestanding structure located on the same parcel containing a separate principal building.

Part 2. Section 295-203-1-L of the code is created to read:

295-203. Use Definitions.

1. RESIDENTIAL USES.

L. "Accessory dwelling unit" means a room or set of rooms with its own cooking, sleeping and sanitary facilities which is located on the same parcel as a single-family or 2-family dwelling and which is smaller in floor area than the largest dwelling unit to which it is accessory. On any property located in a district permitting a 2-family dwelling or multiple principal buildings on one parcel, a principal structure containing 2 dwelling units and meeting required lot area per dwelling unit standards shall be considered a 2-family dwelling and not an accessory dwelling unit for purposes of use classification. The 3 types of accessory dwelling units are:

L-1. Internal Accessory Dwelling Unit. This type is located within the walls of an existing or newly-constructed dwelling.

L-2. Attached Accessory Dwelling Unit. This type is located in a separate addition to an existing dwelling.

L-3. Detached Accessory Dwelling Unit. This type is a freestanding structure located on the same parcel containing a separate principal building.

Part 3. Table 295-403-2-a of the code is amended to read:

Table 295-403-2-a NUMBER OF PARKING SPACES, BY USE	
Uses	No. of Parking Spaces Required
RESIDENTIAL USES	
.	.
.	.
.	.
Mobile home	N.A.
Watchman/service quarters	None
Family day care home	see requirement for dwelling unit type
>>Accessory dwelling unit	none<<
GROUP RESIDENTIAL USES	
Rooming house	one for every 2 rooms
Convent, rectory or monastery	one per facility
.	.
.	.
.	.

Part 4. Table 295-404-1 of the code is amended to read:

Table 295-404-1 NUMBER OF BICYCLE PARKING SPACES REQUIRED, BY USE		
Use	Long-Term Bicycle Parking Spaces Required	Short-Term Bicycle Parking Spaces Required
RESIDENTIAL USES		

.	.	.
.	.	.
.	.	.
Mobile home	None	none
Watchman/service quarters	None	none
Family day care home	None	none
>>Accessory dwelling unit	None	none<<
GROUP RESIDENTIAL USES		
Rooming house	one for every 4 beds	one for every 30 beds; min. of 2 spaces
Convent, rectory or monastery	None	none
.	.	.
.	.	.
.	.	.

Part 5. Table 295-503-1 of the code is amended to read:

Table 295-503-1 RESIDENTIAL DISTRICTS USE TABLE									
Y = Permitted Use S = Special Use	L = Limited Use N = Prohibited Use	Zoning Districts							
Uses		RS1-RS5	RS6	RT1-RT2	RT3	RT4	RM1-RM2	RM3-RM7	R01 R02
RESIDENTIAL USES									
.
.
.
Mobile home	N	N	N	N	N	N	N	N	N
Watchman/service quarters	N	N	N	N	N	N	N	N	N
Family day care home	L	L	L	L	L	L	L	L	L
>>Accessory dwelling unit	L	L	L	L	L	L	L	L	L<<
GROUP RESIDENTIAL USES									
Rooming house	N	N	N	N	S	S	S	S	S
Convent, rectory or monastery	Y	Y	Y	Y	Y	Y	Y	Y	Y
.
.
.

Part 6. Section 295-503-2-f to aa of the code is renumbered 295-503-2-g to bb.

Part 7. Section 295-503-2-f of the code is created to read:

295-503. Uses.

2. LIMITED USE STANDARDS.

f. Accessory Dwelling Unit. f-1. Only one accessory dwelling unit shall be located on the parcel.

f-2. The parcel shall contain a single-family or 2-family dwelling.

f-3. At the time a building permit application is submitted for an accessory dwelling unit accessory to an existing principal dwelling unit, at least one owner of the existing principal dwelling unit shall occupy the existing principal dwelling unit as the owner's primary residence, except the owner is not required to occupy a dwelling unit on the property at the time a permit application is submitted when a structure containing an accessory dwelling unit is being constructed simultaneously with a new principal dwelling unit structure. A person may have only one primary residence. For purposes of this subdivision, "primary residence" means a residence which is the usual place of return for housing as documented by at least 2 of the following or other documentation approved by the commissioner of neighborhood services:

f-3-a. Motor vehicle registration.

f-3-b. Driver's license.

f-3-c. Wisconsin state identification card.

f-3-d. Voter registration.

f-3-e. Federal or state income tax return.

f-3-f. Utility bill.

f-3-g. Verification of eligibility for lottery or gaming credit for tax purposes.

f-4. If any of the standards in subds. 1 through 3 are not met, the accessory dwelling unit is a prohibited use.

Part 8. Table 295-505-2 of the code is amended to read:

Table 295-505-2 PRINCIPAL BUILDING DESIGN STANDARDS											
Single-family Districts								Two-family Districts			
		RS1	RS2	RS3	RS4	RS5	RS6	RT1	RT2	RT3	RT4
Lot	Lot area, minimum (sq. ft.) <i>detached housing</i>	20,000	12,000	9,000	7,200	6,000	3,600	7,200	4,800	3,000	2,400
	Lot area, minimum (sq. ft.) <i>attached housing</i>	not applicable						3,600	3,000	1,800	1,800
	Lot area, maximum (sq. ft.)	none	none	none	none	none	none	none	none	none	none
	Lot width, minimum (ft.) <i>detached housing</i>	100	100	75	60	50	30	60	40	30	24
	Lot width, minimum (ft.) <i>attached housing</i>	not applicable						30	25	18	18
	Lot width, maximum (ft.)	none	none	none	none	none	none	none	none	none	none
Density	Lot area per dwelling unit, minimum (sq. ft.) >>***<<	none	none	none	none	none	3,600	3,600	2,400	1,800	1,200
	Lot area per roomer or transitional housing client, minimum (sq. ft.)	NA	NA	NA	NA	NA	NA	NA	NA	NA	600
	Lot coverage, minimum <i>interior lot</i>	none	none	none	none	none	*	none	none	*	*
	Lot coverage, maximum <i>interior lot</i>	15%	30%	30%	30%	30%	60%	30%	30%	50%	70%
	Lot coverage, minimum <i>corner lot</i>	none	none	none	none	none	*	none	none	*	*
	Lot coverage, maximum <i>corner lot</i>	15%	30%	30%	30%	40%	70%	40%	40%	60%	85%
	Floor area, minimum (sq. ft.) <i>one-story structure</i>	1,500	1,500	1,300	1,200	900	none	none	none	none	none
	Floor area, minimum (sq. ft.) <i>split-level or taller</i>	1,900	1,900	1,700	1,450	1,200	none	none	none	none	none
Height	Height, minimum (ft.)	none	none	none	none	none	**	none	none	*	*
	Height, maximum (ft.)	45	45	45	45	45	45	45	45	45	48

*The requirements of table 295-505-2-i apply in lieu of the minimum lot coverage and minimum height requirements of this table.
 **A structure shall meet the minimum height requirements of table 295-505-2-i unless it is adjacent to a lot containing a one-story house,
 in which case there shall be no minimum height requirement.
 >>*** Accessory dwelling units shall not be included in lot area per dwelling unit calculations.<<

Table 295-505-2 PRINCIPAL BUILDING DESIGN STANDARDS											
Single -family Districts								Two-family Districts			
		RS1	RS2	RS3	RS4	RS5	RS6	RT1	RT2	RT3	RT4
Primary Frontage	Front setback, minimum (ft.) (see s. 295-505-2-b)	average or 25 ft., whichever is less	average or 25 ft., whichever is less	average	average	average	average	average	average	average	average
	Front setback, maximum (ft.) (see s. 295-505-2-b)	none	none	none	none	average	average	none	none	average but never more than 20 ft.	
	Side street setback, minimum (ft.)	20% of lot width but never more than 20 ft.		10% of lot width but never more than 15 ft.		10% of lot width but never more than 6 ft.		20% of lot width but never more than 20 ft.		10% of lot width but never more than 6 ft.	3
	Side street setback, maximum (ft.)	none	none	none	none	none	none	none	none	none	15
Side Setback	North or west side setback, minimum (ft.)	3	3	3	3	3	1.5	3	3	1.5	1.5
	South or east side setback, minimum (ft.)	6	6	6	6	6	3	6	6	3	3
	Combined side setback, minimum (ft.)	12	12	12	12	12	4.5	12	12	4.5	4.5
	Maximum depth of building without side setback adjustment	50	50	50	50	50	75	50	50	75	100
	Max. no. of stories without side or rear setback adjustment	2	2	2	3	3	3	2	2	3	4
Rear Setback	Rear setback, minimum (ft.) <i>interior lot</i>	25	25	25	20	15	15	25	25	15	15
	Rear setback, minimum (ft.) <i>corner lot</i>	25	25	25	15	10	10	20	20	10	10
	Rear street setback, minimum (ft.)	average	average	average	average	average	average	average	average	average	average

(see s. 295-505-2-e)										
Rear street setback, maximum (ft.)	none	none	none	none	none	none	none	none	none	none
Multiple principal residential buildings permitted? >>****<<	no	no	no	no	no	same as RT4	no	no	no	yes, if in existence on Nov. 22, 2003; otherwise, special use
>>****In addition to the principal residential building, one detached accessory dwelling unit is permitted on a parcel in any RS or RT district.<<										

Table 295-505-2 PRINCIPAL BUILDING DESIGN STANDARDS										
	Multi-family Districts								Residence & Office	
		RM1	RM2	RM3	RM4	RM5	RM6	RM7	R01	R02
Lot	Lot area, minimum (sq. ft.) <i>detached housing</i>	3,600	3,600	3,000	2,400	2,400	2,400	2,400	3,600	2,400
	Lot area, minimum (sq. ft.) <i>attached housing</i>	3,000	3,000	1,800	1,800	1,800	1,800	1,800	3,000	1,800
	Lot area, maximum (sq. ft.)	none	none	none	none	none	none	none	none	none
	Lot width, minimum (ft.) <i>detached housing</i>	40	40	30	24	24	24	24	30	24
	Lot width, minimum (ft.) <i>attached housing</i>	25	25	18	18	18	18	18	25	18
	Lot width, maximum (ft.)	none	none	none	none	none	none	none	none	none
Density	Lot area per dwelling unit, minimum (sq. ft.) >>***<<	2,400	1,200	2,400 ea. (3 or more); 3,600 for 2; 1,800 for 1	1,200	800	400	150	2,400	400
	Lot area per dwelling unit, permanent supportive housing, minimum (sq. ft.)**	1,200; 2,400 for a unit with 2 or more bedrooms	600; 1,200 for a unit with 2 or more bedrooms	900; 1,800 for a unit with 2 or more bedrooms	600; 1,200 for a unit with 2 or more bedrooms	400; 800 for a unit with 2 or more bedrooms	200; 400 for a unit with 2 or more bedrooms	75; 150 for a unit with 2 or more bedrooms	1,200; 2,400 for a unit with 2 or more bedrooms	200; 400 for a unit with 2 or more bedrooms
	Lot area per roomer or transitional housing client, minimum (sq. ft.)**	1,200	600	900	600	400	200	75	1,200	200
	Lot coverage, minimum interior lot	15%	15%	*	*	*	*	20%	15%	*
	Lot coverage, maximum interior lot	30%	50%	50%	70%	70%	70%	85%	30%	none
	Lot coverage, minimum corner lot	15%	15%	*	*	*	*	20%	15%	*
	Lot coverage, maximum corner lot	40%	60%	60%	85%	85%	85%	85%	40%	none

Floor area, minimum (sq. ft.) <i>One-story structure</i>	none	none	none	none	none	none	none	none	none
Floor area, minimum (sq. ft.) <i>Split level or taller</i>	none	none	none	none	none	none	none	none	none

*The requirements of table 295-505-2-i apply in lieu of the minimum lot coverage and minimum height requirements of this table.

>>*<<For premises with a mixture of residential types including either permanent supportive housing or transitional housing, the minimum lot area per dwelling unit or per roomer or Transitional housing client shall be calculated pursuant to s. 295-505-2-n

>>*** Accessory dwelling units shall not be included in lot area per dwelling unit calculations.<<

Table 295-505-2 PRINCIPAL BUILDING DESIGN STANDARDS										
Multi-family Districts									Residence & Office	
		RM1	RM2	RM3	RM4	RM5	RM6	RM7	R01	R02
HEIGHT	Height, minimum (ft.)	none	none	*	*	*	*	20	none	*
	Height, maximum (ft.)	45	45	45	60	60	85	85; no limit if floor area ratio is less than 4:1	45	85
Primary Frontage	Front setback, minimum (ft.) (see s. 295-505-2-b)	average	average	average	average	average	average	average	average	average
	Front setback maximum (ft.) (see s. 295-505-2-b)	none	none	average but not more than 20 ft.		average but never more than 15 ft.			none	15 ft.
	Side street setback, minimum (ft.)	10% of lot width but not more than 15 ft.		3	3	3	3	3	same as RM1-RM2	none
	Side street setback, maximum (ft.)	none	none	15	15	15	15	15	none	none
Side Setback	North or west side setback, minimum (ft.)	3	3	1.5	1.5	1.5	1.5	1.5	3	none
	South or east side setback, minimum (ft.)	6	6	3	3	3	3	3	6	none
	Combined side setback, minimum (ft.)	12	12	4.5	4.5	4.5	4.5	4.5	12	none
	Maximum depth of building without side setback adjustment	50	50	75	100	100	100	100	50	none
	Max. no. of stories without side or rear	2	2	3	4	6	8	8	2	8

	setback adjustment									
Rear Setback	Rear setback, minimum (ft.) <i>interior lot</i>	25	25	20	15	15	15	10	20	none
	Rear setback, minimum (ft.) <i>corner lot</i>	10	10	10	10	10	10	10	10	none
	Rear street setback, minimum (ft.) (see s. 295-505-2-e)	average	average	average	average	average	average	average	average	average
	Rear street setback, maximum (ft.)	none	none	none	none	none	none	none	none	none
	Multiple principal residential buildings permitted? >>****<<	no	no	no	yes	yes	yes	yes	yes	yes
>>****In addition to the principal residential building, one detached accessory dwelling unit is permitted on a parcel in an RM1, RM2 or RM3 district. In the RM4-RM7 districts and the RO1 and RO2 districts, no new detached accessory dwelling unit is permitted on a parcel that already contains 2 principal residential buildings or a principal residential building and a detached accessory dwelling unit.<<										

Part 9. Section 295-505-2-j-5 of the code is repealed and recreated to read:

295-505. Design Standards.

2. PRINCIPAL BUILDING STANDARDS.

j. Multiple Principal Buildings.

j-5. Lot Coverage. On a parcel having multiple principal residential buildings or an accessory dwelling unit, in the RS1 to RS5 and RT1 to RT3 districts, maximum lot coverage may be increased by up to an additional 15%. In the RT4 and RS6 districts, a parcel having multiple principal residential buildings or an accessory dwelling unit, maximum lot coverage may be increased by up to an additional 15% as long as the accessory structure lot coverage is reduced by a corresponding amount.

Part 10. Section 295-505-2-L-5 of the code is created to read:

L. Design Features.

L-5. Exterior Fire Escape Stairs. Fire escape stairs are not permitted above the second floor on the façade facing the street of a residential building with one to 4 dwelling units.

Part 11. Section 295-505-2.5 of the code is created to read:

2.5. ACCESSORY DWELLING UNITS. The design standards for accessory dwelling units are set forth in table 295-505-2.5.

Table 295-505-2.5			
ACCESSORY DWELLING UNIT DESIGN STANDARDS			
	Internal Accessory Dwelling Unit	Attached Accessory Dwelling Unit	Detached Accessory Dwelling Unit
Floor area, minimum	300 sq. ft.	300 sq. ft.	300 sq. ft.
Floor area, maximum	1,000 sq. ft., but not larger than the largest dwelling unit; may exceed 1,000 sq. ft. if structure existed as of the effective date of this ordinance [city clerk to insert date]; shall be located entirely on one level and shall not exceed the area of the first floor.	1,000 sq. ft., but not larger than the largest dwelling unit.	1,300 sq. ft. of habitable and parking areas on all levels, or 16% of the lot area, whichever is greater, but not to exceed 1,600 sq. ft. or the floor area of the largest dwelling unit.
Height, minimum	none	none	none
Height, maximum	Same as principal building.	Same as principal building.	Not greater than the height of the principal building on the parcel.
Front setback, minimum	Same as principal building.	Same as principal building.	Not less than the front setback of the principal building on the parcel.
Side setback, minimum	Same as principal building.	Same as principal building.	3 ft.
Rear setback, minimum	Same as principal building.	Same as principal building.	4 ft. from the alley lot line if the accessory dwelling unit building includes a garage with an overhead door facing the alley; 3 ft. if the accessory dwelling unit does not include a garage or includes a garage but the overhead door does

			not face the rear lot line.
Distance from main dwelling, minimum	Not applicable.	Not applicable.	The front-to-back minimum distance between the 2 buildings shall be 10 ft. The side-to-side minimum distance between the 2 residential buildings shall be 5 ft.
Pedestrian connections to street frontage	An accessory dwelling unit entry within a rear or side yard shall be connected to a street frontage by a paved walkway or access drive.	An accessory dwelling unit entry within a rear or side yard shall be connected to a street frontage by a paved walkway or access drive.	An accessory dwelling unit entry within a rear or side yard shall be connected to a street frontage by a paved walkway or access drive.
Balconies and decks	Same as principal building.	Same as principal building.	Same as principal building.

Part 12. Table 295-603-1 of the code is amended to read:

Table 295-603-1 COMMERCIAL DISTRICTS USE TABLE									
Y=Permitted Use S=Special Use		L=Limited Use N=Prohibited Use		Zoning Districts					
Uses		NS1	NS2	LB1	LB2	LB3	RB1	RB2	CS
RESIDENTIAL USES									
.	
.	
.	
Mobile home		N	N	N	N	N	N	N	N
Watchman/service quarters		N	N	N	N	N	N	N	N
Family day care home		L	L	L	L	L	L	L	L
>>Accessory dwelling unit		L	L	L	L	L	L	L	L<<
GROUP RESIDENTIAL USES									
Rooming house		S	S	S	S	S	S	S	S
Convent, rectory or monastery		Y	Y	Y	Y	Y	Y	Y	Y
.	
.	
.	

Part 13. Section 295-603-2-c to gg of the code is renumbered 295-603-2-d to hh.

Part 14. Section 295-603-2-c of the code is created to read:

295-603. Uses.

2. LIMITED USE STANDARDS.

c. Accessory Dwelling Unit. c-1. Only one accessory dwelling unit shall be located on the parcel.

c-2. The parcel shall contain a single-family or 2-family dwelling.

c-3. At the time a building permit application is submitted for an accessory dwelling unit accessory to an existing principal dwelling unit, at least one owner of the existing principal dwelling unit shall occupy the existing principal dwelling unit as the owner's primary residence, except the owner is not required to occupy a dwelling unit on the property at the time a permit application is submitted when a structure containing an accessory dwelling unit is being

constructed simultaneously with a new principal dwelling unit structure. A person may have only one primary residence. For purposes of this subdivision, “primary residence” means a residence which is the usual place of return for housing as documented by at least 2 of the following or other documentation approved by the commissioner of neighborhood services:

c-3-a. Motor vehicle registration.

c-3-b. Driver’s license.

c-3-c. Wisconsin state identification card.

c-3-d. Voter registration.

c-3-e. Federal or state income tax return.

c-3-f. Utility bill.

c-3-g. Verification of eligibility for lottery or gaming credit for tax purposes.

c-4. If any of the standards in subds. 1 through 3 are not met, the accessory dwelling unit is a prohibited use.

Part 15. Section 295-605-2.5 of the code is created to read:

295-605. Design Standards.

2.5. ACCESSORY DWELLING UNITS. The design standards for accessory dwelling units are set forth in table 295-505-2.5.

Part 16. Table 295-703-1 of the code is amended to read:

Table 295-703-1 DOWNTOWN DISTRICTS USE TABLE								
Y=Permitted Use S=Special Use Uses	L=Limited Use N=Prohibited Use Zoning Districts							
	C9A	C9B	C9C	C9D	C9E	C9F	C9G	C9H
RESIDENTIAL USES								
Transitional housing	S	S	S	S	S	S	S	N
Attached single-family dwelling	Y	Y	L	L	L	L	L	N
Live-work unit	Y	Y	L	L	L	L	L	S
Mobile home	N	N	N	N	N	N	N	N
Watchman/service quarters	N	N	N	N	N	N	N	Y
Family day care home	L	L	L	L	L	L	L	N
>>Accessory dwelling unit	N	N	N	N	N	N	N	N<<
GROUP RESIDENTIAL USES								

Rooming house	S	S	S	S	S	S	S	N
Convent, rectory or monastery	Y	Y	Y	Y	Y	Y	Y	N
.
.
.

Part 17. Table 295-803-1 of the code is amended to read:

Table 295-803-1 INDUSTRIAL DISTRICTS USE TABLE						
Y=Permitted Use S=Special Use	L=Limited N=Prohibited		Zoning Districts			
Uses		I01/ I02	IL1/ IL2	IC	IM	IH
RESIDENTIAL USES						
.	
.	
.	
Mobile home		N	N	N	N	N
Watchman/service quarters		Y	Y	Y	Y	Y
Family day care home		N	N	N	L	N
>>Accessory dwelling unit		<u>N</u>	<u>N</u>	<u>N</u>	<u>L</u>	<u>N</u> <<
GROUP RESIDENTIAL USES						
Rooming house		N	N	N	S	N
Convent, rectory or monastery		N	N	N	L	N
.	
.	
.	

Part 18. Section 295-803-2-b to rr of the code is renumbered 295-803-2-c to ss.

Part 19. Section 295-803-2-b of the code is created to read:

295-803. Uses.

2. LIMITED USE STANDARDS.

b. Accessory Dwelling Unit. b-1. Only one accessory dwelling unit shall be located on the parcel.

b-2. The parcel shall contain a single-family or 2-family dwelling.

b-3. At the time a building permit application is submitted for an accessory dwelling unit accessory to an existing principal dwelling unit, at least one owner of the existing principal dwelling unit shall occupy the existing principal dwelling unit as the owner's primary residence, except the owner is not required to occupy a dwelling unit on the property at the time a permit application is submitted when a structure containing an accessory dwelling unit is being constructed simultaneously with a new principal dwelling unit structure. A person may have only one primary residence. For purposes of this subdivision, "primary residence" means a

residence which is the usual place of return for housing as document by at least 2 of the following or other documentation approved by the commissioner of neighborhood services:

b-3-a. Motor vehicle registration.

b-3-b. Driver's license.

b-3-c. Wisconsin state identification card.

b-3-d. Voter registration.

b-3-e. Federal or state income tax return.

b-3-f. Utility bill.

b-3-g. Verification of eligibility for lottery or gaming credit for tax purposes.

b-4. If any of the standards in subds. 1 through 3 are not met, the accessory dwelling unit is a prohibited use.

Part 20. Table 295-903-2-a of the code is amended to read:

Table 295-903-2-a PARKS DISTRICT USE TABLE		
Y=Permitted Use	L=Limited Use	Zoning District
S=Special Use	N=Prohibited Use	
Uses		PK
RESIDENTIAL USES		
.		.
.		.
.		.
Mobile home		N
Watchman/service quarters		N
Family day care home		N
>>Accessory dwelling unit		N<<
GROUP RESIDENTIAL USES		
Rooming house		N
Convent, rectory or monastery		N
.		.
.		.
.		.

Part 21. Table 295-905-2-a of the code is amended to read:

Table 295-905-2-a INSTITUTIONAL DISTRICT USE TABLE		
Y=Permitted Use	L=Limited Use	Zoning District
S=Special Use	N=Prohibited Use	
Uses		TL

RESIDENTIAL USES	
.	.
.	.
.	.
Mobile home	N
Watchman/service quarters	Y
Family day care home	N
>>Accessory dwelling unit	N<<
GROUP RESIDENTIAL USES	
Rooming house	S
Convent, rectory or monastery	Y
.	.
.	.
.	.

..LRB
APPROVED AS TO FORM

K. Broadnax

March 25, 2025

Legislative Reference Bureau
Date: _____

..Attorney

IT IS OUR OPINION THAT THE ORDINANCE
IS LEGAL AND ENFORCEABLE

Office of the City Attorney
Date: _____
..Requestor

..Drafter
LRB180262-4
Jeff Osterman
03/25/2025