



MIDWEST
Product Catalog



Achieve authentic character and
UNCOMPROMISING PERFORMANCE.

Unique Formulation

Finishing Technology

100% HARDIE
Complete Exterior™

The James Hardie
Difference

Warranty

Endorsements



It's time to
BUILD SOMETHING TIMELESS.

Installed on over 5.5 million homes from coast to coast, James Hardie® fiber cement siding products are designed to resist the most extreme conditions while romancing the senses. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.

UNIQUE FORMULATION

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

FINISHING TECHNOLOGY

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

COMPLETE EXTERIOR™

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

● HardieZone® System

HZ5® Substrate

HardieZone® System

Only James Hardie fiber cement products are Engineered for Climate®. In the northern U.S. and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

NO MATTER WHAT NATURE BRINGS



Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™

The James Hardie Difference

Warranty

Endorsements

● HardieZone® System

HZ5® Substrate



HardieShingle®
7 in. Straight
Edge Panel
Timber Bark

HardieTrim®
5/4 x 3.5 in.
Timber Bark

HardiePlank®
6.25 in. Select
Cedarmill®
Khaki Brown

TOUGHER THAN THE ELEMENTS



Stands up to storms and harsh weather



Water resistant to protect against swelling, warping and cracking; also resists mold damage



Won't be eaten by animals or insects



Fire resistant



Helps reduce time and money spent on maintenance

Resist the elements
WITH IRRESISTIBLE CHARM.

HardieZone® System

● HZ5® Substrate

Unique Formulation HZ5® Substrate


Not all fiber cement is the same. The James Hardie HZ5 product formulation contains the highest quality raw materials. Proprietary additives, combined with an innovative manufacturing process and product design, create a substrate specifically engineered to reduce water absorption and resist damage from wet or freezing conditions.

PROPRIETARY ENHANCEMENTS CREATE THE MOST DURABLE JAMES HARDIE® SIDING EVER MADE



Perfect balance of strength and workability

Our balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.



Enhanced moisture resistance for unmatched durability

Patented and proprietary additives are chemically bonded within the HZ5 substrate matrix to provide durable moisture resistance.



Increased dimensional stability

Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that helps protect against shrinking and splitting.

Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™


The James Hardie Difference

Warranty

Endorsements

HardieZone® System

● HZ5® Substrate



HardiePlank®
6.25 in. Smooth
Boothbay Blue

HardieTrim®
5/4 x 5.5 in.
Arctic White

The advanced design of HZ5 lap siding improves drainage from top to bottom. In addition to our product formulation's enhanced moisture resistance, HardiePlank® HZ5 lap siding features a modified profile with a sloped top and bullnose drip edge for improved drainage over the entire outer face of the board.



Sloped Top

Positive slope at top drains moisture to outer face of lap



Profiled Drip Edge

Bottom bullnose drip edge allows moisture to drain away from lap

Integrity is ingrained
IN EVERYTHING WE DO.



ABOUT JAMES HARDIE

PRODUCTS

COLOR

Finishing Technology

ColorPlus® Technology

Our advanced ColorPlus® Technology finishes deliver the ultimate in aesthetics and performance to your job site. Our products aren't simply painted at the factory. Multiple coats of color are baked onto the board, creating a vibrant, consistent finish for years of lasting character, adhesion and fade resistance.

GIVES HOMES A **BEAUTIFUL, CONSISTENT COATING** THAT PERFORMS BETTER, LASTS LONGER AND LOOKS BRIGHTER



Superior finish adhesion

Our proprietary coating is engineered for superior adhesion to our substrate and applied to all surfaces, edges and features for durable performance.



Superior color retention

Finish is cured onto boards after each coating step for a stronger bond, which allows for exceptional resistance to cracking, peeling and chipping.



Superior UV resistance

Multi-coat, baked-on finish retains its vibrancy longer when compared to vinyl siding and paint on other siding products in all UV conditions.

Unique Formulation

Finishing Technology

100% HARDIE
Complete Exterior™

The James Hardie
Difference

Warranty

Endorsements

ColorPlus®
Technology

Our finishes help eliminate stress and reduce costly weather delays when it's too cold or damp to paint for extended periods. And there's no reason to question whether or not sub-optimal painting conditions will negatively affect your paint job. In fact, there's no longer any need to paint on-site during installation.

ColorPlus Technology finishes are fully cured in a controlled environment and arrive on your job site ready for year-round installation.



For timeless beauty
BEGIN WITH THE FINISH.

HardieShingle®
7 in. Staggered
Edge Panel
Iron Gray

HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
7.25 in. Select
Cedarmill®
Monterey Taupe

Unique Formulation

Finishing Technology

100% HARDIE
Complete Exterior™

The James Hardie
Difference

Warranty

Endorsements

100% HARDIE Complete Exterior™

Top to bottom, our exterior product line is defined by excellent performance, aesthetics and design options.

Provide protection from the elements, showcase a homeowner's individual style and install peace of mind with exceptional warranties through a single, trusted manufacturer.



Your homes mean everything
BUILD 100% HARDIE™

Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™

The James Hardie Difference

Warranty

Endorsements



HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
7.25 in. Select
Cedarmill®
Timber Bark

See the James Hardie Difference



James Hardie invented fiber cement. Over 5.5 million installations later, we continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our people, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.

As unforgettable
AS IT IS UNCOMPROMISING.

Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™

The James Hardie Difference

Warranty

Endorsements



Warranty

James Hardie Non-Prorated Siding Warranty Coverage



Protect your home with North America's #1 brand of siding backed by exceptional warranties. Unlike other brands, James Hardie doesn't prorate our siding warranty coverage. We stand behind our siding 100% for 30 years.

ColorPlus Technology finishes and HardieTrim boards come with 15-year limited warranties.

Make every home
AN EXPRESSION OF YOUR CHARACTER.

Endorsements – a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.*



Chosen by builders as a **Brand Leader**
in **Builder Magazine** since 2009



Featured on the **DIY Network's**
Blog Cabin since 2012



#1 Return on Investment every year
since 2005 in **Remodeling Magazine****



HardiePlank lap siding is backed
by the **Good Housekeeping Seal**

*Endorsements are accurate as of 2015.

**Remodeling magazine's 'Cost vs. Value Report' states that re-siding a home with fiber cement siding provides the #1 return on investment for projects in the upscale category.

HardiePlank®

Sleek and strong, HardiePlank® lap siding is not just our best-selling product – it's the most popular brand of siding in America.

With a full spectrum of colors and textures, homeowners can enjoy protection from the elements and the versatility to make their dream home a reality. From Victorians to Colonials, HardiePlank lap siding sets the standard in exterior cladding.

HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
6.25 in. Smooth
Arctic White

A classic look for
THE HOME OF THEIR DREAMS.

● HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding


SELECT CEDARMILL®

Khaki Brown



SMOOTH

Countrylane Red



BEADED CEDARMILL®*

Light Mist



BEADED SMOOTH*

Heathered Moss



Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com

● HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding




SELECT CEDARMILL®

Khaki Brown

Thickness	5/16 in.					
Length	12 ft. planks					
Width	5.25 in.	6.25 in.	7.25 in.	8.25 in.	9.25 in.*	12 in.**
Exposure	4 in.	5 in.	6 in.	7 in.	8 in.	10.75 in.
ColorPlus Pcs./Pallet	324	280	252	210		
Prime Pcs./Pallet	360	308	252	230	190	152
Pcs./Sq.	25.0	20.0	16.7	14.3	12.5	9.3

Available Colors




[View all HardiePlank Lap Siding Products](#)

*9.25 in. only available primed.
 **12 in. only available primed and in select areas.

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



SMOOTH

Countrylane Red

Thickness	5/16 in.					
Length	12 ft. planks					
Width	5.25 in.	6.25 in.	7.25 in.	8.25 in.	9.25 in.*	12 in.**
Exposure	4 in.	5 in.	6 in.	7 in.	8 in.	10.75 in.
ColorPlus Pcs./Pallet	324	280	252	210		
Prime Pcs./Pallet	360	308	252	230	190	152
Pcs./Sq.	25.0	20.0	16.7	14.3	12.5	9.3

Available Colors



[View all HardiePlank Lap Siding Products](#)

*9.25 in. only available primed.

**12 in. only available primed and in select areas.



BEADED CEDARMILL®

Light Mist

Thickness	5/16 in.
Length	12 ft. planks
Width	8.25 in.
Exposure	7 in.
ColorPlus Pcs./Pallet	210
Prime Pcs./Pallet	240
Pcs./Sq.	14.3

Available Colors



[View all HardiePlank Lap Siding Products](#)



BEADED SMOOTH

Heathered Moss

Thickness	5/16 in.
Length	12 ft. planks
Width	8.25 in.
Exposure	7 in.
ColorPlus Pcs./Pallet	210
Prime Pcs./Pallet	240
Pcs./Sq.	14.3

Available Colors



[View all HardiePlank Lap Siding Products](#)

Siding

Trim

Soffit

HardieWrap®

Finishing Touches

HardiePlank® Lap Siding

● HardiePanel® Vertical Siding

HardieShingle® Siding

HardiePanel®

HardiePanel® vertical siding delivers style and substance. When combined with HardieTrim® boards, it achieves the rustic board-and-batten look that defines cottage charm. The covered seams contribute to a well-insulated home.

Its crisp, clean lines make HardiePanel vertical siding a smart choice for strong, contemporary designs.



True to the tradition of
PERFORMANCE AND BEAUTY.

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding

SELECT CEDARMILL®

Navajo Beige



SMOOTH

Evening Blue



STUCCO

Navajo Beige



SIERRA 8

Not available with ColorPlus Technology



Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



SELECT CEDARMILL®

Navajo Beige

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5

Available Colors



[View all HardiePanel Vertical Siding Products](#)

*4 ft. x 9 ft. HardiePanel vertical siding only available primed.

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



SMOOTH

Evening Blue

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5

Available Colors



[View all HardiePanel Vertical Siding Products](#)

*4 ft. x 9 ft. HardiePanel vertical siding only available primed.

HardiePlank® Lap Siding

● HardiePanel® Vertical Siding

HardieShingle® Siding



STUCCO

Navajo Beige

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5

Available Colors



[View all HardiePanel Vertical Siding Products](#)

*4 ft. x 9 ft. HardiePanel vertical siding only available primed.

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



SIERRA 8

Not available with ColorPlus Technology

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5


[View all HardiePanel Vertical Siding Products](#)

*4 ft. x 9 ft. HardiePanel vertical siding only available primed.

HardieShingle®

Restore the look of a grand Cape Cod or add distinction to a handsome bungalow. HardieShingle® siding embodies the enchanting look of cedar shingles with lower maintenance.

Better than the real thing, HardieShingle siding resists rotting, curling, warping and splitting.



Achieve the handcrafted
LOOK OF CEDAR.


HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding

STAGGERED EDGE PANEL

Chestnut Brown



STRAIGHT EDGE PANEL

Iron Gray



HALF ROUNDS*

Not available with ColorPlus Technology




*Half rounds are only available in Minneapolis, Detroit, Kentucky, and St. Louis districts. Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



STAGGERED EDGE PANEL

Chestnut Brown

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exposure	6 in.
Pcs./Pallet	100
Sq./Pallet	2
Pcs./Sq.	50.0

Available Colors



[View all HardieShingle Siding Products](#)

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



STRAIGHT EDGE PANEL

Iron Gray

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exposure	7 in.
Pcs./Pallet	86
Sq./Pallet	2
Pcs./Sq.	43.0

Available Colors



[View all HardieShingle Siding Products](#)

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



HALF ROUNDS*

Not available with ColorPlus Technology

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exposure	7 in.
Pcs./Pallet	86
Sq./Pallet	2
Pcs./Sq.	43.0

[View all HardieShingle Siding Products](#)

*Half rounds are only available in Minneapolis, Detroit, Kentucky, and St. Louis districts.

HardieTrim®

Form meets function at every angle with HardieTrim® boards. With an authentic look, HardieTrim boards provide design flexibility for columns, friezes, doors, windows and other accent areas.

Better than wood, it will complement your long-lasting, lower maintenance James Hardie siding – adding punctuation to your design statement.

HardieTrim®
5/4 x 3.5 in.
Khaki Brown

HardiePlank®
6.25 in. Smooth
Navajo Beige


The performance you require
THE DISTINCTIVENESS YOU DESIRE.

● HardieTrim® Boards

HardieTrim® Batten Boards


4/4 NT3® SMOOTH

Arctic White




5/4 NT3® SMOOTH

Arctic White



4/4 NT3® ROUGHSAWN

Arctic White



5/4 NT3® ROUGHSAWN

Arctic White



CROWN MOULDING

Arctic White



Products are available primed or with ColorPlus Technology. For more details, visit jameshardie.com

● HardieTrim® Boards

HardieTrim® Batten Boards




4/4 NT3® SMOOTH

Arctic White

Thickness	.75 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Pcs./Pallet	312	208	156	104	104


Available Colors



[View all HardieTrim Boards](#)

● HardieTrim® Boards

HardieTrim® Batten Boards




5/4 NT3® SMOOTH

Arctic White

Thickness	1 in.					
Length	12 ft. boards					
Width	3.5 in.	4.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Pcs./Pallet	240	200	160	120	80	80

Available Colors



[View all HardieTrim Boards](#)

● HardieTrim® Boards

HardieTrim® Batten Boards




4/4 NT3® ROUGHSAWN

Arctic White

Thickness	.75 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Pcs./Pallet	312	208	156	104	104

Available Colors



[View all HardieTrim Boards](#)

● HardieTrim® Boards

HardieTrim® Batten Boards




5/4 NT3® ROUGHSAWN

Arctic White

Thickness	1 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Pcs./Pallet	240	160	120	80	80

Available Colors



[View all HardieTrim Boards](#)

● HardieTrim® Boards

HardieTrim® Batten Boards




CROWN MOULDING

Arctic White

Thickness	.75 in.
Length	12 ft. boards
Width	3.25 in. 5.25 in.
Pcs./Pallet	50 48

Available Colors



[View all HardieTrim Boards](#)

HardieTrim® Boards

HardieTrim® Batten Boards


RUSTIC GRAIN®

Arctic White



SMOOTH

Arctic White



Products are available primed or with ColorPlus Technology. For more details, visit jameshardie.com

HardieTrim® Boards

● HardieTrim® Batten Boards



RUSTIC GRAIN®

Arctic White

Thickness .75 in.
Length 12 ft. boards
Width 2.5 in.
Pcs./Pallet 437


Available Colors



[View all HardieTrim Batten Boards](#)

HardieTrim® Boards

● HardieTrim® Batten Boards



SMOOTH

Arctic White

Thickness .75 in.

Length 12 ft. boards

Width 2.5 in.

Pcs./Pallet 437

Available Colors



[View all HardieTrim Batten Boards](#)

HardieSoffit®

A home is only as strong as its weakest point. HardieSoffit® panels reinforce your work by protecting the vulnerable gap between eaves and exterior walls.

Available in vented, non-vented and a range of pre-cut sizes, these panels complete your design and protect it from moisture and pests.

HardieSoffit®
16 in. Vented
Smooth
Arctic White

For complete confidence
EVERY DETAIL MATTERS.

VENTILATION BENEFITS

Using vented soffit improves ventilation in the attic space and reduces the chance of water vapor condensation that can lead to issues such as mold and mildew growth, stained ceilings and damage to the framing of the house.

In warm climates, HardieSoffit panels allow hot, humid air to escape, which not only helps prevent condensation in the attic, but can also help reduce air conditioning costs.

In cool climates, HardieSoffit panels help prevent condensation from forming on the interior side of the roof sheathing and reduce the chances of roof-damaging ice dams.

***Linear Feet of Vented Soffit calculation is based on 2012 International Residential Code (IRC) Section 806.2, Exception 2, with a 50% upper attic and 50% lower attic split of required ventilation, using soffit with a net free ventilation of 5 square inches per linear foot. This Exception is also approved in 2015 IRC Section 806.2. Always consult a building design professional to confirm attic ventilation meets local building code requirements.

Using the proper amount of vented HardieSoffit panels is crucial to a building's ventilation performance. James Hardie has taken the guess work out of soffit ventilation by providing the table below illustrating the minimum amount of vented HardieSoffit panels recommended for your attic space.***

ATTIC SQ. FT.	LINEAR FT. OF VENTED SOFFIT	ATTIC SQ. FT.	LINEAR FT. OF VENTED SOFFIT
200	10	1700	82
300	14	1800	86
400	19	1900	91
500	24	2000	96
600	29	2100	101
700	34	2200	106
800	38	2300	110
900	43	2400	115
1000	48	2500	120
1100	53	2600	125
1200	58	2700	130
1300	62	2800	134
1400	67	2900	139
1500	72	3000	144
1600	77	3100	149

VENTED SMOOTH

Cobble Stone




VENTED CEDARMILL®

Cobble Stone



NON-VENTED SMOOTH

Cobble Stone




NON-VENTED CEDARMILL®

Cobble Stone




BEADED PORCH PANEL

Arctic White



Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com




VENTED SMOOTH

Cobblestone

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in.
ColorPlus Pcs./Pallet	216	156	108
Prime Pcs./Pallet	200	150	100

Available Colors



[View all HardieSoffit Products](#)




VENTED CEDARMILL®


Cobble Stone

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in.
ColorPlus Pcs./Pallet	216	156	108
Prime Pcs./Pallet	200	150	100

Available Colors



[View all HardieSoffit Products](#)




NON-VENTED SMOOTH

Cobble Stone

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.**
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50

Available Colors



[View all HardieSoffit Products](#)

**These 48 in. x 8 ft. panels only available primed.




NON-VENTED CEDARMILL®

Cobble Stone


Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50

Available Colors



[View all HardieSoffit Products](#)

*These 48 in. x 8 ft. panels only available primed.



BEADED PORCH PANEL

Arctic White

Thickness	1/4 in.
Length	8 ft.
Width	48 in.
Pcs./Pallet	50

[View all HardieSoffit Products](#)

HardieWrap®

No exterior cladding can prevent 100% of water intrusion. Your homes should have an additional line of defense. HardieWrap® weather barrier provides a superior balance of water resistance and breathability, keeping the area within the wall drier. This helps prevent moisture accumulation that may lead to mold and mildew growth.

INSTALLATION ADVANTAGES

- Thicker, more durable material for easier, quicker installation
- Superior tear resistance helps prevent water infiltration
- Can be installed with staples in place of cap nails for cost savings
- Provides a higher level of performance, no matter what type of cladding you specify



We've got performance covered
FROM THE INSIDE OUT.

WEATHER BARRIER

Thickness	11 mil.			
Length	100 ft.	100 ft.	150 ft.	150 ft.
Width	3 ft.	9 ft.	9 ft.	10 ft.

PRO-FLASHING

Thickness	20 mil.		
Length	75 ft.	75 ft.	75 ft.
Width	4 in.	6 in.	9 in.

SEAM TAPE

Thickness	3 mil.	
Length	165 ft.	
Width	1-7/8 in.	

FLEX FLASHING

Thickness	60 mil.	
Length	75 ft.	75 ft.
Width	6 in.	9 in.



HardieWrap®
Weather Barrier

HardieWrap®
Pro-Flashing

HardieWrap®
Flex Flashing

HardieWrap®
Seam Tape



To learn more about our weather barrier's advantages, visit hardiewrap.com

Finishing Touches

ColorPlus Technology Accessories

TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our Touch-up Kits offer resistance to aging, color change and chalking. Included in the kits, Touch-up Pens conceal nailheads and very small nicks and scratches.



COLOR MATCHED CAULK

OSI® QUAD® MAX sealant offers a durable, lower maintenance sealant solution to color match James Hardie ColorPlus products.



Trim Accessories

FLAT TABS

Reduce nail holes and improve the aesthetic of trim applications around windows, doors and band boards.



CORNER TABS

Use corner tabs to reduce the appearance of nail holes that would detract from the finished look of corner trim installations.



Find useful job-site tips in our industry-leading Best Practices Guide. For the latest installation instructions, visit [hardieinstallation.com](https://www.hardieinstallation.com)

Color Inspiration

Use deeper body colors for a warm, welcoming feeling. Make homes appear larger with soft contrasts between siding and trim. The right color combinations leave lasting impressions. Our color specialists designed the rich ColorPlus finish collection to help you express what's special about every home you build.



PREV SECTION

Khaki Brown

Cobble Stone

Timber Bark

SUBTLE BLENDS

Cast your homes in **THE MOST ROMANTIC LIGHT.**



Countrylane Red


Autumn Tan

Navajo Beige

WARM TONES




COOL TONES





COMPLEMENTARY



● Plank, Panel, Batten and Shingle Colors

Trim and Soffit Colors

Color Selection




ARCTIC WHITE




SAIL CLOTH



WOODLAND CREAM



HEATHERED MOSS



MOUNTAIN SAGE



NAVAJO BEIGE



SANDSTONE BEIGE



AUTUMN TAN



KHAKI BROWN




CHESTNUT BROWN




COBBLE STONE



MONTEREY TAUPE



WOODSTOCK BROWN



TIMBER BARK



COUNTRYLANE RED



PEARL GRAY



GRAY SLATE



AGED PEWTER




NIGHT GRAY




RICH ESPRESSO



LIGHT MIST



BOOTHBAY BLUE



EVENING BLUE



IRON GRAY



DEEP OCEAN

Colors may vary due to different monitor settings. Please see actual product sample for true color.

Plank, Panel, Batten and Shingle Colors

● Trim and Soffit Colors

Express the true nature of a home's character with **ColorPlus® Technology**

Explore our color palettes and differentiate your homes with stunning curb appeal. These distinctive tones are drawn from natural environments, complementing your design with the look of America's idyllic neighborhoods.




Colors may vary due to different monitor settings. Please see actual product sample for true color.



Selecting a color? Request a product sample at [jameshardie.com/samples](https://www.jameshardie.com/samples)



1.888.542.7343 | jameshardie.com

© 2015 James Hardie Building Products Inc. All Rights Reserved. TM, SM, and ® denote trademarks or registered trademarks of James Hardie Technology Limited. The , HZ5, HZ10 and ColorPlus Technology logos are registered trademarks of James Hardie Technology Limited. OSI and QUAD are registered symbols of Henkel Corporation. **HS15159 8/15**