



LIVING WITH HISTORY

Certificate of Appropriateness

Milwaukee Historic Preservation Commission/200 E. Wells Street/Milwaukee, WI 53202/phone 414-286-5712/fax 414-286-3004

Property 4401 - 4407 N. 25th St. Garden Homes Historic District
Description of work Remove existing roof and replace with new roofing system.
Date issued 9/11/2019 PTS ID 114855 COA: roof replacement

In accordance with the provisions of Section 320-21 (11) and (12) of the Milwaukee Code of Ordinances, the Milwaukee Historic Preservation Commission has issued a certificate of appropriateness for the work listed above. The work was found to be consistent with preservation guidelines. The following conditions apply to this certificate of appropriateness:

No dormers, chimneys, moldings parapets, or other permanent features will be altered or removed. No box vents, if used, will be visible from the street. If they are installed, they must be on a rear slope not visible from the street and they must be painted to blend with the color of the roofing material. A continuous ridge vent can be installed in place of box vents, but the vent must extend across the entire ridge and not stop short. Built-in rain gutters will be retained and sealed where needed. Valleys must be metal W-shape with no interweaving of shingles. Valleys and flashing must be painted or factory-finished to match the roofing color, unless copper. When installing new flashing at a masonry feature, the flashing must be stepped or cut into the mortar joints. The bricks may not be cut to install flashing at an angle.

We strongly recommend that the Wisconsin Historical Society's best practices for re-roofing be used to extend the life of your new roof. (Synthetic underlayment is an acceptable alternative to 30lb felt.) <https://www.wisconsinhistory.org/Records/Article/CS4260>

All work must be done in a craftsman-like manner, and must be completed within one year of the date this certificate was issued. Staff must approve any changes or additions to this certificate before work begins. Work that is not completed in accordance with this certificate may be subject to correction orders or citations. If you require technical assistance, please contact Historic Preservation staff as follows: Phone: (414) 286-5712 E-mail: hpc@milwaukee.gov.

If permits are required, you are responsible for obtaining them from the Milwaukee Development Center. If you have questions about permit requirements, please consult the Development Center's web site, www.milwaukee.gov/build, or call (414) 286-8210.

Tom Adams

City of Milwaukee Historic Preservation Staff

Copies to: Development Center, Ald. Ashanti Hamilton, Contractor



<i>Complete tear off of old roofing and replace with a 30-year dimensional shingle.</i>
<i>Color Certain Teed Maple Red.</i>
<i>Install ³⁰15lb felt paper</i>
<i>Install Ice and Water shield 3 feet above the gutter line and in valleys.</i>
<i>Replace chimney flashings using .064 heavy metal</i>
<i>Install 1/2 inch fiber board using .060 mil rubber</i>
<i>Install seamless aluminum gutters on house with 4 downspouts.</i>
<i>Install gutters on Rubber Roof</i>

(Above) Condition of the property ca. 2016, entire existing roof to be removed and replaced. Shingles will be replaced with Certain Teed Maple Red colored shingles. New gutters to match existing style