

1003549 (25000) 33

January 26, 2024

VIA PERSONAL SERVICE

Milwaukee City Clerk Attention: Claims 200 East Wells Street, Suite 205 Milwaukee, WI 53202

RE:

REQUEST FOR HEARING

 Our Client:
 Ashley Smith

 Date of Loss:
 05/24/2023

 Claim No.:
 1029-2023-1198

Dear Clerk:

I am in receipt of the attached letter dated January 3, 2024, and postmarked January 17, 2024. We are within the 21 days period to request an appeal.

We are hereby requesting that the above claim be set for a hearing to appeal the City of Milwaukee's claim with regard to the above referenced matter.

Please direct all future correspondence to the attention of my paralegal, Trisha De Young. Her contact information is below.

Trisha M. De Young, Paralegal Phillip S. Georges, PLLC 790 North Milwaukee Street, Suite 200C, Milwaukee, WI 53202

Direct: (615) 486-4115 ext. 707 Email: trisha@wolfpacklawyers.com

Fax: (615) 576-8668

We look forward to your earliest response.

Very Truly Yours,

Phillip S. Georges, PLLC

Phillip S. Georges Attorney

CITY CLERK'S OFFIC

TEARMAN SPENCER City Attorney

ODALO J. OHIKU ROBIN A. PEDERSON S. TODD FARRIS JENNIFER L. WILLIAMS Deputy City Attorneys



Milwaukee City Hall Suite 800 • 200 East Wells Street • Milwaukee, Wisconsin 53202-3551 Telephone: 414.286.2601 • TDD: 414.286.2025 • Fax: 414.286.8550

January 3, 2024

Attorney Phillip S. Georges
Phillip S. Georges, PLLC
790 North Milwaukee Street, Suite 200C
Milwaukee, WI 53202

RE: Communication from Attorney Phillip S. Georges on behalf of Ashley Smith
C.I. File No. 1029-2023-1198

Dear Attorney Georges:

The City of Milwaukee is in receipt of the claim for damages on behalf of your client, Ashley Smith, incurred as a result of a defect in a sidewalk or street at 4614 North 29th Street on May 24, 2023.

Wisconsin municipalities have discretionary immunity from liability for any damage that is due to a defect in a sidewalk or street. The City takes any report of defective streets or sidewalks seriously and upon notice of any defect, the Department of Public Works sends a crew to investigate and/or patch, repair or barricade the hazard. Under discretionary immunity, the City is generally not liable for damages.

City records indicated that prior to May 24, 2023 the City had no notice of a hazard in the sidewalk. Because of this lack of notice, and the City's discretionary immunity, the City is not liable for damages.

HEIDI WICK SPOERL KATHRYN Z. BLOCK THOMAS D. MILLER PETER J. BLOCK PATRICK J. MCCLAIN HANNAH R. JAHN JULIE P. WILSON MEIGHAN M. ANGER ALEXANDER R. CARSON **ALEXANDER T. MUELLER ALEXANDER D. COSSI** LISA A. GILMORE KATHERINE A. HEADLEY L. ANTHONY JACKSON STACY J. MILLER MICHAEL C. RADAVICH JORDAN M. SCHETTLE THERESA A. MONTAG **ALEXANDER E. FOUNDOS TRAVIS J. GRESHAM** KYLE W. BAILEY JOSEPH M. DOBBS WILLIAM K. HOTCHKISS **CLINT B. MUCHE JOANNA FRACZEK** Assistant City Attorneys





Attorney Phillip S. Georges January 3, 2024 Page Two

If you wish to appeal this decision, you may do so by sending a written statement requesting a hearing within 21 days of the postmarked date of this letter to the Milwaukee City Clerk, 200 East Wells Street, Room 205, Milwaukee, Wisconsin 53202. Please include a photocopy of this letter's envelope, showing the postmark, and retain the original in the event further proof is needed.

Very truly yours,

TEARMAN SPENCER

City Attorney

PATRICIA KLOSIEWSKI

Investigator Adjuster

PK/cdr

1029-2023-1198/288946

TEARMAN SPENCER City Attorney

ODALO J. OHIKU ROBIN A. PEDERSON S. TODD FARRIS JENNIFER L. WILLIAMS Deputy City Attorneys



Milwaukee City Hall Suite 800 • 200 East Wells Street • Milwaukee, Wisconsin 53202-3551 Telephone: 414.286.2601 • TDD: 414.286.2025 • Fax: 414.286.8550

January 3, 2024

Attorney Phillip S. Georges
Phillip S. Georges, PLLC
790 North Milwaukee Street, Suite 200C
Milwaukee, WI 53202

RE: Communication from Attorney Phillip S. Georges on behalf of Ashley Smith

C.I. File No. 1029-2023-1198

Dear Attorney Georges:

The City of Milwaukee is in receipt of the claim for damages on behalf of your client, Ashley Smith, incurred as a result of a defect in a sidewalk or street at 4614 North 29th Street on May 24, 2023.

Wisconsin municipalities have discretionary immunity from liability for any damage that is due to a defect in a sidewalk or street. The City takes any report of defective streets or sidewalks seriously and upon notice of any defect, the Department of Public Works sends a crew to investigate and/or patch, repair or barricade the hazard. Under discretionary immunity, the City is generally not liable for damages.

City records indicated that prior to May 24, 2023 the City had no notice of a hazard in the sidewalk. Because of this lack of notice, and the City's discretionary immunity, the City is not liable for damages.

HEIDI WICK SPOERL KATHRYN Z. BLOCK THOMAS D. MILLER PETER J. BLOCK PATRICK J. MCCLAIN HANNAH R. JAHN JULIE P. WILSON MEIGHAN M. ANGER ALEXANDER R. CARSON ALEXANDER T. MUELLER ALEXANDER D. COSSI LISA A. GILMORE KATHERINE A. HEADLEY L. ANTHONY JACKSON STACY J. MILLER MICHAEL C. RADAVICH JORDAN M. SCHETTLE THERESA A. MONTAG ALEXANDER E. FOUNDOS TRAVIS J. GRESHAM KYLE W. BAILEY JOSEPH M. DOBBS WILLIAM K. HOTCHKISS CLINT B. MUCHE JOANNA FRACZEK Assistant City Attorneys



Attorney Phillip S. Georges January 3, 2024 Page Two

If you wish to appeal this decision, you may do so by sending a written statement requesting a hearing within 21 days of the postmarked date of this letter to the Milwaukee City Clerk, 200 East Wells Street, Room 205, Milwaukee, Wisconsin 53202. Please include a photocopy of this letter's envelope, showing the postmark, and retain the original in the event further proof is needed.

Very truly yours,

TEARMAN SPE

City Attorney

PATRICIA KLOSIEWSKI

Investigator Adjuster

PK/cdr

1029-2023-1198/288946

MILVA OF EE
OTHER OFFERS
OFFICE OF THE CITY AFTORNEY
OFFICE OF THE CITY AFTORNEY
SECON FAIL
SOO East Wells Street
Milwaukee, Wisconsin, 53202-3551

PRESORTED FUET OLASS

790 North Milwaukee Street, Suite 200C Attorney Phillip S. Georges Phillip S. Georges, PLLC Milwaukee, WI 53202 COLL LZD-SUB EGSCS

