



CERTIFICATE OF APPROPRIATENESS APPLICATION FORM

Incomplete applications will not be processed for Commission review.
Please print legibly.

1. HISTORIC NAME OF PROPERTY OR HISTORIC DISTRICT: (if known)

Third Street Historic District

ADDRESS OF PROPERTY:

1031 N. Old World third Street

2. NAME AND ADDRESS OF OWNER:

Name(s): Tom and Patty LLC

Address: 1029 N. Old world Third St.

City: Milwaukee

State: WI

ZIP 53203

Email:

Telephone number (area code & number) Daytime:

Evening:

3. APPLICANT, AGENT OR CONTRACTOR: (if different from owner)

Name(s): ~~Kate Erd~~ Ryan Bennett

Address: 1031 N. Old World Third

City: Milwaukee

State: WI

ZIP Code: 53203

Email:

Telephone number (area code & number) Daytime: 414-272-0977

Evening:

4. ATTACHMENTS

A. REQUIRED FOR ALL PROJECTS:

xxxxx Photographs of affected areas & all sides of the building (annotated photos recommended)

xxxxx Sketches and Elevation Drawings (1 full size and 2 reduced to 11" x 17" or 8 1/2" x 11")

Material and Design Specifications (see next page)

B. NEW CONSTRUCTION/DEMOLITION ALSO REQUIRES:

Floor Plans (1 full size and 1 reduced to 11" x 17")

Site Plan showing location of project and adjoining structures and fences

Other (explain):

PLEASE NOTE: YOUR APPLICATION CANNOT BE PROCESSED UNLESS BOTH PAGES OF THIS FORM ARE PROPERLY COMPLETED.

5. DESCRIPTION OF PROJECT:

Describe all existing features that will be affected by proposed work. Please specify the condition of materials, design, and dimensions of each feature (additional pages may be attached)

Photo No. _____ Drawing No. _____

B. Describe all proposed work, materials, design, dimensions and construction technique to be employed (additional pages may be attached)

Install new full view, all wood entry door in place of existing door. New door will match the size of existing door. Remove existing sign above storefront. Install new non-illuminated, raised letter sign on cedar back board. Install new, projecting, non-illuminated sign at corner of building above storefront windows.

Photo No. _____ Drawing No. _____

6. SIGNATURE OF APPLICANT:



Signature

Ryan Bennett 7/13/11
Print or type name Date

This form and all supporting documentation **MUST** arrive by 12:00 noon on the deadline date established to be considered at the next Historic Preservation Commission Meeting. Any information not provided to staff in advance of the meeting will not be considered by the Commission during their deliberation. Please call if you have any questions and staff will assist you.

Hand Deliver or Mail Form to:
Historic Preservation Commission
City Clerk's Office
200 E. Wells St. Room B-4
Milwaukee, WI

PHONE: (414) 286-5722

FAX: (414) 286-3004

www.milwaukee.gov/hpc

BY E.P. YALLES . 414-803-1549

SUGGESTED STAIN & LDC

* 2 SIDES

① GOLDEN OAK OR RED OAK STAIN BOARDER

② LETTERING & LINE BOARDER / METALIC Gold

MED. GREEN

OR MAROON

28" 3/4 COLORS / ONE SHOT EXTERIOR HIGH GLOSS

GLOSS BLACK OR MAROON

SIGN SEALED W/ HIGH GLOSS EXT. VAF

TOTAL COST OF PROJECT INCLUDING TIME & WATER INSTALLATION \$30000


\$100 DOWN TO SECURE MATERIALS

TO REPAINT EXTERIOR EXISTING SIGN ON BUILDING \$400.00

NEW SIGN

USING WDO SIGN BOARD / OLD ENGLI: LETTERS AS SEEN. BACK COVER OR LETI OF YOUR CHOICE.

3' x 12' PRICE INCLUDE



414-803-1549

Free Estimates

18" 15"

The Final Coat

• Residential & Commercial
• Custom Painting & Stains

July 7, 2011

Attention:

Historic Preservation Commission/Society
709 N. 8th Street, Milwaukee; WI 53203

c/o: Tom and Kate Erd, The Spice House, 1031 Old World Third St., WI 53203.

Distinguished Members of The Historical Preservation Commission/Society:

My name is Craig Shaub, president and CEO of Dig-it all Sign Company, LLC.; a fully insured, licensed and bonded architectural sign shop of Southeast Wisconsin.

I have prepared and am submitting documents for project review on behalf of Tom and Kate Erd of The Spice House, for the desired Architectural Facade Sign they wish to have for the location at 1031 Old World 3rd Street in Milwaukee.

Above the main entrance my clients would like to have a façade sign containing their business name routed from 1/2" thick high impact acrylic lettering, finished with a baked enamel metallic gold paint. The lettering will be affixed with 1/4" stand-offs onto a base of stained red cedar planks.

On the following pages you will find supporting documents for this proposal containing facade photographs illustrating the sign in a full color digital Sample Proof with dimensions, dimensioned Schematic Diagram accompanied by a list of proposed materials designed for this project.

Please feel free to contact me with any questions or concerns that you might have with regard to this submission or my License and Bond documentation. Thank You!

Best regards,

Craig R. Shaub
President
Dig-it all Sign Company, LLC
2226 Douglas Avenue
Racine, WI 53404

Direct:262-498-2613
craig.shaub@digitallsigns.com
www.digitallsigns.com

192"

Rosette

30"

15"




Cedar Plank Base

Acrylic Lettering



Approved by: _____ Date _____ Changes _____

Client THE SPICE HOUSE	Scale	Sign Specifications 30" x 192"W High Impact Acrylic Letters Red Cedar Back Planking 15" tall - THE SPICE HOUSE 6" tall - established 1957 1-1/2" Decorative Rosettes in scallops	Colors CMYK - 4 COLOR PROCESS Lettering > Metallic Gold #26S7 Cedar Planks > Dark Mahogany Stain	 DIG-IT ALL <small>Providing Architectural and Commercial Signs to the Greater Milwaukee Area and Beyond</small> 2226 Douglas Ave., Ste. B Racine, WI 53402 www.digitaligns.com
	Drawing # 1			
Date: 06-25-2011	Rev # 1	Date of Rev # 06-25-2011		
Electrical Requirements 120 <input type="checkbox"/> 277 <input type="checkbox"/>	Designer CS	Salesman CS	<small>NOTICE: The ideas and designs contained in this original and unpublished drawing are the sole property of Dig-It All Sign Company, LLC, and MAY NOT BE USED OR REPRODUCED in whole or in part without written permission.</small>	

NOTE: DUE TO THE PHYSICAL LIMITATIONS OF THE PAPER AND INK INVOLVED IN THIS PRINTING PROCESS, THIS CUSTOM ARTWORK IS NOT INTENDED TO PROVIDE AN EXACT MATCH TO THE ACTUAL FINISH PAINTED PRODUCT.

Client:

THE SPICE HOUSE
established 1957


1031 Old World 3rd Street
Milwaukee, WI 53203

Design and Installation Firm:

DIG-IT ALL
SIGNS Providing Architectural and Commercial Signs
for the Greater Milwaukee Area and SE Wisconsin

2226 Douglas Ave., Ste. B
Racine, WI 53402

Schematic Diagram for The Spice House Facade Sign



Sign Component Specifications:

- Base Planks: 1" x 12" x 16 feet long red cedar plank boards
- Base Finish: Stain and sealer
- Mounting Hardware: 1/4" x 4" long Aluminum Stud Stand-offs with support pad
- Lettering Finish: Metallic Gold Baked Enamel

Client:

THE SPICE HOUSE

established 1957

1031 Old World 3rd Street
Milwaukee, WI 53203

Design and Installation Firm:



2226 Douglas Ave., Ste. B
Racine, WI 53402



32"

THE SPICE HOUSE

established 1957

15"

192"

6"



Milw - 3rd St



Old World Third Street
Milwaukee, Wisconsin

The Spice House
1031 North Old World 3rd Street
Milwaukee, Wisconsin 53203

Signage

The current sign mounted to the face of the building will be replaced in addition to one hanging sign to be mounted over the sidewalk on either corner of the building. The hanging sign will have a bracket on top and bottom. The brackets from Sign Bracket Store are more than sufficient to hang the sign. The larger sign will be flush mounted to the building where the current sign is. Dig-It-All Signs will provide a flush mounted wooden sign. The wood used will be Red Cedar Planks and stained with Sherwin-Williams WoodScape, SW 3524 Chestnut. Kid Sign will provide a flush mounted wooden sign. The wood used will be plywood. Because of the nature of this wood it will be painted in a gloss paint to match the color of SW 3524 Chestnut. The second layer will also be painted in a color to match SW3009 Pineneedle. The brand of paint used by Kid Sign will be up to their discretion. We prefer the Dig-It-All Sign because of the durability of the wood and the wood grain appearance it will provide.

Enclosed are detailed proposals and documentation.

Thank you,
Kate Erd



Old World Third Street
Milwaukee, Wisconsin

The Spice House
1031 North Old World 3rd Street
Milwaukee, Wisconsin 53203

Install New Entry Door

After reviewing the two quotes received we would like to have Productive Builders complete the door. The quality of product is much better. They are able to supply an upgraded closure, which has been a constant problem with our existing door. With it's constant opening and the wind in the downtown area, adjustments had to be made much too often and sometimes the door still would not close on its own. Therefore we feel the closure Productive Builder offers is superior and would improve the closure problem.

The new door will be a full view wooden door, new hardware, and new heavy-duty closure. The door will be stained with Sherwin-Williams WoodScape semi-transparent stain SW 3508 Covered Bridge.

Please see the enclosed comparison spread sheet and enclosed documentation for detail.

Telephone (414) 272-0977 ▪ Fax (414) 272-1271 ▪ Toll-Free 1-888-488-097

www.thespicehouse.com

Paint/Stain Façade Comparison

	Materials	Labor	Pillar Repair	total
Frank's Painting	\$322.81	\$1,000.00	\$119.63	\$1,442.44
The Spice House f Do-It-Yourself	\$322.81	\$700.00	\$119.63	\$1,142.44

Entry Door

	Door/Jam/Trim	Closure	Hardware	Labor	total
On the Level Carpentry LLC	\$1,015.00	\$160.00	\$200.00	\$1,200.00	\$2,575.00
Productive Builders, Inc. (option #1 plus new hardware/closure of option #4 alternate)	\$1,350.00	\$465.00	\$400.00	included	\$2,215.00

high total \$4,017.44
low total \$3,357.44



Productive Builders, Inc.

COMMERCIAL ■ INSTITUTIONAL ■ RESIDENTIAL
DESIGN / BUILD ■ CONSTRUCTION MANAGEMENT ■ GENERAL CONTRACTORS

June 2, 2011

The Spice House
Attn: Tom Erd
1941 Central Street
Evanston, IL 60201

Job address: 1031 N. Old World Third St.
Milwaukee, WI 53203

Door Replacement

We propose to furnish all material, labor and equipment as necessary to complete the door replacement as per the following specifications:

We include

Option #1

- To remove existing entry door
- To remove existing door hardware and reuse on new door
- To furnish and install a Simpson® full-view wood exterior door
- To fit new door into existing door opening
- To furnish and install an ADA aluminum sill and new weather stripping
- To install existing lockset
- To paint door in color selected by owner

Yes

No

Total for option #1: **\$1,350.00**

One thousand three hundred fifty and 00/100 U.S. dollars

Option #2

- To use a Simpson® one lite with one panel in the bottom of the door in lieu of the full-view door

Yes

No

Total for option #2: **\$1,410.00**

One thousand, four hundred ten and 00/100 U.S. dollars

June 2, 2011
 The Spice House
 Door Replacement
 Page 2

Option #3

- To remove door, existing jamb and trim on the exterior and interior
- To furnish a Western® full-view steel door #234 pre-hung unit with weather stripping and sill included in unit
- To install existing trim, exterior and interior that was removed previously
- To furnish and install new lockset (existing one will not work with a steel door) with an allowance of \$150.00 figured
- To paint new door and jamb in color selected by owner
- To paint exterior and interior trim in color to match existing color

Yes No Total for option #3: **\$1,695.00****One thousand, six hundred ninety five and 00/100 U.S. dollars**Option #4

- To furnish and install a new closer (8000 series). This would work for all three door options
- To install this closer on the exterior side of the door voids manufacturer warranty

Yes No Total for option #4: **\$265.00****Two hundred sixty five and 00/100 U.S. dollars**Alternate

- To upgrade to a better closer (LCN4040 series)

Yes No Add: **\$200.00****Two hundred and 00/100 U.S. dollars**

Payments to be made as follows:

To be paid in full upon completion of work

Contractor will receive a 1.5% monthly service charge on all past due amounts, plus all costs of collection, including attorneys' fees.

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from specifications above involving extra costs will be executed only upon written orders, and will become an extra charge over and above the contract. In the case of mathematical or clerical errors on the contract or change orders, the amount due from the client shall be the original contract amount plus change orders, if any, signed by the contractor and client. All agreements are contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's Compensation Insurance.

All workmanship is guaranteed for one year from date of completion of work. All manufacturers' warranties for materials shall be passed on to the owner at time of occupancy.

FIXED GRILLES & CLEAR DOORGLASS

201

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				

112 Lite 208-CLR

Door	TF	SP	WE	SE
2'6"				
2'7"				
2'8"				
2'9"				
2'10"				

Full Lite 234-CLR

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				

112 Lite 401-CLR

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				

112 Lite 104-CLR

Door	WE	SE
2'8"		
2'9"		
2'10"		
2'11"		
2'12"		

3/8 Lite 105-CLR

Door	TF	SP	WE	SE
2'0"				
2'1"				
2'2"				
2'3"				
2'4"				

Center Arch 415

Door	WE	SE
2'6"		
2'7"		
2'8"		
2'9"		
2'10"		

411

Door	WE	SE
2'6"		
2'7"		
2'8"		
2'9"		
2'10"		

422

Door	WE	SE
2'6"		
2'7"		
2'8"		
2'9"		
2'10"		

For 15-Lite 238-CLR

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				

Full Oval 251-CLR

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				

Summit 462-CLR

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				

464-CLR

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				

445-CLR

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				

1-Panel 470

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				


510-CLR

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				


Segment Head 410

Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				

RAIN GLASS



Door	TF	SP	WE	SE
2'8"				
2'9"				
2'10"				
2'11"				
2'12"				



Simpson®

Door Company

Print



7501

7501

Series: Stain Grade

Type: Exterior French & Sash

Standard Features

Available in Any Wood Species

Available in Virtually Any Size

Textured Glass Options

Privacy Rating: 1

Panels: 1-7/16" Innerbond

Moulding: na

Glass: 3/4" Insulated

Caming: na

☐ SHRR

Customer Service: 1-800-SIMPSON (746-7766)

Email: SimpsonCustomerService@brandner.com



[Print](#)



[SHARE](#)

Thermal French (I.G.)

7002

Series: Stain Grade

Type: Exterior French & Sash

Standard Features

Available in Any Wood Species

Available in Virtually Any Size

Textured Glass Options

Privacy Rating: 1

Panels: na

Moulding: na

Glass: 3/4" Insulated


Caming: na

Customer Service: 1-800-SIMPSON (746-7766)

Email: SimpsonCustomerService@brandner.com

LCN 4040 SERIES



FEATURES



The 4040 SUPER SMOOTHIE® is LCN's most flexible heavy duty closer designed for institutional and other rugged high traffic applications.

- ▶ Ten Million Cycles
- ▶ Cast Iron
- ▶ Forged Steel Arm
- ▶ Double Heat Treated Steel Pinion
- ▶ All Weather Fluid
- ▶ Non-Handed
- ▶ LCN® Fast™ Power Adjust
- ▶ Fast & Accurate Installation
- ▶ UL & cUL Listed

- ▶ Standard 4040 series closer shipped with regular arm, standard plastic cover, and self reaming and tapping screws. See 4040 Series pages 45-47 for options.
- ▶ Non-sized cylinder is adjustable for interior doors to 5'0" and exterior doors to 4'0".
- ▶ Closer mounts hinge side, top jamb, and parallel arm w/PA Shoe on either right or left swinging doors.
- ▶ Closers to meet ADA requirements. See 4040 Series page 48.
- ▶ Standard or optional custom powder coat finish.
- ▶ Optional plated finish on cover, arm, and fasteners.
- ▶ Optional SFI primer for installations in corrosive conditions.
- ▶ Optional designer series metal cover
- ▶ UL and cUL listed for self-closing doors without hold-open.
- ▶ Tested and certified under ANSI Standard A156.4, grade one.



● Available
 ○ Not available

♿ Closer available with less than 5.0 lbs. opening force on 35" door.
 **Maximum opening/hold-open point with standard template.
 *** Advanced Variable Backcheck

LCN.

39


LCN CLOSERS
 121 W. RAILROAD AVE.
 P.O. BOX 100
 PRINCETON, IL USA 61356-0100

PHONE 800-526-2400
 FAX 800-248-1460
 www.lcn.ingersollrand.com
 3/07

8000 Series Door Closer



APPLICATIONS



Non-hold open arm shown

Regular Arm

This is the only pull-side application where a double lever arm is used. It is the most power efficient application for a door closer. Sufficient frame, door and/or ceiling clearance must be considered.

Since the arm assembly projects directly out from the frame, this application may present an aesthetics issue or be prone to vandalism.




Non-hold open arm shown

Top Jamb

For efficiency reasons this application provides the best alternative to the regular arm application. There must be sufficient frame face and/or ceiling clearance for this application. It requires a top rail on the door of just 2-1/4" (57mm). This application provides the best door control for doors in exterior walls that swing out of a building.

The entire door closer and arm assembly project from the frame, similar to the regular arm application, where matters of appearance and malicious abuse can be of concern. Consideration must be given to depth of reveal.



Non-hold open arm shown


Parallel Arm

This application provides the most appealing design appearance for a surface-mounted door closer having a double lever arm. This also makes it beneficial in vandalism-prone areas. It is on the push side of the door and the arm assembly extends almost parallel to the door. In the closed position there is very little or no hardware projecting beyond the frame face in most situations.

Due to the geometry of the arm it is approximately 25% less power efficient than a regular arm application. The entire closer and arm assembly are mounted below the frame stop. Top rail clearance dimensions will vary based on the type of cover used. (See pg.15)



SHERWIN-WILLIAMS.



WoodScapes® Exterior Acrylic Solid Color House Stain

WoodScapes is warrantied for twice as long as you would expect a traditional stain to last. And with faster application and better brush load, efficiency and productivity are improved. The thicker formula also ensures a uniform finish with no lap marks and great coverage. WoodScapes is self-priming with easy water cleanup, saving you time and money. It also minimizes the spotty appearance and discoloration problems caused by knots and cedar bleeding, so you can virtually eliminate callbacks.

[Be the first to review this product](#)

Product Features

- Warrantied Against Fading and Discoloration for 8 Years (See product labels for complete warranty details)
- Better performance than an oil-base with all the convenience of a waterborne
- Exceptional prevention of tannin stains in cedar and redwood
- Long-term color retention and mildew resistance
- Enhances appearance and texture for greater curb appeal
- Penetrates for long-lasting protection and resistance to peeling
- Apply in temperatures as low as 35°F or 2°C
- Professionals choose it for: new or previously-owned homes, condominiums, apartments, hotels and commercial buildings

[View Product Literature](#)

[View WoodScapes® Exterior House Stains](#)

**Find a store near you:
Call 1-800-4-SHERWIN**

Product Number	Base	Size**	MSDS	PDS	EDS
A15W00051	Extra White	1 Gallon	MSDS	PDS	EDS
A15T00054	Ultradeep Base	1 Gallon	MSDS	PDS	EDS
A15W00053	Deep Base	1 Gallon	MSDS	PDS	EDS
A15W00051	Extra White	5 Gallons	MSDS	PDS	EDS
A15T00054	Ultradeep Base	5 Gallons	MSDS	PDS	EDS
A15W00053	Deep Base	5 Gallons	MSDS	PDS	EDS

* Not all sizes available in all areas.



Cheyenne Red SW 3043



Sequoia SW 3015



Rock Rose SW 3016



Rancho Red SW 3044



Cape Cod Red SW 3020



Russet Brown SW 3045

Samples approximate the actual paint color.

268 10/09

WOODSCAPES SHERWIN-WILLIAMS



Covered Bridge SW 3508



Cedar Bark SW 3511



Spice Chest SW 3513



Baja Beige SW 3509



Woodridge SW 3504



Hawthorne SW 3518

Samples approximate the actual paint color.

277 10/09

WOODSCAPES SHERWIN-WILLIAMS



Old World Third Street
Milwaukee, Wisconsin

The Spice House
1031 North Old World 3rd Street
Milwaukee, Wisconsin 53203

Prepare and Paint or Stain Facade

We have had considerable problems getting a painter to give a written estimate let alone do the prep and paint (staining) of the façade due to rainy weather this spring. Therefore I can only submit one estimate from a painters and an estimate for doing the job our self. Target complication date is August 31, 2011.

We would supply both options with the paint/stain needed to complete the job, and the repairs for the base of the front pillar.

To follow is a break down of the cost of paint, additional supplies to be used if we do the job, and the estimated hours if we do the job vs. a professional painter.

- Sherwin-Williams WoodScape Exterior Polyurethane Semi-Transparent House stain. Pillars to be in SW3509 Baja Beige, 1 gallon and Trim to be in SW3508 Covered Bridge, 3 gallons. (see color samples enclosed) Cost \$41.99/gallon total of \$167.96
- Sherwin-Williams WoodScape Exterior Acrylic Solid Color House Stain. Back ground to be in SW3020 Cape Cod Red, 3 gallons. Cost \$41.99/gallon total \$125.97.
- Sherwin-Williams Stripper, 1 gallon. Cost \$24.39/gallon
- Sandpaper, 4 packages, \$1.47/package total \$5.88. Brushes 2, cost \$8.97, total cost \$17.94. Steel wool, 3 packages, cost \$3.98/package, total \$11.94. Total cost of misc. supplies \$35.76.
- Estimated hours to complete prep, paint/stain, not include repair work on pillar base 40 hours. Maximum pay to be paid out \$17.50/hour, total \$700.00


Please see additional documentation for the detail on the color and type of stain, painters proposal and the repair of the pillar base.

Telephone (414) 272-0977 ▪ Fax (414) 272-1271 ▪ Toll-Free 1-888-488-097

www.thespicehouse.com



SHERWIN-WILLIAMS.



WoodScapes® Exterior Polyurethane Semi-Transparent House Stain

WoodScapes is warranted for twice as long as you would expect a traditional stain to last. And with faster application and better brush load, efficiency and productivity are improved. The thicker formula also ensures a uniform finish with no lap marks and great coverage. WoodScapes is self-priming with easy water cleanup, saving you time and money.

[Be the first to review this product](#)

Product Features

- Warrantied Against Fading and Discoloration for 5 Years (See product labels for complete warranty details)
- Better performance than an oil-base with all the convenience of a waterborne
- Long-term color retention and mildew resistance
- Enhances appearance and texture for greater curb appeal
- Penetrates for long-lasting protection and resistance to peeling
- Apply in temperatures as low as 35°F or 2°C
- Professionals choose it for: new or previously-owned homes, condominiums, apartments, hotels and commercial buildings

[View Product Literature](#)

[View WoodScapes® Exterior House Stains](#)

**Find a store near you:
Call 1-800-4-SHERWIN**

Product Number	Base	Size**	MSDS	PDS	EDS
A15T00005	Clear Base	1 Quart	MSDS	PDS	EDS
A15T00005	Clear Base	1 Gallon	MSDS	PDS	EDS
A15T00005	Clear Base	5 Gallons	MSDS	PDS	EDS

Not all sizes available in all areas.

Not all products available in all areas.

Due to individual printer limitations, colors seen here may not accurately reflect Sherwin-Williams paint colors.

To confirm your color choices, visit your neighborhood Sherwin-Williams store and refer to our in-store color cards.

1-800-4-SHERWIN

www.sherwin-williams.com



Stripper \$24.39/gal
Stain \$41.99/gal



Palmetto SW 3038



Chestnut SW 3524



Orchard SW 3036



Banyan Brown SW 3522



Greenbrier SW 3050



Crossroads SW 3521



Shade Tree SW 3037



Ficus SW 3520



Blue Spruce SW 3008



Moss Olive SW 3530



Pineneedle SW 3009



Foliage SW 3535

Samples approximate the actual paint color.

Samples approximate the actual paint color.

273 10/09

278 10/09

WOODSCAPES SHERWIN-WILLIAMS

WOODSCAPES SHERWIN-WILLIAMS

DIG-IT ALL SIGNS, LLC. & CUSTOM GRAPHICS

Quotation # A-002423-FS
06/13/2011

Attn: Kate Erd
The Spice House
1031 N. Old World Third St.
Milwaukee WI 53203

We are pleased to submit the following quote #A-002423-FS:

Description: Manufacture and install a dimensional sign with architectural lettering mounted onto a red cedar plank back plate.
Copy to read: "THE SPICE HOUSE / established 1957" (Times Bold and Times Bold Italic fonts)

- Size:** 32" x 192" (cedar back plate) ; 187" wide x 27" high overall (lettering) - 15" THE SPICE HOUSE / 6" Established 1957
- Material(s):** Red Cedar planks, Dimensional Letters(acrylic or anodized metal), metallic gold paint, silicone sealant
- Color(s):** Metallic Gold or Gold Anodized Aluminum lettering on dark stained cedar back planking (dark mahogany actual TBD)
- Artwork:** By Dig-it all Signs
- Finishing:** Metallic Gold painted routed border on sign back
- | | | | | | | | |
|------------------|-----------|-------------|-------------|--------------|-----------------|----------|----------------|
| | | Option 1 | Option 2 | | | | |
| Quantity: | Backing | Anodized | Acrylic | Installation | Sub-Total | Tax 5.6% | Grand Total |
| Price: | \$ 750.00 | \$ 2,140.62 | \$ 1,042.16 | \$ 640.00 | \$ 3,530.62 (1) | \$197.72 | (1) \$3,728.34 |
| | | | | | \$ 2,432.16 (2) | \$136.23 | (2) \$2,568.39 |
- Prepress:** Not Applicable
- Proof:** Digital proof submitted for approval. *Please see Sample Proof document to verify spelling, punctuation and case. We will submit a formal proof document and schematic for the zoning proposal once the sample proof is approved.
- Tooling:** Routed border on sign back and painted metallic gold, stud mounted letters with 1/4" stand-off. and flush mount
- Installation:** Installation of Sign Component by Dig-it all Sign Company.
- Delivery:** FOB
- Note:** Stain color for red cedar back planks must be chosen.

Terms are: 50% Down payment upon acceptance, 40% upon mobilization/installation and 10% balance due 30 days after installation and completion, unless pre-arrangements are made, subject to credit approval. Changes to Scope of Supply or installation methods will require additional costs. 1% Discount on Balances paid within 5 days of completion. 1.8% interest accrued monthly to all unpaid balances over 30 days, 21.6% annually. See attached for complete set of terms and conditions of sale. Quotation is valid for 30 days. _____Initials

Please review, sign, date and return this proposal to validate this contract and allow us to proceed with your order. Thank you for this opportunity to serve you. We look forward to working with you. Please contact us with any questions.

Accepted by: _____ Date: _____

Purchase Order # _____ Quotation submitted by: _____
Craig Shaub



Questions? Call Toll Free: 1-888-919-7446

Catalog Request | Email | About Us | Testimonials | Press | View Cart

Banner Brackets | Sign & Business Lighting | Post and Panel | Monument Signs | Sign Hardware & Sign Mounts | Display Style Signs | Sign Blanks

Product Search

Home > Architectural Sign Brackets > Architectural Sign Brackets- All > Wall Mount Sign Brackets > Wall Mount Blade Sign Brackets > 29" Twisted Arm Blade Sign Bracket



29" Twisted Arm Blade Sign Bracket

Bookmark This Page

Items in your Cart: 0
Sub Total: \$0
View Cart >>
Checkout Now >>

Newsletter >>

Signup and be entered for a FREE monthly giveaway!

Architectural Sign Brackets

- Architectural Sign Brackets- All
- Wall Mount Sign Brackets
- Single Post Sign Brackets
- Ceiling Mount Sign Brackets
- Street Sign Frames & Brackets
- Sign Hanging Hardware

Sign Hardware & Sign Mounts

- Sign Hardware- All
- Wall Mount Sign Hardware
- Post Mount Sign Hardware
- Ceiling Mount Sign Hardware
- Interior Displays & Brackets
- Street Sign Mounting Brackets
- Strap Banding Sign Hardware
- Sign Hanging Hardware


Banner Brackets

- Banner Brackets- All
- Wall Mounted Banner Brackets
- Post Mount Banner Brackets
- Banner Bracket Hardware
- Ceiling Mount Banner Brackets

Sign & Business Lighting

- Lighting - All
- Gooseneck Lighting
- Flood/Spot Lights
- Sign Lighting- Other
- Barn Lights & Barn Style Sconces

Post and Panel



Click to enlarge



Description Dimensions

Description: The 29" Twisted Arm Blade Sign Bracket is made with a twisted steel shaft and a solid cast iron ball finial. Mounts to any flat post or wall with a heavy duty 3" back plate with four mounting holes. Black Powder Coat Finish

Overall Width: 29"

Suggested Sign Width: 18"-24"

Ring Centers: 14"

Optional Sign Blank Kit: One "Classic" sign shape and one pair of sign hangers. (12"H x 22"L x .063 gauge)

Code: M3-TA29

Price: \$64.85

Availability: Usually ships in 2-3 business days.

Dimensions: Backplate: 3" x 12"


Options:

Bracket Only = \$64.85

Qty:

For custom lengths call 800-896-0978
View Customer Comments >
Satisfaction Guaranteed! >

You May Also Like



PVC Sign Blanks



Sign 8 - Black Stainless Steel Sign Bracket Hardware Kit - For Mounting Signs to bracket

Price: \$15.85

Customer Product Reviews