

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
General conditions of proposal:	Page 1 - 14	Page 1 - 4	None	Page 1 - 21 and Exhibit A, page 1 - 3	
Qualifications:	Page 15 (2.1)	Page 5 - 6 (1.1 A - K)	Page 1 - 2 (1.1 A - I)	Exhibit B- Page 1 (1.1 A - I)	
	Page 15 <i>For the purposes...</i> Milw., Madison & Broward contain paragraph not found in Gainesville RFP.	Page 5 (1.1 A)	Page 1 (1.1 A)	NA	
	Page 15 <i>CSC shall meet...</i>	Page 5 (1.1 B)	Page 1 (1.1 B)	Page 1 (1.1 A)	
	Page 15 <i>The CSC shall have...</i> Milw. & Broward contain sentence not found in Madison/Gainesville RFP.	Page 5 (1.1 C)	Page 1 (1.1 C)	Page 1 (1.1 B)	
	Page 15 <i>The CSC warrants...</i>	Page 5 (1.1 D)	Page 1 (1.1 D)	Page 1 (1.1 C)	
	Page 15 <i>Material or labor...</i>	Page 5 (1.1 E)	Page 1 (1.1 E)	Page 1 (1.1 D)	
	Page 15 <i>Electrical, concrete drawings...</i> Milw., Madison & Broward contain text not found in Gainesville RFP.	Page 5 (1.1 F)	Page 1 (1.1 F)	Page 1 (1.1 E)	
	Page 15 <i>Specification and drawings...</i>	Page 5 (1.1 G)	Page 1 (1.1 G)	Page 1 (1.1 F)	
	Page 15 <i>The CSC shall be...</i> Milw. omits text found in Madison (p. 5) RFP. Milw./Madison contain sentences not found in Broward/Gainesville RFP.	Page 5 (1.1 H)	Page 1 (1.1 H)	Page 1 (1.1 G)	
	Page 15 <i>The CSC shall submit...</i> Milw. Madison & Gainesville omit paragraphs found in Broward (p. 2) RFP.	Page 5 - 6 (1.1 I)	Page 1 - 2 (1.1 I)	Page 1 (1.1 H)	
	Milw., Madison & Broward omit Paragraph 1.1 I found in Gainesville (p. 1) RFP.	NA	NA	Page 1 (1.1 I)	
	Milw., Broward & Gainesville omit Paragraphs 1.1 J and 1.1 K found in Madison (p. 6) RFP.	Page 6 (1.1 J)	NA	NA	
		Page 6 (1.1 K)	NA	NA	
CSC's Responsibilities:	Page 16 - 18 (2.2)	Page 6 - 8 (1.2 A - K)	Page 2 - 6 (1.2 A - K)	Exhibit B- Page 1 - 3 (1.2 A - J)	
	Page 16 <i>The CSC of the revenue...</i> Milw. & Broward contain sentences not found in Madison/Gainesville RFP, and Milw., Madison & Gainesville omit sentences found in Broward (p. 3) RFP.	Page 6 (1.2 A)	Page 2 - 3 (1.2 A)	Page 1 - 2 (1.2 A)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 16 <i>The CSC for the revenue...</i> Milw., Madison & Broward contain sentences not found in Gainesville RFP.	Page 6 (1.2 B)	Page 3 (1.2 B)	Page 2 (1.2 B)	
	Page 16 <i>The CSC shall be...</i> Milw. omits second half of paragraph found in Madison (p. 6), Broward (p. 3) and Gainesville (p. 2) RFP.	Page 6 (1.2 C)	Page 3 (1.2 C)	Page 2 (1.2 C)	
	Page 16 <i>Software updates:</i>	Page 7 (1.2 D)	Page 3 - 4 (1.2 D)	Page 2 (1.2 D)	
	Page 16 <i>New inventions:</i> Milw. contains text not found in Madison & Broward RFP. Milw., Madison & Broward contain paragraph not found in Gainesville RFP.	Page 7 (1.2 E)	Page 4 (1.2 E)	NA	
	Milw. omits Madison (Page 7) & Broward (Page 4) paragraph 1.2 F under "CSC's Responsibilities", and omits Gainesville (Page 2) paragraph 1.2 E under "PES' Responsibilities..." but that language is found in Milw. RFP (Page 21) 1st paragraph under "Maintenance and Service".	Page 7 (1.2 F)	Page 4 (1.2 F)	Page 2 (1.2 E)	
	Page 16 <i>The CSC shall provide...</i>	Page 7 (1.2 G)	Page 4 (1.2 G)	Page 2 - 3 (1.2 F)	
	Page 17 <i>The CSC shall provide...</i> Milw., Madison & Broward contain sentences not found in Gainesville RFP.	Page 7 (1.2 H)	Page 4 (1.2 H)	Page 3 (1.2 G)	
	Page 17 <i>It shall be the responsibility...</i> Milw. & Broward Co. contain text not found in Madison RFP. Milw., Madison & Broward contain sentences not found in Gainesville.	Page 8 (1.2 I)	Page 5 (1.2 I)	Page 3 (1.2 H)	
	Page 17 <i>The CSC shall be responsible...</i>	Page 8 (1.2 J)	Page 5 (1.2 J)	Page 3 (1.2 I.1 - 1.2 I.2)	
	Milw., Madison & Broward omit paragraph found in Gainesville (p. 3) RFP.	NA	NA	Page 3 (1.2 I.3)	
	Page 18 <i>CSC's responsibilities...</i>	Page 8 (1.2 K)	Page 5 - 6 (1.2 K)	Page 3 (1.2 J)	
Climatic Conditions:	Page 18 (2.3)	Page 8 (1.3 A)	Page 6 (1.3 A)	Exhibit B- Page 3 (1.3)	
	Page 18 <i>All equipment...</i> Milw. contains sentences not found in Madison, Broward & Gainesville RFP.	Page 8 (1.3 A)	Page 6 (1.3 A)	Page 3 (1.3)	Entry Station PE, Exit Station PA (meet temperature range with optional upgrade)

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
Component Equipment of Same Supplier:	Page 18 (2.4)	Page 9 (1.4 A - B)	Page 6 (1.4 A - B)	Exhibit B- Page 3 (1.4 A - B)	
	Page 18 <i>Equipment components...</i>	Page 9 (1.4 A)	Page 6 (1.4 A)	Page 3 (1.4 A)	Entry Station PE (entry station and loop detector); Exit Station PA/Exit Payment Station PKA; Payment Stations PK, PKB, PKC; Cashier Terminal PH/PX (cashier station and fee display unit)
	Page 18 <i>If the CSC shall include...</i>	Page 9 (1.4 B)	Page 6 (1.4 B)	Page 3 (1.4 B)	
Shop Drawings and Manuals:	Page 18 - 19 (2.5)	Page 9 - 10 (1.5 A - F)	Page 6 - 7 (1.5 A - F)	Exhibit B- Page 4 (1.5 A - E)	
	Page 18 <i>The CSC shall submit...</i>	Page 9 (1.5 A)	Page 6 (1.5 A)	Page 4 (1.5 A)	
	Page 18 <i>The City of Milwaukee...</i>	Page 9 (1.5 B)	Page 6 (1.5 B)	Page 4 (1.5 B)	
	Page 18 <i>Three final...</i>	Page 9 (1.5 C)	Page 6 (1.5 C)	NA	
	Page 18 <i>Corrections, notations,...</i>	Page 9 (1.5 D)	Page 6 (1.5 D)	Page 4 (1.5 C)	
	Page 19 <i>Shop drawing submittals...</i>	Page 9 (1.5 F)	Page 7 (1.5 F)	Page 4 (1.5 E)	
	Page 19 <i>Other data as required...</i>	Page 10 (1.5 E)	Page 7 (1.5 E)	Page 4 (1.5 D)	
Inspection:	Page 19 (2.6)	Page 10 (1.6 A)	Page 7 (1.6 A)	Exhibit B- Page 4 (1.6)	
	Page 19 <i>The complete revenue...</i>	Page 10 (1.6 A)	Page 7 (1.6 A)	Page 4 (1.6)	
Warranty:	Page 19 (2.7)	Page 10 (1.7 A - B)	Page 7 - 8 (1.7 A - B)	Exhibit B- Page 4 (1.7 A - B)	
	Page 19 <i>All items furnished...</i>	Page 10 (1.7 A)	Page 7 (1.7 A)	Page 4 (1.7 A)	
	Page 19 <i>CSC warrants and affirms...</i>	Page 10 (1.7 B)	Page 8 (1.7 B)	Page 4 (1.7 B)	
CSC's Use of Premises:	Page 20 (2.8)	Page 11 (1.9 A)	Page 8 (1.9 A)	Exhibit B- Page 4 - 5 (1.8 A)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 20 <i>CSC shall limit...</i> Milwaukee, Madison & Broward contain sentences not found in Gainesville RFP.	Page 11 (1.9 A)	Page 8 (1.9 A)	Page 4 - 5 (1.8 A)	
Technical Questions:	Milw., Broward & Gainesville omit Paragraphs 1.10 A found in Madison (p. 11) RFP.	Page 11 (1.10 A)	NA	NA	
Calendar of Events:	Milw., Broward & Gainesville omit Paragraphs 1.11 A found in Madison (p. 11) RFP.	Page 11 (1.11)	NA	NA	
Installation of the Control System:	Page 20 (2.9)	Page 17 (2.7)	Page 17 (2.7)	Exhibit B- Page 9 (2.7)	
	Page 20 <i>The CSC shall provide a detailed...</i> Milwaukee, Madison & Broward contain sentences not found in Gainesville RFP.	Page 17 (2.7)	Page 17 (2.7)	Page 9 (2.7)	
Instruction and Training:	Page 20 (2.10)	Page 17 (2.8)	Page 17 (2.8)	Exhibit B- Page 9 (2.8)	
	Page 20 <i>The CSC shall provide a narrative...</i> Milwaukee, Madison & Broward contain sentences not found in Gainesville RFP.	Page 17 (2.8)	Page 17 (2.8)	Page 9 (2.8)	
Maintenance and Service:	Page 20 - 21 (2.11)	Page 17 (2.9) & Page 7 (1.2 F)	Page 17 - 18 (2.9) & Page 4 (1.2 F)	Exhibit B- Page 10 (2.9) & Page 2 (1.2 E)	
	Page 20 <i>The City of Milwaukee...</i> Milwaukee, Madison & Broward omit sentences found in Gainesville (p. 10) RFP.	Page 17 (2.9)	Page 17 - 18 (2.9)	Page 10 (2.9)	
	Page 21 <i>Normal response...</i>	Page 7 (1.2 F) under "CSC's Responsibilities"	Page 4 (1.2 F) under "CSC's Responsibilities"	Page 2 (1.2 E) under "PES' Responsibilities..."	
Submission:	Page 21 (2.12)	Page 10 (1.8)	Page 8 (1.8)	NA	
	Page 21 <i>No change...</i> Milwaukee contains sentences not found in Madison & Broward RFP.	Page 10 (1.8)	Page 8 (1.8)	NA	
Products- General Overview:	Page 22 - 23 (3.1)	Page 12 - 13 (2.1 A - G)	Page 8 - 10 (2.1 A - G)	Exhibit B- Page 5 - 6 (2.1 A - G)	
	Page 22 <i>The CSC shall furnish...</i> Milwaukee & Broward contain sentence not found in Madison RFP. Milwaukee, Madison & Broward contain sentences not found in Gainesville RFP.	Page 12 (2.1 A)	Page 8 - 9 (2.1 A)	Page 5 (2.1 A)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 22 <i>Revenue and Access Control System:</i> Milw., Madison & Broward contain sentence not found in Gainesville RFP.	Page 12 (2.1 B)	Page 9 (2.1 B)	Page 5 (2.1 B)	Management System ZMS (real-time communication and client-server networking); Entry Station PE, Exit Station PA/Exit Payment Station PKA, and Payment Stations PK, PKB, PKC (single-slot design and can process all tickets or electronic payment methods); Cashier Terminal PH/PX, Exit Station PA/Exit Payment Station PKA (exit cashiering)
	Page 22 <i>The system must be...</i> Milw., Madison & Gainesville omit sentences found in Broward (p. 10) RFP. Milw., Madison & Broward omit sentences found in Gainesville (p. 5) RFP.	Page 12 (2.1 D)	Page 9 - 10 (2.1 D)	Page 5 (2.1 D)	
	Page 22 <i>Stored value card...</i>	Page 12 (2.1 C)	Page 9 (2.1 C)	Page 5 (2.1 C)	Entry Station PE; Exit Station PA/Exit Payment Station PKA; Payment Stations PK, PKB, PKC (accept electronic payment methods)
	Page 23 (Paragraphs 1 - 3) <i>System must be capable...</i> Milw. paragraphs not found in Madison & Broward RFP.	NA	NA	NA	
	Milw. omits Paragraphs 2.1 E - 2.1 G found in Madison (p.13), Broward (page 10) & Gainesville (pp.5 - 6) RFP. Gainesville omits sentences found in Madison & Broward Paragraph 2.1 E.	Page 13 (2.1 E)	Page 10 (2.1 E)	Page 5 (2.1 E)	
		Page 13 (2.1 F)	Page 10 (2.1 F)	Page 6 (2.1 F)	
		Page 13 (2.1 G)	Page 10 (2.1 G)	Page 6 (2.1 G)	
System Overview:	Page 23 - 25 (3.2)	Page 13 - 14 (2.2 A - C); Page 22 - 23 (2.13 A.11.a - 11.f); Page 27 (2.13 A.16.a - 16.c); Page 30 (2.13 B.5.a - 5.c); Page 31 (2.13 B.6.e)	Page 10 - 13 (2.2 A - C), Page 23 (2.13 A.11.a - 11.f), Page 28 (2.13 A.16.a - 16.c); Page 31 (2.13 B.5.a - 5.c); Page 32 (2.13 B.6.e)	Exhibit B- Page 6 - 7 (2.2 A - C), Page 12 - 13 (2.11 A.5.a - c & A.6.a - f), Page 19 (2.11 B.6.e), Page 22 (2.11 A.11.a - c)	
	Page 23 <i>The parking revenue...</i> Milw. & Madison RFP omit paragraphs found in Broward (pp. 10-11) & Gainesville (p. 6) RFP. Broward (A.1 - A.10) & Gainesville (A.1 - A.5) paragraphs differ from each other, but involve specs.	Page 13 (2.2 A)	Page 10 - 13 (2.2 A.1 - A.10)	Page 6 - 7 (2.2 B1)	Management System ZMS (real-time)

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications	
	Page 23 <i>System security...</i>	Milw., & Madison RFP omit sentences found in Broward (p. 13) & Gainesville (p. 7) RFP.	Page 13 (2.2 B)	Page 13 (2.2 B - 2.2 B1)	Page 6 - 7 (2.2 B1)	Entry Station PE (magnetic stripe ticket technology)
	Page 23 <i>One of the major...</i>	Milw., Madison & Broward omit text found in Gainesville (p. 22) RFP.	Page 27 (2.13 A.16) under "Equipment Descriptions".	Page 28 (2.13 A.16) under "Equipment Descriptions".	Page 22 (2.11 A.11) under "Equipment Descriptions".	
	Page 23 <i>The common read / write...</i>	Milw., Madison & Broward omit text found in Gainesville (p. 22) RFP.	Page 27 (2.13 A.16.a) under "Equipment Descriptions".	Page 28 (2.13 A.16.a) under "Equipment Descriptions".	Page 22 (2.11 A.11.a) under "Equipment Descriptions".	
	Page 23 <i>The ticket transport...</i>		Page 27 (2.13 A.16.b) under "Equipment Descriptions".	Page 28 (2.13 A.16.b) under "Equipment Descriptions".	Page 22 (2.11 A.11.b) under "Equipment Descriptions".	
	Page 24 <i>All major components...</i>		Page 27 (2.13 A.16.c) under "Equipment Descriptions".	Page 28 (2.13 A.16.c) under "Equipment Descriptions".	Page 22 (2.11 A.11.c) under "Equipment Descriptions".	
	Page 24 <i>The UCD...</i>		Page 22 (2.13 A.11) under "Equipment Descriptions".	Page 23 (2.13 A.11) under "Equipment Descriptions".	Page 13 (2.11 A.6) under "Equipment Descriptions".	Entry Station PE; Exit Station PA/Exit Payment Station PKA; Payment Stations PK, PKB, PKC; Cashier Terminal PH/PX (UCD read-write device)
	Page 24 <i>The UCD shall be fully...</i>	Milw., Madison & Broward contain text not found in Gainesville RFP.	Page 22 (2.13 A.11.a) under "Equipment Descriptions".	Page 23 (2.13 A.11.a) under "Equipment Descriptions".	Page 13 (2.11 A.6.a) under "Equipment Descriptions".	
	Page 24 <i>The read / write device shall be...</i>	Milw. contains text not found in Madison, Broward & Gainesville RFP.	Page 22 (2.13 A.11.b) under "Equipment Descriptions".	Page 23 (2.13 A.11.b) under "Equipment Descriptions".	Page 13 (2.11 A.6.b) under "Equipment Descriptions".	Entry Station PE; Exit Station PA/Exit Payment Station PKA; Payment Stations PK, PKB, PKC; Cashier Terminal PH/PX (tickets or cards)
	Page 24 <i>The read / write device shall read...</i>		Page 22 (2.13 A.11.c) under "Equipment Descriptions".	Page 23 (2.13 A.11.c) under "Equipment Descriptions".	Page 13 (2.11 A.6.c) under "Equipment Descriptions".	
	Page 24 <i>The ticket printer...</i>		Page 22 (2.13 A.11.d) under "Equipment Descriptions".	Page 23 (2.13 A.11.d) under "Equipment Descriptions".	Page 13 (2.11 A.6.d) under "Equipment Descriptions".	Entry Station PE; Exit Station PA/Exit Payment Station PKA; Payment Stations PK, PKB, PKC; Cashier Terminal PH/PX (thermal printer)

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 24 <i>Retracted tickets...</i>	Page 22 (2.13 A.11.e) under "Equipment Descriptions".	Page 23 (2.13 A.11.e) under "Equipment Descriptions".	Page 13 (2.11 A.6.e) under "Equipment Descriptions".	
	Page 24 <i>The read / write device...</i>	Page 22 - 23 (2.13 A.11.f) under "Equipment Descriptions".	Page 23 (2.13 A.11.f) under "Equipment Descriptions".	Page 13 (2.11 A.6.f) under "Equipment Descriptions".	
	Page 24 <i>Valid transient tickets...</i>	Page 31 (2.13 B.6.e) under "Equipment Descriptions".	Page 32 (2.13 B.6.e) under "Equipment Descriptions".	Page 19 (2.11 B.6.e) under "Equipment Descriptions".	
	Page 24 (Paragraphs 10 - 12) <i>When used in an exit...</i>	NA	NA	NA	
	Page 24 - 25 <i>Ticket Transport Mechanism:</i>	Page 30 (2.13 B.a - c) under "Equipment Descriptions".	Page 31 - 32 (2.13 B.5.a - c) under "Equipment Descriptions".	Page 12 - 13 (2.11. A.5.a - c) under "Equipment Descriptions."	
	Page 25 <i>Card access system...</i>	Milw. contains paragraph not found in Madison, Broward and Gainesville RFP.	NA	NA	
	Page 25 <i>This parking system...</i>	Milw., Madison & Gainesville omit sentence in Broward (p. 13) RFP.	Page 13 - 14 (2.2 C) under "System Overview".	Page 13 (2.2 C) under "System Overview".	Page 7 (2.2 C) under "System Overview."
Operational Description:	Page 25 (3.3)	Page 14 - 15 (2.3 A - D)	Page 13 - 15 (2.3 A - D)	Exhibit B- Page 7 - 8 (2.3 A - D)	
	Page 25 <i>The parking revenue...</i>	Page 14 (2.3 A)	Page 13 - 14 (2.3 A)	Page 7 (2.3 A)	Entry Station PE (magnetic stripe ticket technology, relevant data on ticket, accepts electronic payment, detector loops, push button technology); Exit Station PA (detector loops)
	Page 26 <i>The central pay...</i>	Page 14 (2.3 B)	Page 14 (2.3 B)	Page 7 - 8 (2.3 B)	
	Page 26 <i>The pay-on-foot...</i>	Page 14 - 15 (2.3 C)	Page 14 - 15 (2.3 C)	Page 8 (2.3 C)	
	Page 26 <i>The exit stations...</i>	Page 15 (2.3 D)	Page 15 (2.3 D)	Page 8 (2.3 D)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
Functional Description:	Milw. omits Paragraph 2.4 found in Madison p. 15), Broward (p. 15), and Gainesville (p. 8) RFP. Gainesville contains a sentence not found in Madison or Broward RFP.	Page 15 (2.4)	Page 15 (2.4)	Exhibit B- Page 8 (2.4)	
Vehicle Control Functions:	Page 26 - 27 (3.4)	Page 15 - 16 (2.5 A - E)	Page 15 - 16 (2.5 A - E)	Exhibit B- Page 8 - 9 (2.5 A - E)	
	Page 26 - 27 <i>As each vehicle...</i>	Page 15 (2.5 A)	Page 15 (2.5 A)	Page 8 (2.5 A)	
	Page 27 <i>All of the above...</i>	Page 16 (2.5 B)	Page 15 (2.5 B)	Page 8 - 9 (2.5 B)	Entry Station PE (magnetic stripe ticket technology for relevant data stored on ticket); Entry Station PE, Exit Station PA/Exit Payment Station PKA, Payment Stations PK, PKB, PKC, Cashier Terminal PH/PX (thermal printer)
	Page 27 <i>The ticket shall be..</i>	Page 16 (2.5 C)	Page 16 (2.5 C)	Page 9 (2.5 C)	
	Page 27 <i>Each parking ticket shall...</i>	Page 16 (2.5 D)	Page 16 (2.5 D)	Page 9 (2.5 D)	
	Page 27 <i>Non-resettable count...</i>	Page 16 (2.5 E)	Page 16 (2.5 E)	Page 9 (2.5 E)	
	Page 26 <i>Vehicle count, monitor,...</i>	Page 18 (2.10) under "Vehicle Count, Monitor, and Control System Function"	Page 18 (2.10) under "Vehicle Count, Monitor, and Control System Function"	Page 10 (2.10) under "Vehicle Count, Monitor, and Control System Function"	
	Page 26 <i>Access control system...</i> Milw. & Broward contain sentence not found in Madison RFP. Gainesville omits paragraph found in Milw., Madison & Broward RFP.	Page 18 (2.11) under "Access Control System"	Page 18 (2.11) under "Access Control System"	NA	
Revenue Control Functions:	Milw. omits Paragraph 2.6 A - C found in Madison (pp. 16 - 17), 2.6 B - D found in Broward (p. 16) and 2.5 A - B found in Gainesville RFP. Gainesville omits Paragraph 2.6 A & B found in Madison & Paragraph 2.6 B & C found in Broward RFP.	Page 16 - 17 (2.6 A - C)	Page 16 - 17 (2.6 A - D)	Exhibit B- Page 9 (2.5 A - B)	
		Page 16 (2.6 A)	Page 16 (2.6 B)	NA	
		Page 16 (2.6 B)	Page 16 (2.6 C)	NA	
		Page 16 - 17 (2.6 C)	Page 17 (2.6 D)	Page 9 (2.6 B)	
	Milw. & Madison omit Paragraph 2.6 A found in Broward (p. 17) & Gainesville (p. 9) RFP.	NA	Page 17 (2.6 A)	Page 9 (2.6 A)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
Sub-System Component Level:	Milw. & Gainesville omit Paragraph 2.12 found in Madison & Broward RFP (p. 18 - 19).	Page 18 - 19 (2.12)	Page 18 - 19 (2.12)	NA	
Equipment List By Garage:	Page 27 - 32 (3.5 - 3.8) <i>MacArthur Square...</i> Milw. paragraphs not found in Madison and Broward RFP.	NA	NA	NA	Entry Station PE; Exit Station PA/Exit Payment Station PKA; Payment Stations PK, PKB, PKC (VFD display)
Ticket Dispenser / Entry Station Equipment Description:	Page 32 - 38 (3.9)	Page 19 - 28 (2.13 A.1 - 19)	Page 19 - 29 (2.13 A.1 - 19)	Exhibit B- Page 10 - 16 (2.11 A.1 - 11)	
	Page 32 <i>General Operation:</i>	Page 19 (2.13 A.1)	Page 19 - 20 (2.13 A.1)	Page 10 (2.11 A.1.a)	
	Page 32 <i>On-line real time...</i>	Page 19 (2.13 A.2)	Page 20 (2.13 A.2)	Page 10 (2.11 A.1.b)	
	Page 32 <i>As a vehicle approaches...</i>	Page 19 (2.13 A.3)	Page 20 (2.13 A.3)	Page 10 - 11 (2.11 A.1.c)	
	Page 33 <i>When the entry...</i>	Page 20 (2.13 A.4)	Page 20 (2.13 A.4)	Page 11 (2.11 A.1.d)	
	Page 33 <i>Upon validating the...</i>	Page 20 (2.13 A.5)	Page 20 (2.13 A.5)	Page 11 (2.11 A.1.e)	Entry Station PE (VFD display)
	Page 33 <i>When using a credit...</i>	Page 20 (2.13 A.6)	Page 20 - 21 (2.13 A.6)	Page 11 (2.11 A.1.f)	
	Page 33 <i>Equipment Functions:</i>	Page 20 - 21 (2.13 A.7)	Page 21 (2.13 A.7)	Page 11 (2.11 A.2)	Entry Station PE (RS-232 or RS-485 interface, accept electronic payment methods, entry lane transactions/hr.)
	Page 33 <i>Ticket Dispenser / Entry Station Design Requirements:</i>	Page 21 (2.13 A.8)	Page 21 (2.13 A.8)	NA	
	Page 33 <i>Description:</i>	Page 21 (2.13 A.8.a)	Page 21 (2.13 A.8.a)	Page 11 - 12 (2.11 A.3.a)	Entry Station PE (UCD read-write device, heating/ventilation system with thermostat, VFD, intercom)
	Page 33 <i>Design Requirements:</i> Milw., Madison & Broward omit sentence found in Gainesville (p. 12)	Page 21 (2.13 A.8.b)	Page 21 (2.13 A.8.b)	Page 12 (2.11 A.3.b)	
	Page 34 <i>Entry stations must be...</i>	Page 21 (2.13 A.8.c)	Page 22 (2.13 A.8.c)	Page 12 (2.11 A.3.c)	Entry Station PE (heating/ventilation system with thermostat)
	Milw., Madison & Broward omit Paragraph 2.11 A.3.d found in Gainesville (p. 12) RFP.	NA	NA	Page 12 (2.11 A.3.d)	
	Milw., Madison & Broward omit Paragraph 2.11 A.3.e found in Gainesville (p. 12) RFP.	NA	NA	Page 12 (2.11 A.3.e)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 34 <i>Ticket Dispenser / Entry Station Cabinet:</i>	Page 21 (2.13 A.9)	Page 22 (2.13 A.9)	Page 12 (2.11 A.4.a)	
	Page 34 <i>The entry station cabinet...</i> Milw., Madison & Broward contain text not found in Gainesville RFP.	Page 21 (2.13 A.9.a)	Page 22 (2.13 A.9.a)	Page 12 (2.11 A.4.b)	Entry Station PE (stainless steel cabinet)
	Page 34 <i>The entry station cabinet...</i>	Page 21 (2.13 A.9.b)	Page 22 (2.13 A.9.b)	Page 12 (2.11 A.4.c)	
	Page 34 <i>The entry station door...</i>	Page 21 (2.13 A.9.c)	Page 22 (2.13 A.9.c)	Page 12 (2.11 A.4.d)	
	Milw. omits Paragraph 2.13 A.10.a - c found in Madison (p. 22) & Broward (pp. 22-23) & Gainesville Paragraph 2.11 A.5.a - c (p. 12 - 13) RFP but that language is found in Milw. RFP (Page 24 - 25) under "System Overview".	Page 22 (2.13 A.10.a - c)	Page 22 - 23 (2.13 A.10.a - c)	Page 12 - 13 (2.11A.5.a - c)	
	Page 34 <i>Ticket Magazine:</i> Milw., Madison & Broward omit sentence found in Gainesville (p. 13).	Page 23 (2.13 A.12)	Page 23 (2.13 A.12)	Page 13 (2.11 A.7)	
	Page 34 <i>Retracted Ticket Hopper:</i>	Page 23 (2.13 A.13)	Page 23 (2.13 A.13)	Page 13 (2.11 A.8)	
	Page 34 <i>Stand Alone / On-Line Central Processing Unit:</i>	Page 23 (2.13 A.14)	Page 23 - 24 (2.13 A.14)	Page 13 (2.11 A.9)	Entry Station PE (peripheral computer)
	Page 34 <i>Technical Specifications:</i>	Page 23 (2.13 A. 14.a)	Page 24 (2.13 A. 14.a)	Page 14 (2.11 A.10)	
	Page 34 <i>The entry station(s)...</i>	Page 23 (2.13 A. 14.a.(1))	Page 24 (2.13 A. 14.a.(1))	Page 14 (2.11 A.10.a)	
	Page 35 <i>Ticket Encoder / Card Reader...</i>	Page 23 (2.13 A. 14.a.(2))	Page 24 (2.13 A. 14.a.(2))	Page 14 (2.11 A.10.b)	
	Page 35 <i>Entry Ticket:</i>	Page 23 (2.13 A. 14.a.(3))	Page 24 (2.13 A. 14.a.(3))	Page 14 (2.11 A.10.c)	
	Page 35 <i>The entry station shall simultaneously...</i> Milw., Madison & Broward contain text not found in Gainesville RFP.	Page 24 (2.13 A. 14.a.(4))	Page 24 - 25 (2.13 A. 14.a.(4))	Page 14 (2.11 A.10.d)	
	Page 35 <i>The ticket magazine shall...</i> Milw., Madison & Broward contain sentences not found in Gainesville RFP.	Page 24 (2.13 A. 14.a.(5 - 6))	Page 25 (2.13 A. 14.a.(5 - 6))	Page 14 (2.11 A.10.e)	
	Page 35 - 36 <i>Computerized Hardware Modules:</i> Milw., Madison & Broward contain sentences not found in Gainesville RFP.	Page 24 - 25 (2.13 A. 14.b)	Page 25 - 26 (2.13 A. 14.b)	Page 14 - 15 (2.11 A.10.f)	Entry Station PE (battery protected)
	Page 36 <i>Invalid Ticket Control:</i>	Page 25 (2.13 A. 14.c)	Page 26 (2.13 A. 14.c)	Page 15 (2.11 A.10.g)	
	Page 36 - Page 37 <i>VFD Display:</i> Milw., Madison & Broward contain VFD text not found in Gainesville RFP.	Page 25 (2.13 A. 14.d)	Page 26 - 27 (2.13 A. 14.d)	Page 15 - 16 (2.11 A.10.h)	
	Page 37 - Page 38 <i>Real Time Communication:</i>	Page 26 (2.13 A. 14.e)	Page 27 - 28 (2.13 A. 14.e)	Page 16 (2.11 A.10.i)	Entry Station PE (RS-232 or RS-485 interface)
	Page 38 <i>Intercom:</i>	Page 27 (2.13 A. 15)	Page 28 (2.13 A. 15)	Page 16 (2.11 A.11)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications	
	Page 38 Detailed Hardware Specifications:	Milw., Madison & Broward contain paragraphs not found in Gainesville RFP.	Page 27 (2.13 A. 17)	Page 28 (2.13 A. 17)	NA	Entry Station PE (is one degree off with a temperature range of -4 to +104 F, power supply and loads are met)
	Page 38 Entry Station Housing:	Milw., Madison & Broward contain paragraphs not found in Gainesville RFP.	Page 27 (2.13 A. 18)	Page 28 - 29 (2.13 A. 18)	NA	
	Page 38 Heating and Ventilation:	Milw., Madison & Broward contain paragraphs not found in Gainesville RFP.	Page 27 (2.13 A. 19)	Page 29 (2.13 A. 19)	NA	
Exit Station Equipment Description:	Page 38 - 44 (3.10)	Page 28 - 39 (2.13 B.1 - 17)	Page 29 - 37 (2.13 B.1 - 17)	Exhibit B- Page 16 - 22 (2.11 B.1 - 11)		
	Page 38 <i>General Operation:</i>		Page 28 (2.13 B.1.a)	Page 29 (2.13 B.1.a)	Page 16 - 17 (2.11 B.1.a)	
	Page 39 <i>The exit station shall...</i>		Page 28 (2.13 B.1.b)	Page 29 (2.13 B.1.b)	Page 16 - 17 (2.11 B.1.b)	Exit Station PA/Exit Payment Station PKA (accept electronic payment methods)
	Page 39 <i>On-line real time...</i>		Page 28 (2.13 B.1.c)	Page 29 (2.13 B.1.c)	Page 16 - 17 (2.11 B.1.c)	
	Page 39 <i>As a transient vehicle...</i>		Page 28 (2.13 B.1.d)	Page 29 - 30 (2.13 B.1.d)	Page 16 - 17 (2.11 B.1.d)	
	Page 39 When the exit station is...	Milw., Madison & Broward contain VFD text not found in Gainesville RFP.	Page 28 - 29 (2.13 B.1.e)	Page 30 (2.13 B.1.e)	Page 16 - 17 (2.11 B.1.e)	Exit Station PA/Exit Payment Station PKA (VFD display)
	Page 39 <i>Equipment Functions:</i>		Page 29 (2.13 B.2)	Page 30 - 31 (2.13 B.2)	Page 17 - 18 (2.11 B.2)	Exit Station PA/Exit Payment Station PKA (RS-232 or RS-485 interface, UCD read-write device, accept electronic payment methods, exit lane transactions/hr.)
	Page 39 - 40 <i>Exit Station Design Requirements:</i>	Milw., Broward & Gainesville omit text found in Madison RFP (p. 29)	Page 29 - 30 (2.13 B.3)	Page 31 (2.13 B.3)	Page 17 - 18 (2.11 B.3)	Exit Station PA/Exit Payment Station PKA (heating/ventilation system with thermostat, VFD display, intercom)
	Page 40 <i>Exit Station Cabinet:</i>	Milw., Madison & Broward contain text not found in Gainesville RFP.	Page 30 (2.13 B.4)	Page 31 (2.13 B.4)	Page 18 (2.11 B.4)	Exit Station PA (stainless steel cabinet)
	Page 40 <i>Ticket Transport:</i>		Page 30 (2.13 B.5)	Page 31 - 32 (2.13 B.5)	Page 18 - 19 (2.11 B.5)	
	Page 41 <i>Universal Card Device:</i>		Page 31 (2.13 B.6)	Page 32 (2.13 B.6)	Page 19 (2.11 B.6)	Exit Station PA/Exit Payment Station PKA (UCD single slot read-write device, accept electronic payment methods, peripheral computer)

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 41 <i>Retracted Ticket Hopper:</i>	Page 31 (2.13 B.7)	Page 32 - 33 (2.13 B.7)	Page 19 (2.11 B.7)	
	Page 41 <i>Stand Alone / On-Line Central Processing Unit:</i>	Page 31 (2.13 B.8)	Page 33 (2.13 B.8)	Page 19 (2.11 B.8)	
	Page 41 <i>Technical Specifications:</i>	Page 31 - 32 (2.13 B.9.a)	Page 33 - 32 (2.13 B.9.a)	Page 19 - 20 (2.11 B.9.a)	
	Page 41 <i>Ticket Encoder / Card Reader:</i>	Page 32 (2.13 B.9.b)	Page 33 (2.13 B.9.b)	Page 20 (2.11 B.9.b)	
	Page 42 Exit Ticket: Milwaukee, Madison & Broward contain text not found in Gainesville RFP.	Page 32 (2.13 B.9.c)	Page 33 (2.13 B.9.c)	Page 20 (2.11 B.9.c)	
	Page 42 Computerized Hardware Modules: Milwaukee, Madison & Broward contain text not found in Gainesville RFP.	Page 32 (2.13 B.9.d)	Page 33 - 34 (2.13 B.9.d)	Page 20 (2.11 B.9.d)	
	Page 42 <i>The exit station shall have...</i>	Page 33 (2.13 B.9.e)	Page 34 (2.13 B.9.e)	Page 20 (2.11 B.9.e)	Exit Station PA/Exit Payment Station PKA (printer)
	Page 42 <i>Program data shall be...</i>	Page 33 (2.13 B.9.f)	Page 34 (2.13 B.9.f)	Page 21 (2.11 B.9.f)	Exit Station PA/Exit Payment Station PKA (battery)
	Page 43 Each exit station shall have... Milwaukee, Madison & Broward contain text not found in Gainesville RFP.	Page 33 (2.13 B.9.g)	Page 34 (2.13 B.9.g)	NA	
	Page 43 <i>Invalid Ticket Control:</i>	Page 33 (2.13 B.10)	Page 34 (2.13 B.10)	Page 21 (2.11 B.9.g)	
	Page 43 VFD Display: Milwaukee, Madison & Broward contain VFD text not found in Gainesville RFP.	Page 33 - 34 (2.13 B.11)	Page 34 - 35 (2.13 B.11)	Page 21 (2.11 B.9.h)	Exit Station PA/Exit Payment Station PKA (VFD)
	Page 43 - 44 Real Time Communication: Milwaukee, Broward & Gainesville contain text not found in Madison RFP.	Page 34 (2.13 B.12)	Page 35 - 36 (2.13 B.12)	Page 21 - 22 (2.11 B.9.i)	Exit Station PA/Exit Payment Station PKA (RS-232 or RS-485 interface)
	Page 44 <i>Intercom:</i>	Page 35 (2.13 B.13)	Page 36 (2.13 B.13)	Page 21 - 22 (2.11 B.10)	Exit Station PA/Exit Payment Station PKA (intercom)
	Milw. omits Paragraph 2.13 B.14 found in Madison (p. 35), Broward (p. 36) & Gainesville (p. 22) RFP.	Page 35 (2.13 B.14)	Page 36 (2.13 B.14)	Page 22 (2.11 B.11)	
	Page 44 Detailed Hardware Specifications: Milwaukee, Madison & Broward contain paragraphs not found in Gainesville RFP.	Page 35 (2.13 B.15)	Page 36 - 37 (2.13 B.15)	NA	Exit Station PA/Exit Payment Station PKA (is one degree off with a temperature range of -4 to +104 F, power supply and loads are met)
	Page 44 Exit Station Housing: Milwaukee, Madison & Broward contain paragraphs not found in Gainesville RFP.	Page 35 (2.13 B.16)	Page 37 (2.13 B.16)	NA	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications	
	Page 44 Heating and Ventilation:	Milw., Madison & Broward contain paragraphs not found in Gainesville RFP.	Page 35 (2.13 B.17)	Page 37 (2.13 B.17)	NA	Exit Station PA/Exit Payment Station PKA (heating/ventilation system with thermostat)
Automatic Cashier Station Equipment Description:	Page 45 - 51 (3.11)		Page 35 - 43 (2.13 C.1.a - C.4.l)	Page 37 - 45 (2.13 C.1.a - C.4.l)	Exhibit B- Page 22 - 27 (2.11 C.1.a - C.4.j)	
	Page 45 General Operation:	Milw., Madison & Broward contain sentences not found in Gainesville RFP.	Page 35 - 36 (2.13 C.1.a)	Page 37 (2.13 C.1.a)	Page 22 (2.11 C.1.a)	Cashier Terminal PH/PX (exit cashiering and pedestrian central cashiering, UCD read-write unit)
	Page 45 <i>The exit cashier station shall...</i>		Page 36 (2.13 C.1.b)	Page 37 (2.13 C.1.b)	NA	Cashier Terminal PH/PX (pre-paid cards, VFD display)
	Page 45 <i>On-line real time...</i>		Page 36 (2.13 C.1.c)	Page 37 (2.13 C.1.c)	Page 22 (2.11 C.1.b)	
	Page 45 When the cashier station...	Milw., Madison & Broward contain paragraph not found in Gainesville RFP.	Page 36 (2.13 C.1.d)	Page 38 (2.13 C.1.d)	NA	Cashier Terminal PH/PX (exit cashiering, customer charge display)
	Milw., Madison & Broward omit Paragraph 2.11 C.1.c found in Gainesville (p. 23) RFP.		NA	NA	Page 22 (2.11 C.1.c)	
	Page 45 <i>The cashier station shall contain...</i>		Page 36 - 37 (2.13 C.1.e)	Page 38 (2.13 C.1.e)	Page 22 (2.11 C.1.d)	Cashier Terminal PH/PX (peripheral computer, battery, autonomous or networked system)
	Page 45 - 46 The cashier station may also...	Milw., Madison & Broward contain paragraph not found in Gainesville RFP.	Page 37 (2.13 C.1.f)	Page 38 (2.13 C.1.f)	NA	Cashier Terminal PH/PX (pedestrian central cashiering)
	Page 46 The cashier station shall enable...	Milw., Madison & Broward contain paragraph not found in Gainesville RFP.	Page 37 (2.13 C.1.g)	Page 38 - 39 (2.13 C.1.g)	NA	
	Page 46 Equipment Functions:		Page 37 - 38 (2.13 C.2)	Page 39 (2.13 C.2)	Page 23 (2.11 C.2)	Cashier Terminal PH/PX (RS-232 or RS-485 interface, read-write functions)
Page 46 - 47 <i>Motorized Validation Units--</i>	Milw. contains paragraphs not found in Madison, Broward & Gainesville RFP.	NA	NA	NA		

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 47 - 48 Cashier Station Design Requirements: Milw., Madison & Broward contain sentences not found in Gainesville RFP.	Page 38 - 39 (2.13 C.3)	Page 39 - 40 (2.13 C.3)	Page 23 - 24 (2.11.C.3)	Cashier Terminal PH/PX (UCD read-write unit, processes both paper tickets and cards, peripheral computer, battery)
	Page 48 - 51 <i>Technical Specifications:</i>	Page 39 - 42 (2.13 C.4 - C.4.i)	Page 40 - 44 (2.13 C.4 - C.4.i)	Page 24 - 27 (2.11.C4 - C.4.h)	Cashier Terminal PH/PX (autonomous or networked system, UCD read-write unit, electronic payment methods, printer, peripheral computer, battery, verification of ticket validity, customer charge display, RS-232 or RS-485 interface)
	Milw. omits Paragraph 2.13 C.j found in Madison RFP (p. 42) & Broward (p. 44) & Paragraph 2.11 C.4.l in Gainesville (p. 27) RFP.	Page 42 (2.13 C.4.j) under "Considerations"	Page 44 (2.13 C.4.j) under "Considerations"	Page 27 (2.11 C.4.i) under "Considerations"	
	Page 51 Detailed Hardware Specifications: Milw., Madison & Broward contain paragraph not found in Gainesville RFP.	Page 43 (2.13 C.4.k(1))	Page 44 (2.13 C.4.k(1))	NA	Cashier Terminal PH/PX (temperature range matches exactly)
	Page 51 <i>Detailed Hardware Specifications:</i> Milw. & Gainesville omit Paragraph 2.13 C.4.k(2) found in Madison (p. 43) & Broward (pp. 44 - 45) RFP.	Page 43 (2.13 C.4.k(2))	Page 44 - 45 (2.13 C.4.k(2))	NA	
	Page 51 Detailed Hardware Specifications: Milw., Madison & Broward contain paragraph not found in Gainesville RFP.	Page 43 (2.13 C.4.k(3))	Page 45 (2.13 C.4.k(3))	NA	Cashier Terminal PH/PX (power supply and loads are met)
	Page 51 Security:	Page 43 (2.13 C.4.l)	Page 45 (2.13 C.4.l)	Page 27 (2.11 C.4.j)	
Automatic Pay-On-Foot Station Technical Specifications:	Page 51 - 60 (3.12)	Page 43 - 53 (2.13 D.1 - 16)	Page 45 - 55 (2.13 D.1 - 16)	Exhibit B- Page 28 - 35 (2.13 D.1 - 14)	
	Page 51 <i>General Operation:</i>	Page 43 - 44 (2.13 D.1.a)	Page 45 (2.13 D.1.a)	Page 28 (2.11 D.1.a)	Payment Stations PK, PKB, PKC (accept electronic payment methods, autonomous or networked system)
	Page 52 <i>On-line real time...</i>	Page 44 (2.13 D.1.b)	Page 45 - 46 (2.13 D.1.b)	Page 28 (2.11 D.1.b)	
	Page 52 <i>As a patron approaches...</i>	Page 44 (2.13 D.1.c)	Page 46 (2.13 D.1.c)	Page 28 (2.11 D.1.c)	Payment Stations PK, PKB, PKC (printer)
	Page 52 Simultaneously, an internal... Milw., Madison & Broward omit text found in Gainesville (p. 28) RFP.	Page 44 (2.13 D.1.d)	Page 46 (2.13 D.1.d)	Page 28 (2.11 D.1.d)	Payment Stations PK, PKB, PKC (VFD)

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications	
	Page 52 When the automatic payment...	Milw., Madison & Broward contain VFD text not found in Gainesville RFP.	Page 44 (2.13 D.1.e)	Page 46 (2.13 D.1.e)	Page 28 (2.11 D.1.e)	
	Page 52 <i>The pay station may be...</i>		Page 44 (2.13 D.1.f)	Page 46 (2.13 D.1.f)	Page 28 (2.11 D.1.f)	
	Page 52 <i>The automatic read feature...</i>		Page 44 - 45 (2.13 D.1.g)	Page 46 (2.13 D.1.g)	Page 28 - 29 (2.11 D.1.g)	Payment Stations PK, PKB, PKC (read-write technology)
	Page 52 User instructions and status...	Milw., Madison & Broward contain VFD text not found in Gainesville RFP.	Page 45 (2.13 D.1.h)	Page 46 (2.13 D.1.h)	Page 29 (2.11 D.1.h)	Payment Stations PK, PKB, PKC (VFD)
	Page 52 When using a credit card...	Milw., Madison & Broward contain VFD text not found in Gainesville RFP.	Page 45 (2.13 D.1.i)	Page 47 (2.13 D.1.i)	Page 29 (2.11 D.1.i)	Payment Stations PK, PKB, PKC (VFD)
	Page 53 <i>Equipment Functions:</i>		Page 45 (2.13 D.2)	Page 47 (2.13 D.2)	Page 29 (2.11 D.2)	Payment Stations PK, PKB, PKC (RS-232 or RS-485 interface, read-write technology, accept electronic payment methods)
	Page 53 <i>Pay-on-foot Station Design Requirements:</i>	Milw. & Gainesville contain text not found in Madison & Broward RFP.	Page 45 - 46 (2.13 D.3)	Page 47 - 48 (2.13 D.3)	Page 29 (2.11 D.3)	Payment Stations PK, PKB, PKC (UCD read-write device, heating/ventilation system with thermostat, VFD)
	Page 53 <i>Pay-on-foot Station Cabinet:</i>	Milw. & Gainesville contain text not found in Madison & Broward RFP. Milw., Madison & Broward contain text not found in Gainesville RFP.	Page 46 (2.13 D.4)	Page 48 (2.13 D.4)	Page 30 (2.11 D.4)	Payment Stations PK, PKB, PKC (stainless steel)
	Page 54 <i>Ticket Transport Mechanism:</i>		Page 46 - 47 (2.13 D.5)	Page 48 - 49 (2.13 D.5)	Page 30 (2.11 D.5)	
	Page 54 UCD:	Milw., Madison & Broward omit text found in Gainesville (p. 30) RFP.	Page 47 (2.13 D.6)	Page 49 (2.13 D.6)	Page 30 - 31 (2.11 D.6)	Payment Stations PK, PKB, PKC (UCD read-write device, thermal printer, processes both paper tickets and cards)
	Page 54 - 55 <i>Ticket Magazine:</i>		Page 47 (2.13 D.7)	Page 49 (2.13 D.7)	Page 31 (2.11 D.7)	
	Page 55 <i>Retracted Ticket Hopper:</i>		Page 48 (2.13 D.8)	Page 50 (2.13 D.8)	Page 31 (2.11 D.8)	
	Page 55 <i>Stand Alone / On-Line Central Processing Unit:</i>		Page 48 (2.13 D.9)	Page 50 (2.13 D.9)	Page 31 (2.11 D.9)	Payment Stations PK, PKB, PKC (peripheral computer, battery, autonomous or networked system)
	Page 55 <i>Technical Specifications:</i>		Page 48 (2.13 D.10.a)	Page 50 (2.13 D.10.a)	Page 31 (2.11 D.10.a)	
	Page 55 <i>Ticket Encoder / Reader:</i>		Page 48 (2.13 D.10.b)	Page 50 (2.13 D.10.b)	Page 31 (2.11 D.10.b)	Payment Stations PK, PKB, PKC (UCD read-write device)
	Page 55 Coin Handling Systems:	Milw., Madison & Broward contain text not found in Gainesville RFP.	Page 48 (2.13 D.10.c)	Page 50 (2.13 D.10.c)	Page 31 (2.11 D.10.c)	Payment Stations PK, PKB, PKC (multiple coin denominations)

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 55 <i>Hopper:</i>	Page 48 (2.13 D.10.d)	Page 48 (2.13 D.10.d)	Page 32 (2.11 D.10.d)	Payment Stations PK, PKB, PKC (multiple locking system)
	Page 55 - 56 <i>Note Handling Systems:</i>	Page 48 - 49 (2.13 D.10.e(1))	Page 50 - 51 (2.13 D.10.e(1))	Page 32 (2.11 D.10.e(1))	Payment Stations PK, PKB, PKC (multiple bank note denominations accepted)
	Page 56 <i>The automatic pay-on-foot...</i>	Milw. & Gainesville contain text not found in Madison & Broward RFP. Page 49 (2.13 D.10.e(2))	Page 51 (2.13 D.10.e(2))	Page 32 (2.11 D.10.e(2))	Payment Station PK (change dispensing system)
	Page 56 <i>Each automatic...</i>	Milw. contains sentence not found in Madison, Broward & Gainesville RFP. NA	NA	NA	
	Page 56 <i>Ticket / Debit Card:</i>	Milw., Madison & Broward contain "stored value" text not found in Gainesville RFP. Page 49 (2.13 D.10.f)	Page 51 (2.13 D.10.f)	Page 32 (2.11 D.10.f)	
	Page 56 - 57 <i>Computerized Hardware Modules:</i>	Milw., Madison & Broward contain "VFD" text not found in Gainesville RFP. Page 49 - 50 (2.13 D.10.g)	Page 52 - 53 (2.13 D.10.g)	Page 32 - 33 (2.11 D.10.g)	Payment Stations PK, PKB, PKC (thermal printer, VFD, peripheral computer, battery)
	Page 57 - 58 <i>VFD Display:</i>	Milw., Madison & Broward contain "VFD" text not found in Gainesville RFP. Page 50 - 51 (2.13 D.10.h) and (2.13 D.10.i)	Page 53 (2.13 D.10.h) and (2.13 D.10.i)	Page 33 - 34 (2.11 D.h)	Payment Stations PK, PKB, PKC (VFD)
	Page 58 <i>Real time Communication:</i>	Page 51 (2.13 D.10.j)	Page 53 (2.13 D.10.j)	Page 34 (2.11 D.i)	Payment Stations PK, PKB, PKC (RS-232 or RS-485 interface)
	Page 58 <i>At a minimum the following...</i>	Page 51 - 52 (2.13 D.10.k)	Page 53 - 54 (2.13 D.10.k)	Page 34 (2.11 D.i(1))	
	Page 58 - 59 <i>The following information...</i>	Page 52 (2.13 D.10.l)	Page 54 (2.13 D.10.l)	Page 34 - 35 (2.11 D.i(2))	
	Page 59 <i>Alarms shall be available...</i>	Page 52 (2.13 D.10.m)	Page 54 (2.13 D.10.m)	Page 34 - 35 (2.11 D.j)	
	Page 59 <i>Invalid Ticket Control:</i>	Page 52 (2.13 D.11)	Page 54 (2.13 D.11)	Page 35 (2.11 D.11)	Payment Stations PK, PKB, PKC (verification of ticket validity)
	Page 59 <i>Intercom:</i>	Milw., Madison & Broward omit text found in Gainesville (p. 35) RFP. Page 52 (2.13 D.12)	Page 54 (2.13 D.12)	Page 35 (2.11 D.12)	Payment Stations PK, PKB, PKC (intercom)
	Milw. contains sentence not found in Madison, Broward and Gainesville RFP.	NA	NA	NA	
	Milw. omits Paragraph 2.13 D.13.a found in Madison (p. 52), Broward (pp. 54-55) & 2.11 D. 13 .a found in Gainesville RFP.	Page 52 (2.13 D.13.a) under "Considerations"	Page 54 - 55 (2.13 D.13.a) under "Considerations"	Page 35 (2.11 D.13.a)	
	Page 59 <i>The common read / write device...</i>	Milw. contains text not found in Madison, Broward & Gainesville RFP. Page 52 (2.13 D.13.b)	Page 55 (2.13 D.13.b)	Page 35 (2.11 D.13.b)	Payment Stations PK, PKB, PKC (read-write device)

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 59 <i>The ticket transport...</i>	Page 52 (2.13 D.13.c)	Page 55 (2.13 D.13.c)	Page 35 (2.11 D.13.c)	Payment Stations PK, PKB, PKC (process all tickets or electronic payment methods)
	Page 59 <i>All major components...</i>	Page 52 (2.13 D.13.d)	Page 55 (2.13 D.13.d)	Page 35 (2.11 D.13.d)	
	Page 59 Detailed Hardware Specifications... Milw., Madison & Broward contain paragraph not found in Gainesville RFP.	Page 53 (2.13 D.14)	Page 55 (2.13 D.14)	NA	Payment Stations PK, PKB, PKC (meets temperature range, stainless steel cabinet, power supply and loads are met)
	Page 59 Pay-on-foot Station Housing:	Page 53 (2.13 D.15)	Page 55 (2.13 D.15)	Page 35 (2.11 D.14)	
	Page 60 Heating and Ventilation: Milw., Madison & Broward contain paragraph not found in Gainesville RFP.	Page 53 (2.13 D.16)	Page 55 (2.13 D.16)	NA	Payment Stations PK, PKB, PKC (heating/ventilation system with thermostat)
Automatic Barrier Gate Technical Specifications:	Page 60 - 63 (3.13) (Section number in Milwaukee RFP is incorrectly written as 3.12).	Page 53 - 58 (2.13 E.1 - 9)	Page 55 - 60 (2.13 E.1 - 9)	Exhibit B- Page 35 - 37 (2.11 E)	
	Page 60 <i>General Description:</i>	Page 53 (2.13 E.1.a)	Page 55 (2.13 E.1.a)	Page 35 (2.11 E.1.a)	
	Page 60 The intelligent controller shall... Milw., Madison, Broward contain text not found in Gainesville RFP.	Page 53 (2.13 E.1.b)	Page 56 (2.13 E.1.b)	Page 35 - 36 (2.11 E.1.b)	
	Page 60 The automatic barrier gate shall conform...	Page 53 (2.13 E.1.c)	Page 56 (2.13 E.1.c)	Page 36 (2.11 E.1.c)	
	Page 60 MIB30-C100... Milw., Madison, Broward contain specs that differ from Gainesville RFP.	Page 54 (2.13 E.2)	Page 56 (2.13 E.2)	Page 36 (2.11 E.1.c(1))	
	Page 60 Drive Unit: Milw., Madison, Broward sentences not found in Gainesville RFP.	Page 54 (2.13 E.3.a)	Page 56 (2.13 E.3.a)	Page 36 (2.11 E.1.c(2i))	
	Page 60 - 61 <i>The unit shall be designed...</i>	Page 54 (2.13 E.3.b)	Page 56 (2.13 E.3.b)	Page 36 (2.11 E.1.c(2ii))	
	Page 61 <i>A built-in spring mechanism...</i>	Page 54 (2.13 E.3.c)	Page 56 - 57 (2.13 E.3.c)	Page 36 (2.11 E.1.c(2iii))	
	Page 61 The components of the drive... Milw., Madison, Broward contain sentence not found in Gainesville RFP.	Page 54 (2.13 E.3.d)	Page 57 (2.13 E.3.d)	Page 36 (2.11 E.1.c(2iv))	
	Page 61 When the boom reaches... Milw., Madison, Broward contain sentence not found in Gainesville RFP.	Page 55 (2.13 E.3.e)	Page 57 (2.13 E.3.e)	Page 36 (2.11 E.1.c(2v))	
	Page 61 <i>In the event of a power...</i>	Page 55 (2.13 E.3.f)	Page 57 (2.13 E.3.f)	Page 37 (2.11 E.1.c(2vi))	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 61 <i>The combination of the drive...</i>	Page 55 (2.13 E.3.g)	Page 57 (2.13 E.3.g)	Page 37 (2.11 E.1.c(2vii))	
	Page 61 The boom shaft assembly...	Milw., Madison, Broward contain sentence not found in Gainesville RFP.	Page 55 (2.13 E.3.h)	Page 57 (2.13 E.3.h)	Page 37 (2.11 E.1.c(2viii))
	Page 61 Drive unit technical data:	Milw., Madison, Broward contain paragraph not found in Gainesville RFP.	Page 55 (2.13 E.4)	Page 57 (2.13 E.4)	NA
	Page 61 - 62 Barrier Controller:	Milw., Madison, Broward contain sentence not found in Gainesville RFP.	Page 55 - 56 (2.13 E.5)	Page 57 - 58 (2.13 E.5)	Page 37 (2.11 E.1.c(2ix))
	Page 62 Controller Technical Data:	Milw., Madison, Broward contain sentence not found in Gainesville RFP.	Page 56 (2.13 E.6)	Page 58 - 59 (2.13 E.6)	Page 37 (2.11 E.1.c(2x))
	Milw., Madison & Broward omit Paragraph 2.11 E.1.c.2x found in Gainesville RFP.	NA	NA	Page 37 (2.11 E.1.c(2xi))	
	Page 62 - 63 Controller Software:	Milw., Madison, Broward contain paragraph not found in Gainesville RFP.	Page 56 - 57 (2.13 E.7.a)	Page 59 (2.13 E.7.a)	NA
	Page 63 The software shall also permit:	Milw., Madison, Broward contain paragraph not found in Gainesville RFP.	Page 57 (2.13 E.7.b)	Page 59 (2.13 E.7.b)	NA
	Page 63 This information shall be displayed...	Milw., Madison, Broward contain paragraph not found in Gainesville RFP.	Page 57 (2.13 E.7.c)	Page 59 (2.13 E.7.c)	NA
	Page 63 Extended functions shall be...	Milw., Madison, Broward contain paragraph not found in Gainesville RFP.	Page 57 (2.13 E.7.d)	Page 59 (2.13 E.7.d)	NA
	Page 63 Housing:	Milw., Madison, Broward contain sentences not found in Gainesville RFP.	Page 57 (2.13 E.8)	Page 59 - 60 (2.13 E.8)	Page 37 (2.11 E.1.d)
	Page 63 Boom Arm:	Milw., Madison, Broward contain paragraph not found in Gainesville RFP.	Page 57 - 58 (2.13 E.9)	Page 60 (2.13 E.9)	NA
Computer Management System:	Page 63 - 72 (3.14)	Page 58 - 67 (2.13 F.1 - 15)	Page 60 - 70 (2.13 F.1 - 15)	Exhibit B- Page 37 - 44 (2.11 F.1 - 14)	
	Page 63 <i>The management server shall...</i>	Page 58 (2.13 F.1.a)	Page 60 (2.13 F.1.a)	Page 37 (2.11 F.1.a.)	FeeComputer 3.0, Management System ZMS (Graphical User Interface)
	Page 64 <i>The management server will...</i>	Page 58 (2.13 F.1.b)	Page 60 (2.13 F.1.b)	Page 37 - 38 (2.11 F.1.b.)	
	Page 64 <i>The Computer Management Software...</i>	Page 58 (2.13 F.2)	Page 60 - 61 (2.13 F.2)	Page 38 (2.11 F.1.c.)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 64 <i>The GUI shall provide...</i>	Page 58 (2.13 F.3.a)	Page 61 (2.13 F.3.a)	Page 38 (2.11 F.2.a)	FeeComputer 3.0 (Windows 2000)
	Page 64 <i>Facility Explorer:</i> Madison & Broward contain same text, Milw. & Gainesville text is similar.	Page 58 (2.13 F.3.b)	Page 61 (2.13 F.3.b)	Page 38 (2.11 F.2.b)	
	Page 64 <i>Alarms Monitor:</i>	Page 59 (2.13 F.3.c)	Page 61 (2.13 F.3.c)	Page 38 (2.11 F.2.c)	
	Page 64 <i>Count Monitoring:</i>	Page 59 (2.13 F.3.d)	Page 61 (2.13 F.3.d)	Page 38 (2.11 F.2.d)	
	Page 64 <i>Monthly / Contract Parker Lookup:</i>	Page 59 (2.13 F.3.e)	Page 61 (2.13 F.3.e)	Page 38 (2.11 F.2.e)	
	Page 65 <i>Reports Explorer:</i> Milw., Madison, Broward contain sentences not found in Gainesville RFP.	Page 59 (2.13 F.3.f)	Page 61 - 62 (2.13 F.3.f)	Page 38 (2.11 F.2.f)	
	Page 65 <i>Listed below are the minimum...</i> Milw., Madison, Broward omits text found in Gainesville (page 39) RFP.	Page 59 - 60 (2.13 F.3.g)	Page 62 (2.13 F.3.g)	Page 38 - 39 (2.11 F.2.g)	
	Page 65 <i>Security Server Overview:</i> Milw., Madison, Broward contain sentence not found in Gainesville RFP.	Page 60 (2.13 F.4.a)	Page 62 (2.13 F.4.a)	Page 39 (2.11 F.3.a)	
	Page 65 <i>The security system shall...</i> Milw., Madison, Broward contain sentence not found in Gainesville RFP.	Page 60 (2.13 F.4.b)	Page 62 (2.13 F.4.b)	Page 39 (2.11 F.3.b)	
	Page 66 <i>When a user logs...</i>	Page 60 (2.13 F.4.c & d)	Page 62 - 63 (2.13 F.4.c & d)	Page 39 (2.11 F.3.c & d)	
	Page 66 <i>Credit Card:</i>	Page 60 (2.13 F.5.a)	Page 63 (2.13 F.5.a)	Page 39 (2.11 F.4.a)	
	Page 66 <i>Process Debit Cards, including...</i>	Page 60 (2.13 F.5.b)	Page 63 (2.13 F.5.b)	Page 39 - 40 (2.11 F.4.b)	
	Page 66 <i>Verify Credit Card Acceptance...</i>	Page 60 - 61 (2.13 F.5.c)	Page 63 (2.13 F.5.c)	Page 40 (2.11 F.4.c)	
	Page 66 <i>Approve Transactions as...</i>	Page 61 (2.13 F.5.d)	Page 63 (2.13 F.5.d)	Page 40 (2.11 F.4.d)	
	Page 66 <i>Include options for transaction...</i>	Page 61 (2.13 F.5.e)	Page 63 - 64 (2.13 F.5.e)	Page 40 (2.11 F.4.e)	
	Page 66 <i>Process Credit Card Requests...</i>	Page 61 (2.13 F.5.f)	Page 64 (2.13 F.5.f)	Page 40 (2.11 F.4.f)	
	Page 66 - 67 <i>Process Credit Cards from Multiple...</i>	Page 61 (2.13 F.5.g)	Page 64 (2.13 F.5.g)	Page 40 (2.11 F.4.g)	
	Page 67 <i>Provide Alarms for Communications...</i>	Page 61 (2.13 F.5.h)	Page 64 (2.13 F.5.h)	Page 40 (2.11 F.4.h)	
	Page 67 <i>Configurable Minimum and Maximum...</i>	Page 62 (2.13 F.5.i)	Page 64 (2.13 F.5.i)	Page 40 (2.11 F.4.i)	
	Page 67 <i>Use Multiple Modems when...</i>	Page 62 (2.13 F.5.j)	Page 64 (2.13 F.5.j)	Page 41 (2.11 F.4j)	
	Page 67 <i>Maintain a Credit Card...</i> Milw., Broward & Gainesville use the word "negative" rather than "black" found in Madison RFP.	Page 62 (2.13 F.5.k)	Page 64 (2.13 F.5.k)	Page 41 (2.11 F.4k)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 67 <i>Re-process Declined Offline...</i> Milw. contains paragraph not found in Madison, Broward & Gainesville RFP.	Page 62 (2.13 F.5.l)	Page 64 - 65 (2.13 F.5.l)	Page 41 (2.11 F.4l)	
	Page 67 <i>Offer "Ticketless" Parking.</i>	Page 62 (2.13 F.5.m)	Page 65 (2.13 F.5.m)	Page 41 (2.11 F.4m)	
	Page 67 - 68 <i>Include Declining Balance...</i>	Page 62 - 63 (2.13 F.5.n)	Page 65 (2.13 F.5.n)	Page 41 (2.11 F.4n)	
	Page 68 <i>Monthly Fee Accounts:</i>	Page 63 (2.13 F.5.o)	Page 65 (2.13 F.5.o)	Page 41 (2.11 F.4o)	
	Page 68 <i>Reports:</i>	Page 63 (2.13 F.5.p)	Page 65 - 66 (2.13 F.5.p)	Page 42 (2.11 F.4p)	
	Page 68 - 69 <i>Database:</i>	Page 63 - 64 (2.13 F.6)	Page 66 (2.13 F.6)	Page 42 (2.11 F.5)	
	Page 69 <i>Technical Specifications:</i>	Page 64 (2.13 F.7)	Page 66 - 67 (2.13 F.7)	Page 42 (2.11 F.8)	
	Page 69 <i>The Management Server:</i> Broward & Gainesville use same text, Milw. & Madison text is similar.	Page 64 (2.13 F.8.a)	Page 67 (2.13 F.8.a)	Page 42 - 43 (2.11 F.7.a)	
	Page 69 <i>The Management Server will use...</i>	Page 64 (2.13 F.8.b & c)	Page 67 (2.13 F.8.b & c)	Page 43 (2.11 F.7.b & c)	
	Page 69 <i>Security of the system shall...</i> Broward & Madison use same text; Milw. & Gainesville text is similar. Broward also contains paragraph "e" which is a duplicate of paragraph d.	Page 64 (2.13 F.8.d)	Page 67 (2.13 F.8.d)	Page 43 (2.11 F.7.d)	FeeComputer 3.0 (Windows 2000)
	Page 69 - 70 <i>Desktop Workstation:</i>	Page 64 - 65 (2.13 F.9)	Page 67 - 68 (2.13 F.9)	Page 43 (2.11 F.8)	
	Page 70 <i>Printer:</i> Milw., Madison, Broward contain text not found in Gainesville RFP.	Page 65 (2.13 F.10)	Page 68 (2.13 F.10)	Page 43 (2.11 F.9)	
	Page 70 <i>Peripheral Links:</i> Milw., Madison, Broward contain text not found in Gainesville RFP.	Page 65 (2.13 F.11)	Page 68 (2.13 F.11)	Page 43 - 44 (2.11 F.10)	FeeComputer 3.0 (Windows 2000); FeeComputer 3.0, Management Station PM (RS-232 or RS-485)
	Page 70 <i>Modem(s):</i>	Page 65 (2.13 F.12)	Page 68 (2.13 F.12)	Page 44 (2.11 F.11)	
	Page 70 <i>Detailed Hardware Specifications:</i>	Page 65 (2.13 F.13)	Page 68 (2.13 F.13)	Page 44 (2.11 F.12)	FeeComputer 3.0 (meets temperature range, power supply is met)
	Page 70 - 71 <i>Minimum requirements for Server Hardware:</i> All following tech specs. are a bit different, possibly due to changing technology during the years. See Milw. RFP for details.	Page 66 (2.13 F.14(1) & (2))	Page 69 (2.13 F.14(1) & (2))	Page 44 (2.11 F.13.a(1) & (2))	
	Page 71 <i>Minimum Workstation Hardware:</i>	Page 66 (2.13 F.14(3))	Page 69 (2.13 F.14(3))	Page 44 - 45 (2.11 F.13.a(3))	Management Station PM (ethernet adapter)

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 71 <i>Software Configuration:</i>	Page 66 (2.13 F.14(4))	Page 69 (2.13 F.14(4))	Page 44 - 45 (2.11 F.13.a(4))	
	Page 71 <i>Network Software:</i>	Page 66 (2.13 F.14(5))	Page 69 (2.13 F.14(5))	NA	
	Page 71 <i>Security:</i> Broward & Madison use same text; Milw. & Gainesville text is similar.	Page 67 (2.13 F.15.a)	Page 69 - 70 (2.13 F.15.a)	Page 44 - 2.11 F.14.a	
	Page 72 <i>The security system...</i> Broward & Madison use same text; Milw. & Gainesville text is similar.	Page 67 (2.13 F.15.b)	Page 70 (2.13 F.15.b)	Page 44 - 2.11 F.14.b	
	Page 72 <i>Access to service...</i>	Page 67 (2.13 F.15.c)	Page 70 (2.13 F.15.c)	Page 44 - 2.11 F.14.c	
Parking Access Control Proximity System:	Page 72 - 79 (3.15) Gainesville RFP omits entire section.	Page 67 - 76 (2.13 G.1 - G.6.d(3))	Page 70 - 80 (2.13 G.1 - G.6.d(3))	NA	
	Page 72 <i>General Description:</i>	Page 67 (2.13 G.1.a)	Page 70 (2.13 G.1.a)	NA	
	Page 72 - 73 <i>The requirement of the system...</i> Milw. omits Paragraph 2.13 G.1.b(11) (12) or (13) found in Madison (p. 68) & Broward (p. 71) RFP.	Page 67 - 68 (2.13 G.1.b)	Page 70 - 71 (2.13 G.1.b)	NA	
	Page 73 <i>Overview:</i>	Page 68 (2.13 G.2)	Page 71 - 72 (2.13 G.2)	NA	Management System ZMS (AVI interfacing); Management Station PM, FeeComputer 3.0 (RS-232 interfacing)
	Page 73 <i>Operational Functions:</i>	Page 69 (2.13 G.3)	Page 72 (2.13 G.3)	NA	
	Page 73 <i>Space Zones-</i>	Page 69 (2.13 G.3(i))	Page 72 (2.13 G.3(i))	NA	
	Page 73 <i>Time Zones-</i>	Page 69 (2.13 G.3(ii))	Page 72 (2.13 G.3(ii))	NA	
	Page 73 <i>Limited Use-</i>	Page 69 (2.13 G.3(iii))	Page 72 (2.13 G.3(iii))	NA	
	Page 73 - 74 <i>AntiPassback Control-</i> Milw. omits Paragraph 2.13 G.3.(iv)(e) found in Madison (page 69) & Broward (page 72) RFP.	Page 69 (2.13 G.3(iv))	Page 72 (2.13 G.3(iv))	NA	
	Page 74 <i>Lot Counts-</i>	Page 69 (2.13 G.3(v))	Page 73 (2.13 G.3(v))	NA	
	Page 74 <i>Access ID Recognition-</i>	Page 70 (2.13 G.3(vi))	Page 73 (2.13 G.3(vi))	NA	
	Page 74 <i>Multiple Tag Option-</i>	Page 70 (2.13 G.3(vii))	Page 73 (2.13 G.3(vii))	NA	
	Page 74 <i>Device Communications</i>	Page 70 (2.13 G.4)	Page 73 (2.13 G.4)	NA	
	Page 74 <i>Local Intelligence-</i>	Page 70 (2.13 G.4(1))	Page 73 (2.13 G.4(1))	NA	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 74 <i>Network connections can be...</i>	Page 70 (2.13 G.4(2))	Page 74 (2.13 G.4(2))	NA	
	Page 74 <i>The architecture of the communications...</i>	Page 70 (2.13 G.4(3))	Page 74 (2.13 G.4(3))	NA	
	Page 75 <i>System Configuration and Setup:</i>	Page 71 (2.13 G.5)	Page 74 (2.13 G.5)	NA	
	Page 75 <i>Software Configuration:</i>	Page 71 - 72 (2.13 G.5.a)	Page 74 - 75 (2.13 G.5.a)	NA	
	Page 75 - 76 <i>Hardware Configuration:</i>	Page 72 (2.13 G.5.b)	Page 75 (2.13 G.5.b)	NA	
	Page 76 <i>Administrative Functions:</i>	Page 72 - 73 (2.13 G.6)	Page 75 (2.13 G.6)	NA	
	Page 76 <i>Account Administration:</i> Milw. omits sentences found in Madison (page 72 - 73) & Broward (page 75 - 77) RFP.	Page 72 - 73 (2.13 G.6.a)	Page 75 - 77 (2.13 G.6.a)	NA	
	Page 77 <i>Revenue Control and Billing:</i>	Page 73 (2.13 G.6.b(1))	Page 77 (2.13 G.6.b(1))	NA	
	Page 77 <i>The parking access control system software shall</i>	Page 73 - 74 (2.13 G.6.b(1)(i))	Page 77 (2.13 G.6.b(1)(i))	NA	
	Page 77 <i>The parking access control system software shall also</i> Milw. omits sentence found in Madison (page 74) & Broward (page 77) RFP.	Page 74 (2.13 G.6.b(1)(iii))	Page 77 (2.13 G.6.b(1)(ii))	NA	
	Page 77 <i>Automated processes shall be...</i>	Page 74 (2.13 G.6.b(2))	Page 77 - 78 (2.13 G.6.b(2))	NA	
	Page 77 - 78 <i>Inquiry and Reporting</i>	Page 74 - 75 (2.13 G.6.c(1))	Page 78 (2.13 G.6.c(1))	NA	
	Page 78 <i>It shall be possible...</i>	Page 75 - 76 (2.13 G.6.c(2))	Page 78 - 79 (2.13 G.6.c(2))	NA	
	Milw. omits Paragraph 2.13 G.6.d(1) found in Madison (page 76) & Broward (page 79) RFP.	Page 76 (2.13 G.6.d(1))	Page 79 (2.13 G.6.d(1))	NA	
	Page 78 <i>Security:</i>	Page 76 (2.13 G.6.d(3))	Page 80 (2.13 G.6.d(3))	NA	
	Page 79 <i>The required security...</i>	Page 76 (2.13 G.6.d(2))	Page 79 - 80 (2.13 G.6.d(2))	NA	
Computer Network:	Page 79 (3.16) Gainesville RFP omits entire section.	Page 76 - 77 (2.13 G.6.e(1) - G.6.e(1)(iii))	Page 80 - 81 (2.13 G.6.e(1) - G.6.e(1)(iii))	NA	
	Page 79 <i>The system shall be...</i>	Page 76 - 77 (2.13 G.6.e.(1))	Page 80 (2.13 G.6.e.(1))	NA	Management System ZMS (autonomous or networked system)
	Page 79 <i>Typical System Components:</i>	Page 77 (2.13 G.6.e.(1)(i))	Page 80 (2.13 G.6.e.(1)(i))	NA	Management System ZMS (AVI interfacing)

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 79 <i>Software Components:</i> Tech specs. are a bit different. See Milwaukee RFP for details.	Page 77 (2.13 G.6.e.(1)(ii))	Page 80 - 81 (2.13 G.6.e.(1)(ii))	NA	
	Page 79 <i>Proximity Access Control Reader:</i> Tech specs. are a bit different. See Milwaukee RFP for details.	Page 77 (2.13 G.6.e.(1)(iii))	Page 81 (2.13 G.6.e.(1)(iii))	NA	
Distributed Processing Controller Panel:	Page 80 - 81 (3.17) Gainesville RFP omits entire section.	Page 77 - 79 (2.13 H.1 - 10)	Page 81 - 83 (2.13 H.1 - 10)	NA	
	Page 80 <i>General Description</i>	Page 77 (2.13 H.1.a)	Page 81 (2.13 H.1.a)	NA	
	Page 80 <i>This device shall maintain...</i>	Page 78 (2.13 H.1.b)	Page 81 (2.13 H.1.b)	NA	
	Page 80 <i>The (DPCP) shall perform...</i>	Page 78 (2.13 H.1.c)	Page 81 (2.13 H.1.c)	NA	
	Page 80 <i>The unit shall provide...</i>	Page 78 (2.13 H.1.d)	Page 81 - 82 (2.13 H.1.d)	NA	Management Station PM, FeeComputer 3.0 (RS-232)
	Page 80 <i>The panel memory shall be...</i>	Page 78 (2.13 H.1.e)	Page 82 (2.13 H.1.e)	NA	
	Page 80 <i>The (DPCP) unit shall be capable...</i>	Page 78 (2.13 H.1.f)	Page 82 (2.13 H.1.f)	NA	
	Page 80 <i>The (DPCP) unit shall support...</i> Milw. omits text found in Madison (page 78) & Broward (page 82) RFP.	Page 78 (2.13 H.1.g)	Page 82 (2.13 H.1.g)	NA	
	Page 80 <i>The unit shall perform...</i>	Page 78 (2.13 H.1.h)	Page 82 (2.13 H.1.h)	NA	Management Station PM, FeeComputer 3.0 (RS-232 or RS-485)
	Milw. omits Paragraph 2.13 H.2.a found in Madison (page 78 - 79) & Broward Co. (page 82) RFP.	Page 78 - 79 (2.13 H.2.a)	Page 82 (2.13 H.2.a)	NA	
	Page 80 <i>The (DPCP) unit shall perform relay...</i>	Page 79 (2.13 H.2.b)	Page 82 (2.13 H.2.b)	NA	
	Page 80 <i>Hardware Specifications shall be per...</i>	Page 79 (2.13 H.3)	Page 82 (2.13 H.3)	NA	
	Page 81 <i>Memory and Clock Backup:</i>	Page 79 (2.13 H.4)	Page 83 (2.13 H.4)	NA	Management Station PM (battery)
	Page 81 <i>Communications:</i> Milw. & Broward contain text not found in Madison RFP.	Page 79 (2.13 H.5)	Page 83 (2.13 H.5)	NA	
	Page 81 <i>Ports:</i> Milw. & Broward contain text not found in Madison RFP.	Page 79 (2.13 H.6)	Page 83 (2.13 H.6)	NA	Management Station PM, FeeComputer 3.0 (RS-232 or RS-485)
	Page 81 <i>Inputs:</i>	Page 79 (2.13 H.7)	Page 83 (2.13 H.7)	NA	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 81 <i>Environmental:</i>	Page 79 (2.13 H.8)	Page 83 (2.13 H.8)	NA	
	Milw. omits Paragraph 2.13 H.9 found in Madison (page 79) & Broward Co. (page 83) RFP.	Page 79 (2.13 H.9)	Page 83 (2.13 H.9)	NA	
	Page 81 <i>Listings:</i>	Page 79 (2.13 H.10)	Page 83 (2.13 H.10)	NA	
Uninterruptible Power Supply (UPS) Specifications:	Page 81 - 82 (3.18) Milw. Madison & Broward contain text not found in Gainesville RFP.	Page 79 - 81 (2.13 I.1 - 2)	Page 83 - 84 (2.13 I.1 - 2)	Exhibit B- Page 45 - 46 (2.11 G.1.a - b)	
	Page 81 <i>Performance power protection...</i>	Page 79 (2.13 I)	Page 83 (2.13 I)	Page 45 (2.11G)	
	Page 81 - 82 <i>Features and Benefits:</i> Milw. & Gainesville omit text found in Madison (p. 80) & Broward (pp. 83 - 84) RFP.	Page 80 (2.13 I.1)	Page 83 - 84 (2.13 I.1)	Page 45 - 46 (2.11G.1.a)	
	Page 82 <i>Manageability...</i> Milw. omits text found in Madison (p. 80 - 81), Broward (p. 84) & Gainesville (p. 46) RFP.	Page 80 - 81 (2.13 I.2)	Page 84 (2.13 I.2)	Page 46 (2.11G.1.b)	
Internal Telephone System:	Page 82 - 85 (3.19.1 - 3.19.3) Gainesville RFP omits entire section found in Milw. & Madison RFP.	Page 81 - 84 (2.13 J.1 - 4)	Page 84 - 89 (3.1 - 3.6)	Exhibit B- Page 46 (2.11 H)	
	Page 82 <i>The remote or emergency...</i>	Page 81 (2.13 J.1)	Page 84 - 85 (3.1)	NA	
	Page 82 - 83 (3.19.1) <i>The substation telephone...</i> Tech specs. are a bit different. See Milwaukee RFP for details. Milw. omits text found in Madison (page 81) & Broward (page 86) RFP.	Page 81 - 82 (2.13 J.2)	Page 85 - 86 (3.2)	NA	
	Page 83 - 84 <i>Power Requirements-</i> Milw. omits text found in Madison (page 82) & Broward (page 86) RFP.	Page 82 - 83 (2.13 J.3)	Page 86 - 87 (3.3)	NA	
	Page 84 - 85 (3.19.2 - 3.19.3) <i>Consolidator Design and Functionality:</i> Milw. omits text found in Madison (page 83 - 84) & Broward (page 88) RFP.	Page 83 - 84 (2.13 J.4)	Page 88 (3.4) & Page 89 (3.5)	NA	
	Milw. & Madison omit Paragraph 3.6 found in Broward (p. 89) & Gainesville (p. 46) RFP. Broward & Gainesville text is similar.	NA	Page 89 (3.6)	Page 46 (2.11H)	
Execution:	Page 86 - 87 (4.1)	Page 85 - 86 (3.1 A - H)	Page 89 - 91 (3.1 A - H)	NA / Exhibit B- Page 47 (3.1 H)	

Milwaukee - Madison - Broward Co. - Gainesville - Zeag (Specifications) RFP Comparison

Section	Milwaukee RFP	Madison RFP	Broward Co.	Gainesville	Zeag Specifications
	Page 86 <i>Existing Conditions:</i>	Page 85 (3.1 A)	Page 89 - 90 (4.1 A)	Page 47 (3.1)	
	Page 86 <i>It is the responsibility...</i> Milwaukee & Gainesville omit text found in Madison (page 85) & Broward (page 90) RFP.	Page 85 (3.1 B)	Page 90 (4.1 B)	NA	
	Page 86 <i>Verification of the existence...</i> Milwaukee & Broward contain text not found in Madison RFP. Broward contains additional text not found in Milwaukee & Madison RFP.	Page 85 (3.1 C)	Page 90 (4.1 C)	Page 47 (3.1 A)	
	Page 86 <i>Any additional construction...</i>	Page 85 (3.1 D)	Page 90 (4.1 D)	NA	
	Milwaukee, Madison & Broward omit Paragraph 3.1 B found in Gainesville (p. 47) RFP.	NA	NA	Page 47 (3.1 B)	
	Page 86 <i>The CSC shall be responsible...</i>	Page 85 (3.1 E)	Page 90 (4.1 E)	Page 47 (3.1 C)	
	Page 86 <i>This work will occur...</i> Milwaukee omits text found in Madison (page 85) & Broward (page 90) RFP.	Page 85 - 86 (3.1 F)	Page 90 - 91 (4.1 F)	Page 47 (3.1 D)	
	Page 86 <i>The necessary electrical power...</i>	Page 86 (3.1 G)	Page 91 (4.1 G)	NA	
	Page 86 <i>It shall be the CSC's responsibility...</i>	Page 87 (3.1 H)	Page 91 (4.1 H)	Page 47 (3.1 E)	
Phasing of Equipment Installation:	Page 87 (4.2)	Page 86 (3.2 A - C)	Page 91 - 92 (4.2 A - C)	Exhibit B- Page 47 (3.2 A - C)	
	Page 87 <i>The City of Milwaukee...</i> Milwaukee & Broward contain text not found in Madison & Gainesville RFP. (Milwaukee & Broward text differ somewhat from each other).	Page 86 (3.2 A)	Page 91 (4.2 A)	Page 47 (3.2 A)	
	Page 87 <i>The CSC shall provide...</i>	Page 86 (3.2 B)	Page 91 (4.2 B)	Page 47 (3.2 B)	
	Page 87 <i>It shall be the CSC's...</i> Milwaukee contains text not found in Madison, Broward, & Gainesville RFP.	Page 86 (3.2 C)	Page 91 - 92 (4.2 C - 4.2 D)	Page 47 (3.2 C)	