

Please read this information carefully and thoroughly.

Simple and Safe Electronic Delivery of Your Documents. By signing this form, you will receive your Weather Tight Corporation contract documents and disclosures (collectively, "Documents") and any changes to the Documents, electronically. That means you must have or be able to access, at your own expense, an Internet-connected device (such as a computer, smart phone or iPad) that meets the minimum requirements described below. You also confirm that your device will permit you to access and keep the Documents electronically. Unless you tell us otherwise, as discussed below, we will provide you electronically all the required notices, disclosures and other documents that are required to be provided to you during our relationship with you. You agree that we have sole discretion to convert the electronic original to a paper original that shall serve as the authoritative copy.

Getting Paper Copies - If You Want Them! You have the right to receive a paper copy of any Document - at no charge. If you would like a paper copy, just (i) e-mail us at frontdesk@weathertightcorp.com, (ii) call us at (414) 459-3888 ext. 10, or (iii) write to us at 11400 W. Oklahoma Ave. West Allis, WI 53227, Attn: Front Desk. Give us your name and mailing address and be sure to state which Document you are requesting a copy of.

If You Change Your Mind - It is Easy to Withdraw Your Consent. You can also contact us in any of the ways described in the preceding paragraph to withdraw your consent to receive any future Documents electronically. Just give us your name, e-mail and mailing address and be sure to state you are withdrawing your consent to receive electronic documents.

Changing Your Electronic Address. You must keep your email or electronic address current with us. Accordingly, please notify us of any change in your email or other electronic address. You can contact us in any of the ways described above.

Simple! - What You Need To Receive Electronic Documents. To receive an electronic copy of the Documents, all you need to have is following equipment and software:

- A personal computer or other device (such as a smart phone or iPad) that can access the Internet. ***If you are accessing this page on a device you own, then this verifies that your system/device meets these requirements.***
- A device and internet web browser and that is capable of supporting 128-bit SSL encrypted communications, which requires a minimum web browser version of Mozilla Firefox 2.0 or above (Windows and Mac); Safari(TM) 3.0 or above (Mac only) or Microsoft(R) Internet Explorer version 6.0. ***If you are accessing this page on a device you own, then this verifies that your browser and encryption software/device meet these requirements.***
- Software that permits you to receive and access Portable Document Format or "PDF" files, such as Adobe Acrobat Reader(R). ***If you are accessing this page on a device you own, this verifies that your system/device has the necessary software to permit you to receive and access PDF files.*** (The software is also available for downloading at <http://www.adobe.com/products/acrobat/readstep2.html>)

Keeping Your Documents. To retain a copy of the Documents, your device must have the ability to download and store PDF files.

We also want to remind you to please make sure to read each page of your Documents and ask any questions you might have!

JZ By initialing this form, you confirm (1) you can access and read this document; and (2) that you can print this disclosure on paper or save it or send it to a place where you can print it, for future reference and access; and (3) we will only provide you with electronic copies of your Documents, unless you request a paper copy, as discussed above.

Window Work Order Addendum

Customer: Jon Zimmerman

Customer:
Jon Zimmerman
2857 N Grant Blvd
Milwaukee, WI 53210

Home:(862) 579-6207
Work:
Mr. Cell:
Mrs Cell:

Preferred:Mr Cell
Best Time:-any

Sale Date:6/25/2022
Sales Rep:David S Fulbright

Email:zimmermanjonj@gmail.com

Job #: _____
Expeditor: _____
(TT) -Tip to Tip
(BB) -Brickmold to Brickmold
(TBB) -Tip to Tip and Add Brickmold
(L) -Will Ship Brickmold Loose

First Floor, Office

WINDOW OPTIONS												GRIDS / BLINDS			WOODWORK				OPENING		Expeditor Use Only			
Line #	Style	Mull Set	Width x Height	Exterior Color	Interior Color	Glass	Options	Obscure Glass	Screen	Hinge (OSLI)	Hardware	Sash - Pattern/Blind Color - Style	Jamb	Bay/Bow Seat	Style	Interior Finish	Accessories	Opening	Exterior Finish	Key	Casing Size	Wall Depth	Factory/Opening Size	
1	Barrington DH	N/A	28 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507					
2	Barrington DH	N/A	28 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507					
3	Barrington DH	N/A	28 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507					
4	Barrington DH	N/A	28 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507					
5	Barrington DH	N/A	28 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507					

First Floor, Kitchen

WINDOW OPTIONS												GRIDS / BLINDS			WOODWORK				OPENING		Expeditor Use Only			
Line #	Style	Mull Set	Width x Height	Exterior Color	Interior Color	Glass	Options	Obscure Glass	Screen	Hinge (OSLI)	Hardware	Sash - Pattern/Blind Color - Style	Jamb	Bay/Bow Seat	Style	Interior Finish	Accessories	Opening	Exterior Finish	Key	Casing Size	Wall Depth	Factory/Opening Size	
6	Barrington DH	N/A	28 x 50	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507					
7	Barrington DH	N/A	28 x 50	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507					
8	Barrington DH	N/A	28 x 50	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507					
9	Barrington DH	N/A	28 x 50	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507					

Window Work Order Addendum

Customer: Jon Zimmerman

First Floor, Stairwell												GRIDS / BLINDS		WOODWORK				OPENING		Expediter Use Only			
WINDOW OPTIONS												GRIDS / BLINDS		WOODWORK				OPENING		Expediter Use Only			
Line #	Style	Mull Set	Width x Height	Exterior Color	Interior Color	Glass	Options	Obscure Glass	Screen	Hinge (OSLI)	Hardware	Sash - Pattern/Blind Color - Style	Jamb	Bay/Bo w Seat	Style	Interior Finish	Accessories	Opening	Exterior Finish	Key	Casing Size	Wall Depth	Factory/Opening Size
10	Barrington DH	N/A	28 x 50	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	2nd Floor Install - Window Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507				
Note: Needs tempered glass																							

First Floor, Bedroom #1												GRIDS / BLINDS		WOODWORK				OPENING		Expediter Use Only			
WINDOW OPTIONS												GRIDS / BLINDS		WOODWORK				OPENING		Expediter Use Only			
Line #	Style	Mull Set	Width x Height	Exterior Color	Interior Color	Glass	Options	Obscure Glass	Screen	Hinge (OSLI)	Hardware	Sash - Pattern/Blind Color - Style	Jamb	Bay/Bo w Seat	Style	Interior Finish	Accessories	Opening	Exterior Finish	Key	Casing Size	Wall Depth	Factory/Opening Size
11	Barrington PI	N/A	28 x 24	Soft White	Soft White	LOW E/ ARGON	N/A	None	None	Center Sash Fixed	No hardware	None	Pocket Installation	N/A	None	None	Stops (Fr. Casement) - Painted	2nd Floor Install - Window	Window Trim Alum - Mocha QE507				
12	Barrington DH	N/A	32 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	2nd Floor Install - Window Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507				
13	Barrington DH	N/A	32 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	2nd Floor Install - Window Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507				

First Floor, Closet												GRIDS / BLINDS		WOODWORK				OPENING		Expediter Use Only			
WINDOW OPTIONS												GRIDS / BLINDS		WOODWORK				OPENING		Expediter Use Only			
Line #	Style	Mull Set	Width x Height	Exterior Color	Interior Color	Glass	Options	Obscure Glass	Screen	Hinge (OSLI)	Hardware	Sash - Pattern/Blind Color - Style	Jamb	Bay/Bo w Seat	Style	Interior Finish	Accessories	Opening	Exterior Finish	Key	Casing Size	Wall Depth	Factory/Opening Size
14	Barrington DH	N/A	24 x 46	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	2nd Floor Install - Window Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507				

First Floor, Bedroom #2												GRIDS / BLINDS		WOODWORK				OPENING		Expediter Use Only			
WINDOW OPTIONS												GRIDS / BLINDS		WOODWORK				OPENING		Expediter Use Only			
Line #	Style	Mull Set	Width x Height	Exterior Color	Interior Color	Glass	Options	Obscure Glass	Screen	Hinge (OSLI)	Hardware	Sash - Pattern/Blind Color - Style	Jamb	Bay/Bo w Seat	Style	Interior Finish	Accessories	Opening	Exterior Finish	Key	Casing Size	Wall Depth	Factory/Opening Size
15	Barrington DH	N/A	32 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	2nd Floor Install - Window Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507				

Window Work Order Addendum

Customer: Jon Zimmerman

First Floor, Bedroom #2																											
WINDOW OPTIONS												GRIDS / BLINDS				WOODWORK					OPENING			Expediter Use Only			
Line #	Style	Mull Set	Width x Height	Exterior Color	Interior Color	Glass	Options	Obscure Glass	Screen	Hinge (OSLI)	Hardware	Sash - Pattern/Blind Color - Style	Jamb	Bay/Bow Seat	Style	Interior Finish	Accessories	Opening	Exterior Finish	Key	Casing Size	Wall Depth	Factory/Opening Size				
16	Barrington DH	N/A	32 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	2nd Floor Install - Window Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507								
17	Barrington DH	N/A	32 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	2nd Floor Install - Window Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507								

First Floor, Bedroom #3																											
WINDOW OPTIONS												GRIDS / BLINDS				WOODWORK					OPENING			Expediter Use Only			
Line #	Style	Mull Set	Width x Height	Exterior Color	Interior Color	Glass	Options	Obscure Glass	Screen	Hinge (OSLI)	Hardware	Sash - Pattern/Blind Color - Style	Jamb	Bay/Bow Seat	Style	Interior Finish	Accessories	Opening	Exterior Finish	Key	Casing Size	Wall Depth	Factory/Opening Size				
18	Barrington DH	N/A	32 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	2nd Floor Install - Window Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507								
19	Barrington DH	N/A	32 x 58	Soft White	Soft White	LOW E/ ARGON	N/A	None	Half Screen	N/A	Standard	None	Pocket Installation	N/A	None	None	None	2nd Floor Install - Window Insulate Weight Pockets/Pair	Window Trim Alum - Mocha QE507								

First Floor, Den																											
WINDOW OPTIONS												GRIDS / BLINDS				WOODWORK					OPENING			Expediter Use Only			
Line #	Style	Mull Set	Width x Height	Exterior Color	Interior Color	Glass	Options	Obscure Glass	Screen	Hinge (OSLI)	Hardware	Sash - Pattern/Blind Color - Style	Jamb	Bay/Bow Seat	Style	Interior Finish	Accessories	Opening	Exterior Finish	Key	Casing Size	Wall Depth	Factory/Opening Size				
20	Barrington PI	N/A	28 x 24	Soft White	Soft White	LOW E/ ARGON	N/A	None	None	Center Sash Fixed	No hardware	None	Pocket Installation	N/A	None	None	Stops (Fr. Casement) - Painted	2nd Floor Install - Window	Window Trim Alum - Mocha QE507								
21	Barrington PI	N/A	28 x 24	Soft White	Soft White	LOW E/ ARGON	N/A	None	None	Center Sash Fixed	No hardware	None	Pocket Installation	N/A	None	None	Stops (Fr. Casement) - Painted	2nd Floor Install - Window	Window Trim Alum - Mocha QE507								
22	Barrington PI	N/A	28 x 24	Soft White	Soft White	LOW E/ ARGON	N/A	None	None	Center Sash Fixed	No hardware	None	Pocket Installation	N/A	None	None	Stops (Fr. Casement) - Painted	2nd Floor Install - Window	Window Trim Alum - Mocha QE507								

JZ I have carefully reviewed the details of the Window section of the Work Order above and agree that the specifications are correct and that they represent my selections.

Custom Add-Ons Work Order Addendum

Customer: Jon Zimmerman

Customer:
Jon Zimmerman
2857 N Grant Blvd
Milwaukee, WI 53210

Home:(862) 579-6207
Work:
Mr. Cell:
Mrs Cell:

Preferred:Mr Cell
Best Time:-any

Sale Date:6/25/2022
Sales Rep:David S Fulbright

Email:zimmermanjonj@gmail.com

Line #	Add-On#	Division	Qty	Description
23	2	WINDOW	150	WINDOW DIV CUSTOM MATL tempered glas window 9

JZ I have carefully reviewed the details of the Custom Add-ons section of the Work Order above and agree that the specifications are correct and that they represent my selections.

Window/Doors

- Due to normal variations of wood, stain applied to different pieces of the same type may result in a somewhat different appearance. An exact color and grain matching of vinyl woodgrain and wood casings is neither implied nor guaranteed.
- Neither painting, staining, drywall finishing, sanding nor any other finishing work are a part of this contract. Customer understands that repairs will not be paint ready. *JZ*
- If new interior casings are smaller than existing casings, Homeowner is responsible for any touch-up of paint lines around the perimeter of casings. Weather Tight cannot guarantee that new casings will match in style or size to other window & door casings in the home. Some variation can be expected.
- New casings may not fit tightly to existing wall due to pre-existing conditions.
- For maximum energy efficiency, Weather Tight recommends double-hung and casement style windows. Sliding windows will experience greater air infiltration.
- After installation, the opening size may be different in width and height than the existing size, therefore Weather Tight can not guarantee that existing blinds or window treatments will fit into new openings. Glass size will be smaller than exiting windows for pocket installations.
- Blinds and Valances must be removed from window openings prior to installation and customer is responsible for reinstallation. Unless included in the Work Order, customer agrees to pay an additional \$30.00 per blind or valance to be removed and replaced and agrees that Weather Tight is not responsible for breakage. *JZ*
- Due to technical incompatibility, Weather Tight is not able re-install homeowner's existing storm door over a new entry door. This applies to existing storm doors previously purchased from Weather Tight.
- Prior to start of work, Homeowner agrees to provide an unobstructed 3' clearance on the interior and exterior adjacent to the products to be replaced. Homeowner agrees to an additional charge of \$65 per man hour to clear the work area and agrees that Weather Tight is not responsible for breakage. *JZ*
- Weather Tight will not attempt to reinstall alarm systems on windows or entry doors.
- Doorbells often fail after being reinstalled due to wire corrosion, faulty wiring, transformer, and chime malfunctions, and as such, are considered pre-existing conditions. At your request, Weather Tight will attempt to reinstall your existing doorbell, however we are not responsible for inoperable doorbells for any reason. Weather Tight recommends purchasing a new wireless doorbell prior to installation which will be installed free of charge. Please note that video doorbells have a different profile than a standard doorbell, which may not allow for installation. Weather Tight is not responsible for installing a doorbell of a different profile. *JZ*
- Due to certain manufacturing limitations, in rare cases AR90 triple pane glass is not available for certain size picture or specialty shaped windows; or with certain custom options and/or grid configurations. In these cases, OM12 double pane will be used. Any applicable credits will be assessed at job completion. *JZ*
- Homeowners that choose to do their own installations are responsible for providing measurements at time of sale for factory sizes and must pick up windows within 10 days of notification at Weather Tight's office.

JZ

I have carefully reviewed the details of the Window/Doors Disclaimers above and understand and agree with the conditions.

Please Read Carefully

I understand that this is a fixed price contract and that some or all labor may be subcontracted. Work to be done and materials to be used are specified in the Work Order Addendum(s). Measurements taken are estimates to arrive at the retail price and are not part of this contract, and the contract is not for any specific quantity of time and/or materials. Dumpsters will be placed on accessible driveway or lawn; street placement requests are subject to municipal approval. Dumpster use is restricted to construction waste from this job and may not be used for other materials. Weather Tight commonly delivers excess material to the jobsite to avoid running short. Unused material will be picked up and restocked and are not part of the contract. Lead time and site time estimates are best guesses and are not indicative of actual times. Weather, labor and product delays are common in any construction activity and Weather Tight provides no compensation for said delays. Weather Tight is not responsible for damage to drywall, plaster, nail pops, concrete or blacktop driveways, sidewalks or patios, including cracks, splits and breakouts, as well as landscaping, flower beds and lawns that may result from construction activity. Removal and reinstallation of third party products may void warranties for which Weather Tight accepts no responsibility. Wall hangings, such as, pictures, clocks and decorations should be removed prior to installation to prevent breakage resulting from vibrations during installation. In order to comply with OSHA safety regulations, safety equipment attachment may be required. **Additional labor and/or materials beyond the scope of this project as outlined in this addendum, including charges for hidden or pre-existing conditions (such as rotted wood, insect infestation, mold, asbestos, code violations, etc.) unknown to Weather Tight at the time of sale, are at an additional charge.**

Click on this link to see and download product warranties:
<https://www.weathertightcorp.com/current-customers/#accordian>

TERMS OF ACCEPTANCE and SIGNATURE(S)

I, **Jon Zimmerman**, the [Customer] warrant that my initials above are genuine and signify my (our) agreement that the Work Order details are correct and that I (we) understand and agree to the disclaimers and disclosures herein.

Electronic Signature: *Jon Zimmerman* (Jon Zimmerman)

*****IMPORTANT NOTICE FOR FINAL MEASURE*****

BY SIGNING BELOW, CUSTOMER ACKNOWLEDGES THAT THEY HAVE REVIEWED THE WORK ORDER(S), DISCLAIMERS AND DISCLOSURES, UNDERSTAND AND AGREE TO THEM. CUSTOMER AFFIRMS THAT ALL OF THE SPECIFICATIONS, AFTER ANY CHANGES LISTED ABOVE, ARE CORRECT AND WILL BE ORDERED AS STATED. CUSTOMER UNDERSTANDS AND AGREES THAT NO CHANGES CAN BE MADE AFTER THE FINAL MEASURE, AND NO ITEMS WILL BE REVISED, CORRECTED, AMENDED OR REPLACED WITHOUT INCURRING ADDITIONAL CHARGES.

Customer: _____ Date: _____