

#### CERTIFICATE OF APPROPRIATENESS APPLICATION FORM

Incomplete applications will not be processed for Commission review.

Please print legibly.

1.	HISTORIC NAME OF PROPERTY OR HISTORIC DISTRICT: (if known)						
	ADDRESS OF PROPERTY: 812-814 E. Brady St.						
2.	NAME AND ADDRESS OF OWNER:  Name(s): Andrew Faccidomo, Jr.  Address: 8/2 E. Brady St.  City: Milwarkee State: WI ZIP: 53202						
	Email:						
	Telephone number (area code & number) Daytime: 414-347-0697Evening: 5ame						
3.	APPLICANT, AGENT OR CONTRACTOR: (if different from owner)						
	Name(s):						
	Address:						
	City: State: ZIP Code:						
	Email: 1-10-19-19-19-19-19-19-19-19-19-19-19-19-19-						
	Telephone number (area code & number) Daytime: Evening:						
4.	ATTACHMENTS: (Because projects can vary in size and scope, please call the HPC Office at 414-286-5712 for submittal requirements)						
	A. REQUIRED FOR MAJOR PROJECTS:  Kim Lyons e-mailed photos to Carlen Hatala.  Photographs of affected areas & all sides of the building (annotated photos recommended)						
	Sketches and Elevation Drawings (1 full size and 1 reduced to 11" x 17" or 8 ½" x 11")  A digital copy of the photos and drawings is also requested.						
	X Material and Design Specifications (see next page) See Attachments						
	B. NEW CONSTRUCTION ALSO REQUIRES:						
	Floor Plans (1 full size and 1 reduced to a maximum of 11" x 17")						
	Site Plan showing location of project and adjoining structures and fences						

**PLEASE NOTE:** 

YOUR APPLICATION CANNOT BE PROCESSED UNLESS BOTH PAGES OF THIS FORM ARE PROPERLY COMPLETED AND SIGNED.

#### 5. DESCRIPTION OF PROJECT:

Tell us what you want to do. Describe all proposed work including materials, design, and dimensions. Additional pages may be attached.

Installed New Roof & Tuckpointed Chimney

Dremoved old Hunter Green Roof

Dinstalled New Roof

Dinstalled the New Roof per Certainteed Corp.'s

"Integrity Roof System" installation.

Dintegrity Roof System installation.

Dintegrity Roof S

6. SIGNATURE OF APPLICANT

Andrew Faccidomo, Jr.

Please print or type name

10/3/2017

This form and all supporting documentation **MUST** arrive by 12:00 noon on the deadline date established to be considered at the next Historic Preservation Commission Meeting. Any information not provided to staff in advance of the meeting will not be considered by the Commission during their deliberation. Please call if you have any questions and staff will assist you.

Hand Deliver or Mail Form to: Historic Preservation Commission City Clerk's Office 200 E. Wells St. Room B-4 Milwaukee, WI 53202

PHONE: (414) 286-5722

hpc@milwaukee.gov

www.milwaukee.gov/hpc

Or click the SUBMIT button to automatically email this form for submission.



#### **CERTIFICATE OF APPROPRIATENESS APPLICATION FORM**

Incomplete applications will not be processed for Commission review.

Please print legibly.

ADDI	RESS OF PROPERTY:	E. Brady St.	
Name		Faccidomo,	
Addre	ess: 812 E	, Brady St. State: WI	
		State: VV 1	
		k number) Daytime:4/4-347-	
. 0.0	(4.00		
APPI	LICANT, AGENT OR CON	TRACTOR: (if different from owner	)
Nam	<b>e(s)</b> ;	company of the state of the sta	
Addr	'ess:		ng kana keramanin kemalamanan mga antawakan mengapanan mekati sipa antapamban penghinyal ya ang punan kan
City:		State:	ZIP Code:
		State:	
Emai	The second contract of the con		$d_{\rm physical} = 0.017  {\rm fillion and delay delay }  d_{\rm physical}  d_{\rm physical} $
Email Telep	il:phone number (area code 8	k number) Daytime: ojects can vary in size and scope, plequirements)	Evening:
Telep ATT at 41	phone number (area code 8  ACHMENTS: (Because pro 4-286-5712 for submittal re	k number) Daytime: ojects can vary in size and scope, plequirements)	Evening:
Telep ATTA at 41	phone number (area code & ACHMENTS: (Because produced A-286-5712 for submittal response produced Formal Company of Affected Sketches and Elevation	R number) Daytime:  Djects can vary in size and scope, plequirements)  DR PROJECTS:	Evening: lease call the HPC Office nnotated photos recommende to 11" x 17" or 8 ½" x 11")
Telep ATT at 41	phone number (area code & ACHMENTS: (Because pro-4-286-5712 for submittal re-REQUIRED FOR MAJO  Photographs of affected Sketches and Elevation A digital copy of the pho-	A number) Daytime:  Diects can vary in size and scope, plequirements)  DR PROJECTS:  I areas & all sides of the building (ar	Evening: lease call the HPC Office nnotated photos recommende to 11" x 17" or 8 ½" x 11")
Telep ATTA at 41	phone number (area code & ACHMENTS: (Because pro-4-286-5712 for submittal re-REQUIRED FOR MAJO  Photographs of affected Sketches and Elevation A digital copy of the pho-	A number) Daytime:  Dijects can vary in size and scope, plequirements)  DR PROJECTS:  Hareas & all sides of the building (art Drawings (1 full size and 1 reduced otos and drawings is also requested ecifications (see next page)	Evening: lease call the HPC Office motated photos recommende to 11" x 17" or 8 ½" x 11")
Telep ATTA at 41	phone number (area code & ACHMENTS: (Because pro 4-286-5712 for submittal re REQUIRED FOR MAJO  Photographs of affected Sketches and Elevation A digital copy of the photograph and Design Sponsor NEW CONSTRUCTION	A number) Daytime:  Dijects can vary in size and scope, plequirements)  DR PROJECTS:  Hareas & all sides of the building (art Drawings (1 full size and 1 reduced otos and drawings is also requested ecifications (see next page)	Evening: lease call the HPC Office motated photos recommende to 11" x 17" or 8 ½" x 11")

PLEASE NOTE: YOUR APPLICATION CANNOT BE PROCESSED UNLESS BOTH PAGES OF THIS FORM ARE PROPERLY COMPLETED

AND SIGNED.

#### 5. DESCRIPTION OF PROJECT:

Tell us what you want to do. Describe all proposed work including materials, design, and dimensions. Additional pages may be attached.

Repair East Edge Floor Board of Front Porch

Dremove defective floor board-East Edgemeasuring 77" x 5 1/4" (approx).

②Install new floor board-East Edgemeasuring 77" x 5 1/4" (approx).

Note: Prime/Paint all sides/edges before install.

③ Secure base of middle support
of iron railing to new floor board-East Edge.

④ Paint new floor board Gray to
match Gray Porch Floor.

⑤ Call Kim Lyons for inspection.

6. SIGNATURE OF APPLICANT:

Signature & taccidosono, Jr.
Andrew Faccidomo, Jr.

Please print or type name

 $\frac{10/8}{2017}$ 

This form and all supporting documentation **MUST** arrive by 12:00 noon on the deadline date established to be considered at the next Historic Preservation Commission Meeting. Any information not provided to staff in advance of the meeting will not be considered by the Commission during their deliberation. Please call if you have any questions and staff will assist you.

Hand Deliver or Mail Form to: Historic Preservation Commission City Clerk's Office

200 E. Wells St. Room B-4 Milwaukee, WI 53202

PHONE: (414) 286-5722

hpc@milwaukee.gov

www.milwaukee.gov/hpc

Or click the SUBMIT button to automatically email this form for submission.

### **Standard System**

#### **Owens Corning Oakridge**

- -Lifetime Limited Warranty -2pc fiberglass laminated shingle
- -110 MPH wind resistance
- -Install starter shingle on all gables
- -215lbs per square
- -10yr Algae Resistant

#### **Better System**

#### CertainTeed Landmark


- 50vr Non-prorated Material, Labor and Workmanship Warranty!
- 50 Point Follow-up inspection -Upgrade to shadow hip and ridge
- cap shingles -Upgrade to Winterguard Ice barrier
- -Upgrade to Synthetic Underlayment
- -130MPH wind resistance
- -Replace all roof to wall flashings
- -Install starter shingle on all gables -install new gutter apron
- -235lbs per square
- -10yr Algae warranty

,							_
	CONTROL SECTION AND ADDRESS OF THE PERSON AN	opposite minimizate del	-	COLUM	minnion	Section 2 Section 2	-

#### **Infinite System**

#### **CertainTeed Landmark Pro**

- 50yr Non-prorated Material, Labor and Workmanship Warranty!
- 50 point Follow-up inspection
- -Upgrade to Synthetic Underlayment -Upgrade to shadow hip and ridge cap shingles
- -Upgrade to Winterguard Ice barrier
- -Free yearly roof inspection
- -Maximum color definition
- -Replace all roof to wall flashings
- -Install starter shingle on all gables
- -130MPH wind warranty
- -250lbs per square
- -15yr Algae warranty



Initial for this system

Initial for this system

Initial for this system

 Two-piece laminated fiber glass-based construction Classic shades and dimensional appearance of

ANDMARK PR

SPECIFICATIONS

For U.S. building code compliance, see product specification sheets.

natural wood or slate

250 lbs. per square

Certain Teed products are tested to ensure the highest quality and comply with the following

industry standards:

Fire Resistance: UL Class A

Please reference www.certainteed.com to determine approved products by manufacturing location. Miami-Dade Product Control Acceptance:

Quality Standards:


• ICC-ES-ESR-1389 & ESR-3537

# WARRANTY

- manufacturing defects on residential applications Lifetime limited transferable warranty against
- 50-year limited transferable warranty against manufacturing defects on group-owned or commercial applications
- algae-resistance warranty 15-year StreakFighter®

**STREAK** Fighte

- 10-year SureStart" protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and



UL certified to meet ASTM D3462

Wind Driven Rain Resistance:

CSA standard A123.5

Max Def Hunter Green

UL certified to meet ASTM D3018 Type 1

Wind Resistance:

ASTM D3161 Class

Tear Resistance:

UL certified to meet ASTM D3018 Type



## Integrity Roof System™

Integrity is built from the bottom up. Layer-on-layer, only CertainTeed provides the peace of mind that comes with the best components performing together for peak efficiency.



#### Waterproof Underlayment

Waterproofing shingle underlayment prevents leaks from wind-driven rain and ice dams

#### Water-resistant Underlayment

High-performance underlayment provides a water-resistant layer over the roof deck and a secondary barrier against leaks

#### Starter Shingles

Perfect starts every time and designed to work in tandem with the roof shingles above

#### **Roof Shingles**

Choose the best, covered by the strongest warranty in the business

#### Hip & Ridge Caps

Perfect finish for hip and ridge lines. complementing all CertainTeed shingles

#### **Roof Ventilation**

Engineered for ideal roof ventilation especially when matched with CertainTeed Intake Vents



CertainTeed Corporation

20 Moores Road

ASK ABOUT ALL OF OUR OTHER CERTAINTEED PRODUCTS AND SYSTEMS:

ROOFING . SIDING . TRIM . DECKING . RAILING . FENCE **GYPSUM · CEILINGS · INSULATION** 

Professional: 800-233-8990 Consumer: 800-782-8777

blog.certainteed.com



1921 S. West Ave. Waukesha, WI 53186

262-650-5040

www.infinityroofing.com

Warrantied. Guaranteed. Quality.

Infinity Exteriors is the #1 Warranty Installer in the North Central Region and #2 all-time in the United States!

#### The "Infinite" Warranty

The value of any warranty is only as good as the company backing it.

With an impeccable track record, the best installation team, and a continued drive to be the best company in Wisconsin, Infinity will be here to honor it's commitment.

#### **Lifetime Workmanship Warranty**

Our commitment is for the entire lifespan of the products we install. We guarantee that if our products ever fail as a result of our installation, we will replace them!

#### **Full Replacement Manufacturer Warranty**

Our relationships with our manufacturers allow us to offer the "Best Warranty in the Business". A fully transferable, full replacement warranty that covers our workmanship and NEVER depreciates in value.

#### 50 Point Workmanship Inspection

Our "Best Warranty in the Business" comes with a 50 Point inspection. At the completion of a project, a 50 point inspection will be performed so you know none of the details were missed!

#### Free Yearly Inspection Service

Once a year, we will send one of our Certified Inspectors to your home to complete an inspection. You're just one call away from a free inspection on your project!

