From:	Bohl, James
To:	Elmer, Linda
Subject:	Fwd: Follow Up on Annual Operating Costs of Repair Option
Date:	Tuesday, October 25, 2016 9:31:03 PM
Attachments:	2 OEM DAMKEEPER JEQ 6.20.2016.pdf ATT00001.htm 3 OEM NOAA FLOOD FORECAST REQUEST 6.20.2016 SIGNED.pdf ATT00002.htm 1 OEM ESTABROOK v0 URL.pdf ATT00003.htm 4 OEM EAP ESTABROOK 6.2016.doc ATT00004.htm

---

Begin forwarded message:

From: "Whaley-Smith, Teig" <Teig.Whaley-Smith@milwaukeecountywi.gov>
To: "Stamper II, Russell" <Russell.Stamper@milwaukee.gov>
Cc: "Coggs, Milele" <mcoggs@milwaukee.gov>, "Kovac, Nik" <nkovac@milwaukee.gov>, "Bohl, James" <jbohl@milwaukee.gov>, "Rainey, Khalif" <Khalif.Rainey@milwaukeecountywi.gov>
Subject: Follow Up on Annual Operating Costs of Repair Option

Alderman Stamper,

I wanted to follow up on your question regarding the annual operating costs of repairing the dam. The $207,302 amount listed in the presentation includes the following:

Debris Removal: $20,000 each x 4 times per year = $80,000 (Note 2)

General Maintenance: $45,000 per year (Note 3)

Monitoring of Automated Systems: $12,500 (Note 4)

24/7 Response Capability: $69,802 response capability (Note 5)

Total: $207,302

These numbers are a result of contracting with a 3rd party consultant named AECOM. The AECOM original estimate was $160,000 per year (Note 1). Recall that the AECOM report was in 2014 without the benefit of a final design plan or operational approval from the DNR. After the design and approval from DNR were complete, it was clear that 24/7 response ability was necessary which increases the cost.

The only number we have seen that is close to the $50,000 number presented by opponents of removal is for what is called “Alternative 4a" in the AECOM report, which was to remove the dam, but not the spillway (Note 6). I believe the $50,000 referred to is the revenue generated by radio towers at Estabrook and Lincoln Park, which is approximately $50,000 per year. However, this $50,000 is not nearly enough to address the $160,000 - $207,302 operating costs. The alternative, of course, is $0 in operating costs if there is no dam (Note 1).

If you have any further questions, please do not hesitate to contact me.

Teig

Note 1: AECOM. Environmental Assessment for Estabrook Dam (Aug. 2014) at p 2-14 available at http://county.milwaukee.gov/ImageLibrary/Groups/cntyParks/Planning/Construction/Estabrook-Dam/Estabrook-Scoping/DRAFT_EstabrookDamEnvAssmnt090.pdf

Note 2: DNR indicated debris removal would need to take place 4-8 times per year. Using information from AECOM, DNR, and another dam operator, the estimate is $20,000 per year. The lower estimate of 4 times was used, but could be as high as $160,000 per year if required by DNR.

Note 3: The original AECOM estimate was $60,000 of the overall $160,000 estimate. After further review this was lowered to $45,000.

Note 4: This $12,500 was part of the original AECOM estimate and was not changed.

Note 5: The following inputs were used for these estimates and are also attached. After utilizing the following inputs, it was determined that a 24/7 response capability was required for emergency management purposes. We do not have a separate estimate for this cost, so a compensation review, using market data, was used to determine the fully loaded (i.e. with benefits) cost of a Dam Keeper position. This amount may be lowered if a third party contractor can be used.

(1) An illustration of National Weather Service (NWS) hydrological information and estimated annual O&M.

(2) Dam Keeper - Job Equivalency Questionnaire

(3) NOAA letter requesting an upgrade of the US Geological Survey station to a flood forecasting point (pending).

(4) Estabrook Dam Emergency Action Plan.

Teig Whaley-Smith

Director of Administrative Services
Milwaukee County Courthouse
901 N 9th St.
Milwaukee, WI 53233
(414) 278-4808
teig.whaley-smith@milwaukeecountywi.gov

This message is intended for the sole use of the individual and entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended addressee, nor authorized to receive for the intended addressee, you are hereby notified that you may not use, copy, disclose or distribute to anyone the

message or any information contained in the message. If you have received this message in error, please immediately advise the sender by reply email and delete the message.