

CITY OF MILWAUKEE

Form CA-43

GRANT F. LANGLEY
City Attorney

RUDOLPH M. KONRAD
Deputy City Attorney

THOMAS E. HAYES
PATRICK B. McDONNELL
CHARLES R. THEIS
Special Deputy City Attorneys



OFFICE OF CITY ATTORNEY
200 EAST WELLS STREET, SUITE 800
MILWAUKEE, WISCONSIN 53202-3551
TELEPHONE (414) 286-2601
TDD 286-2025
FAX (414) 286-8550

May 1, 2001

BEVERLY A. TEMPLE
THOMAS O. GARTNER
LINDA ULISS BURKE
BRUCE D. SCHRIMPF
ROXANE L. CRAWFORD
SUSAN D. BICKERT
HAZEL MOSLEY
HARRY A. STEIN
STUART S. MUKAMAL
THOMAS J. BEAMISH
MAURITA F. HOUREN
JOHN J. HEINEN
MICHAEL G. TOBIN
DAVID J. STANOSZ
SUSAN E. LAPPEN
DAVID R. HALBROOKS
JAN A. SMOKOWICZ
PATRICIA A. FRICKER
HEIDI WICK SPOERL
KURT A. BEHLING
GREGG C. HAGOPIAN
ELLEN H. TANGEN
JAY A. UNORA
DONALD L. SCHRIEFER
EDWARD M. EHRlich
CHRISTOPHER J. CHERELLA
LEONARD A. TOKUS
MIRIAM R. HORWITZ
MARYNELL REGAN
G. O'SULLIVAN-CROWLEY

Assistant City Attorneys

John Milewski
3646 South Logan Avenue
Milwaukee, WI 53207

RE: C.I. File No.: 01-S-114


Dear Mr. Milewski:

This office is in receipt of your claim in the amount of \$501.12, relating to damage allegedly sustained to your property when water backed-up in your basement floor drain on March 12, 2001 at 3646 South Logan Avenue.

The Infrastructure Services Division records indicate they investigated this incident on the date in question and found the sewer main was operating properly. The division personnel advised you to have your sewer lateral cleaned. The City received no complaints from other homeowners in the area on the date in question. It appears the problem was with your sewer lateral and as such the City cannot accept liability. Accordingly, we are denying your claim.

If you wish to appeal this decision, you may do so by sending a letter within 21 days of the receipt of this letter to the Milwaukee City Clerk, 200 East Wells Street, Room 205, Milwaukee, Wisconsin 53202, requesting a hearing.

Very truly yours,


GRANT F. LANGLEY
City Attorney


MICHAEL G. TOBIN
Assistant City Attorney

MGT:beg