

## CERTIFICATE OF APPROPRIATENESS APPLICATION FORM

Incomplete applications will not be processed for Commission review.

Please print legibly.

2626	RESS OF PROPERTY: N Terrace Ave				
NAM	AME AND ADDRESS OF OWNER:				
Nam	e(s):Angela & Ross Williams				
Addr	ess: 2626 N Terrace Ave				
City:	Milwaukee	State: WI	ZIP 53211		
Emai	: ross.w.williams@me.com		7		
Tele	phone number (area code & r	number) Daytime: 4142150123	Evening:		
APP!	LICANT, AGENT OR CONTF	RACTOR: (if different from owner)			
Nam	e(s):				
Addr	ess:				
City:		State:	ZIP Code:		
Emai	i:				
_		number) Daytime:	Evening:		
Tele	onone number (area code & r				
·	onone number (area code & r ACHMENTS	,			
·	·				
ATT	ACHMENTS REQUIRED FOR <u>ALL</u> PR		notated photos recommend		
ATT/ A.	ACHMENTS  REQUIRED FOR ALL PR  Photographs of affected a	OJECTS:			
ATT/ A.	ACHMENTS  REQUIRED FOR ALL PR  Photographs of affected a	ROJECTS: reas & all sides of the building (an rawings (1 full size and 2 reduced			
ATT/	ACHMENTS  REQUIRED FOR ALL PR Photographs of affected a Sketches and Elevation D Material and Design Spec	POJECTS:  Treas & all sides of the building (and a reduced)  Trawings (1 full size and 2 reduced)			
ATT/	ACHMENTS  REQUIRED FOR ALL PR Photographs of affected a Sketches and Elevation D Material and Design Spec	COJECTS:  reas & all sides of the building (and and a reduced)  rawings (1 full size and 2 reduced)  DEMOLITION ALSO REQUIRES:			
ATT/	ACHMENTS  REQUIRED FOR ALL PR Photographs of affected a Sketches and Elevation D Material and Design Spec NEW CONSTRUCTION/E	COJECTS:  reas & all sides of the building (and and a reduced)  rawings (1 full size and 2 reduced)  DEMOLITION ALSO REQUIRES:	to 11" x 17" or 8 ½" x 11")		

**PLEASE NOTE:** 

YOUR APPLICATION CANNOT BE PROCESSED UNLESS BOTH PAGES OF THIS FORM ARE PROPERLY COMPLETED.

# 5. **DESCRIPTION OF PROJECT:** Describe all existing features that will be affected by proposed work. Please specify the condition of materials, design, and dimensions of each feature (additional pages may be attached) See photos Photo No. Drawing No. В. Describe all proposed work, materials, design, dimensions and construction technique to be employed (additional pages may be attached) See attached Drawing No.

6.	SIGNA	TURE OF	ADDI	ICANT

Signature

Print or type name

Date

This form and all supporting documentation **MUST** arrive by 12:00 noon on the deadline date established to be considered at the next Historic Preservation Commission Meeting. Any information not provided to staff in advance of the meeting will not be considered by the Commission during their deliberation. Please call if you have any questions and staff will assist you.

Hand Deliver or Mail Form to: Historic Preservation Commission Clty Clerk's Office 200 E. Wells St. Room B-4 Milwaukee, WI

PHONE: (414) 286-5722

FAX: (414) 286-3004

www.milwaukee.gov/hpc



June 15, 2011

Ross Williams 2626 N. Terrace Ave. Milwaukee, WI 53211 8747 North 107th Street Milwaukee, WI 53224-2201 414-371-8850 fax 414-371-8851 Info@millenroofing.com www.millenroofing.com

#### Dear Ross:

We propose the following work to your house at the above address.

## **General Repairs**

- · Replace missing slates on front entrance roof.
- Reseal north bay counter-flashing and 2 north side copper window sills.

**Cost Estimate** 

\$590

## **Rear Flat Porch Roof**

## Option 1

Remove existing roofing to deck.

- Install high temp ice & water shield membrane to complete roof.
- Install red rosin slip sheet over ice & water shield membrane.
- Install 16 oz. copper flat locked panel roof system with soldered seams.

**Cost Estimate** 

\$4,870

## Option 2

- Remove existing roof to deck.
- Install ½" CDX plywood to complete roof.
- Install 60 mil EPDM membrane roof system fully adhered to new plywood.

**Cost Estimate** 

\$3,160

#### **Front Entrance Roof Gutter**

- Remove existing 4" gutter.
- Install new 5" 16 oz. copper double beaded half round gutter with soldered seams. Stainless steel rod will be installed into the gutter bead for reinforcing.
- Existing downspouts to be reused.

**Cost Estimate** 

\$1,530



Design Expert Analysis

New / Restoration / Repair



## **Snow Guards**

 Install approximately 40 cast bronze snow guards (Mullane # 200) in slate roof section above rear flat porch roof.

**Cost Estimate** 

\$1,265

• Install approximately 40 cast bronze snow guards (Mullane # 200) in slate roof at lower front entrance roof and above on main roof over the lower entrance roof.

**Cost Estimate** 

\$1,660

## **Upper Gutter (above rear porch roof)**

- Straighten as possible, add 1" x 1/8" copper bar straps to help support front edge.
- Replace 2-2" x 3" downspouts with new 16 oz. copper 3" x 4" downspouts.

**Cost Estimate** 

\$630

Please contact me with any questions.

Sincerely,

Roger Hamm

New gutters at lower roof plus snow guards at lower and on upper valley...



Flat roof at rear of house to be removed and replaced with copper. May have iron/steel railing installed









