



W233 N2847 Roundy Circle West
Pewaukee, Wisconsin 53072
Phone: **262.542.9000**
Fax: **262.542.1371**
www.vjscs.com

You Can Build on That

November 18, 2019

Exhibit A continued, Façade Masonry

The proposed façade masonry for the building shall consist of the following:

Product: Eden Valdars Stone Exterior Panels, Dovewhite

Color: A buff / beige color with close tone color variation.

Finish: A smooth polished or lightly coated finish to allow a satin or low sheen finish, as compared to a matte finish.

Size and Pattern: The stone is custom cut into varying lengths. The height of the stone will be 8" tall and the widths will vary from about 16" to 36" long. It will be laid in a running bond pattern, similar to brick.

Edges: Smooth, crisp edges

Outside Corners: The end stones at outside corner conditions shall be the same smooth finish, color and edge condition as the block faces, as compared to rough or irregular faces.

Soldier Courses: The stone pieces will be turned vertically to achieve the proposed coursing and will be a consistent 8" wide by 24" tall.

The addendum is submitted to the record for clarification of the proposal. A material sample will be submitted at time of building permit sign-off by Planning Administration.

Sincerely,

A handwritten signature in black ink that reads 'Katherine Kawczynski' in a cursive script.

Katherine Kawczynski
Lead Architect