





# OWENS CORNING ROOFING QUOTE

JUN 23, 2025

## JULIE HALKOLA GRIFFITH

955 N 35th St Milwaukee, WI 53208

billygoatderekr@gmail.com 2623490724

## INTRODUCTION

Hi Julie,

Thank you for the opportunity to quote on the repairs and improvements to your property. Please find your estimate below along with upgrade options for potential improvements to your project, if applicable.

Benefits of working with Billy Goat Roofing

- 1. State Dwelling Contractor License
- 2. State DCQ License
- 3. All Employees are OSHA Certified in Fall Protection through MCSC
- 4. All Employees are Lomanco Certified in Concepts and Designs of Ventilation
- 5. Each Project is assigned its own dedicated Production Scheduling team
- 6. All employees have full WCB and liability insurance coverage
- 7. Certified as a Lead Company by the Wisconsin Department of Health Services
- 8. Audit all work completed by the Quality Control Officer
- 9. Required HIC License for Milwaukee county Contractors. We are an established, highly reputable company that has served Southeast Wisconsin on thousands of projects. We have an experienced team and are proud of our reputation for honesty, professionalism, and excellent communication.

If you have any questions, please feel free to reach out.

Kind regards, Derek Rekowski billygoatderekr@gmail.com Sales Representative

Office: 414-426-7885

# MORE THAN JUST A ROOF® IT'S PROTECTION FOR YOUR HOME.

Your home is the center of your world—where your memories are made. And we see it as our job to make the world a better place. So, Owens Corning is relentless about reimagining and creating materials that help protect your biggest investment, your home.

When you choose Owens Corning® roofing products, you get products and systems that deliver a material difference—a difference that can be seen in the curb appeal of your roof and experienced through premium performance, protecting your home and family.

Our commitment to quality offers you peace of mind that your new roof will stand the test of time. At Owens Corning, we know that your roof does more than just cover your house, it helps protect your future memories.

### PROUD TO BE CALLED THE BEST

For a decade, the Women's Choice Award has identified the best brands and companies, empowering women (and men!) to choose objectively evaluated products and services for themselves and their families. Owens Corning Roofing is proud to be named the Women's Choice Award as America's Most Recommended Roofing.







## **TOTAL PROTECTION SIMPLIFIED®**

It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to perform in three critical areas. The Owens Corning® Total Protection Roofing System® gives you the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of your roof.




Helps create a waterproof barrier



Helps protect against nature's elements




For balanced attic ventilation



# **INSPECTION**



Option to take down chimney. Process includes dissasembling the chimney up to just below the roof line. Decking over the chimney hole with "like kind" decking to match what is currently on the roof, and covering the area during installation of new roofing material. Also includes venting HVAC out of the roof connecting to current chimney vent.





Replace gutters where current gutters are.



Built in gutters to be rebuilt and replaced with updated seamless gutters. Price to be determined. Time and labor to be \$80 an hour plus material to rebuild fascia.

## **GOOD - OAKRIDGE®**

### **Description**

### **Installation Breakdown**

ROOF PREPERATION- (REMOVAL/TEAR OFF) Tear off areas of existing roofing material down to the wood decking below. Dispose of debris off site while exceeding all OSHA requirements for worker and pedestrian safety. Billy Goat Roofing will provide waste removal services.

ROOF DECKING- Re-nail loose wood. Any bad/rotten wood discovered will be replaced at \$80/OSB Sheet and \$15/1x8" Board (2 Sheets and four boards are included in this price).

ICE & WATER BARRIER- Install 3-6 ft of ice and water barrier in all valleys, around roof eaves, overhangs, and roof penetrations. Ice and water barriers will be installed to meet or exceed code requirements for weather-resistant barriers.

SYNTHETIC UNDERLAYMENT- Install premium synthetic underlayment for waterproofing purposes as a second layer of protection over your entire roof. The breathable underlayment will provide additional protection against moisture buildup.

VALLEY METAL - Metal flashing that protects the middle where two roof sections intersect and form a "V" shape, shielding and directing runoff of rainwater and melting snow/ice from the roof.

DRIP EDGE FLASHING - Metal flashing installed at the edges of the roof to help control the flow of water away from the fascia preventing rotting.

OC- OAKRIDGE® SHINGLES - Install OC- OAKRIDGE® Shingles as according to manufacturer specifications.

VENTING- Install new slant back outtake vents in existing areas, or consider replacing with ridge venting as an upgraded option (see below).

HIP & RIDGE CAP SHINGLES - Specialized shingles covering the ridge and hip lines providing a finished appearance and protecting high-stress areas against leaks and blow-off.

PIPE FLASHING - Flashing boot installed around the base of plumbing pipe vents and other roof penetrations to waterproof them.

KITCHEN/BATH VENTS- Replace all existing bath and kitchen vents with new broan bath and kitchen vents in their current locations (unless otherwise specified).

CLEAN UP AND DISPOSAL- Clean up and remove all job-related debris. Magnet sweep site for nails.

### **Advantages**

Despite being more basic, Oakridge still uses quality materials and comes with a limited lifetime warranty, making it a cost-effective and dependable option.

Estimate subtotal \$14,520.00

**Total** \$14,520.00

Billy Goat Roofing is recognized as a platinum tier installer of Owens Corning Roofing products & comes with an additional 50-year system protection warranty.

## **BETTER - TRUDEFINITION® DURATION**

### **Description**

### **Installation Breakdown**

ROOF PREPERATION- (REMOVAL/TEAR OFF) Tear off areas of existing roofing material down to the wood decking below. Dispose of debris off site while exceeding all OSHA requirements for worker and pedestrian safety. Billy Goat Roofing will provide waste removal services.

ROOF DECKING- Re-nail loose wood. Any bad/rotten wood discovered will be replaced at \$80/OSB Sheet and \$15/1x8" Board (2 Sheets and four boards are included in this price).

ICE & WATER BARRIER- Install 3-6 ft of ice and water barrier in all valleys, around roof eaves, overhangs, and roof penetrations. Ice and water barriers will be installed to meet or exceed code requirements for weather-resistant barriers.

SYNTHETIC UNDERLAYMENT- Install premium synthetic underlayment for waterproofing purposes as a second layer of protection over your entire roof. The breathable underlayment will provide additional protection against moisture buildup.

VALLEY METAL - Metal flashing that protects the middle where two roof sections intersect and form a "V" shape, shielding and directing runoff of rainwater and melting snow/ice from the roof.

DRIP EDGE FLASHING - Metal flashing installed at the edges of the roof to help control the flow of water away from the fascia preventing rotting.

OWENS CORNING DURATION® - Install Owens Corning Duration® Shingles as according to manufacturer specifications.

VENTING- Install new slant back outtake vents in existing areas, or consider replacing with ridge venting as an upgraded option (see below).

HIP & RIDGE CAP SHINGLES - Specialized shingles covering the ridge and hip lines providing a finished appearance and protecting high-stress areas against leaks and blow-off.

PIPE FLASHING - Flashing boot installed around the base of plumbing pipe vents and other roof penetrations to waterproof them.

KITCHEN/BATH VENTS- Replace all existing bath and kitchen vents with new broan bath and kitchen vents in their current locations (unless otherwise specified).

CLEAN UP AND DISPOSAL- Clean up and remove all job-related debris. Magnet sweep site for nails.

### **Advantages**

Superior Wind Resistance- Owens Corning Duration® shingles feature SureNail® Technology, a reinforced nailing strip for stronger wind resistance up to 130 mph.

Greater durability and thickness- Owens Corning Duration® shingles are heavier and more robust than the Oakridge® design, offering better performance and longer lifespan under harsh weather.

Enhanced appearance- Owens Corning Duration® shingles have a more pronounced, dimensional look that adds depth and boosts curb appeal compared to the flatter Oakridge® design.

Estimate subtotal \$15,570.00

**Total** \$15,570.00

Billy Goat Roofing is recognized as a platinum tier installer of Owens Corning Roofing products & comes with an additional 50-year system protection warranty.

## **BEST - TRUDEFINITION® DURATION FLEX®**

### **Description**

### **Installation Breakdown**

ROOF PREPERATION- (REMOVAL/TEAR OFF) Tear off areas of existing roofing material down to the wood decking below. Dispose of debris off site while exceeding all OSHA requirements for worker and pedestrian safety. Billy Goat Roofing will provide waste removal services.

ROOF DECKING- Re-nail loose wood. Any bad/rotten wood discovered will be replaced at \$80/OSB Sheet and \$15/1x8" Board (2 Sheets and four boards are included in this price).

ICE & WATER BARRIER- Install 3-6 ft of ice and water barrier in all valleys, around roof eaves, overhangs, and roof penetrations. Ice and water barriers will be installed to meet or exceed code requirements for weather-resistant barriers.

SYNTHETIC UNDERLAYMENT- Install premium synthetic underlayment for waterproofing purposes as a second layer of protection over your entire roof. The breathable underlayment will provide additional protection against moisture buildup.

VALLEY METAL - Metal flashing that protects the middle where two roof sections intersect and form a "V" shape, shielding and directing runoff of rainwater and melting snow/ice from the roof.

DRIP EDGE FLASHING - Metal flashing installed at the edges of the roof to help control the flow of water away from the fascia preventing rotting.

OWENS CORNING FLEX-® - Install Owens Corning Flex® Shingles as according to manufacturer specifications.

VENTING- Install new slant back outtake vents in existing areas, or consider replacing with ridge venting as an upgraded option (see below).

HIP & RIDGE CAP SHINGLES - Specialized shingles covering the ridge and hip lines providing a finished appearance and protecting high-stress areas against leaks and blow-off.

PIPE FLASHING - Flashing boot installed around the base of plumbing pipe vents and other roof penetrations to waterproof them.

KITCHEN/BATH VENTS- Replace all existing bath and kitchen vents with new broan bath and kitchen vents in their current locations (unless otherwise specified).

CLEAN UP AND DISPOSAL- Clean up and remove all job-related debris. Magnet sweep site for nails.

### **Advantages**

Owens Corning Flex® combine the strength of a Class 4 impact rating with rubber-like flexibility, giving your roof elite protection against hail, wind, and harsh climates—something even Duration can't match.

Owens Corning Flex® shingles maintain their integrity under extreme temperature swings, reducing the risk of cracking or splitting where standard asphalt shingles might fail.

Owens Corning Flex® shingles have a richer, more dimensional appearance with deeper color blends and texture, giving your roof a more upscale, architecturally sophisticated look compared to Duration shingles.

Estimate subtotal \$18,300.00

**Total** \$18,300.00

Billy Goat Roofing is recognized as a platinum tier installer of Owens Corning Roofing products & comes with an additional 50-year system protection warranty.

# **AUTHORIZATION PAGE**

	Good - OAKRIDGE®  Better - TRUDEFINITION® DURATION  Best - TRUDEFINITION® DURATION  FLEX®	\$14,520.00 \$15,570.00 \$18,300.00		Julie Halkola Griffith 955 N 35th St, Milwaukee, WI	
Estim	ates valid for 30 days from date of estimate	•			
-re	e of Charge Upgrade(s)				
	Description				Line total
$\checkmark$	Ridge Vents- Roof ventilation system that to escape from the top of a building.	runs along the pea	ak of a roof, a	allows hot air and moisture	
	Clean gutters around entire home.				
$\checkmark$	<b>Disassemble Chimney - Deck and roof o</b> Mortar chimney and Re-flash	over			\$900.00
$\checkmark$	<b>5" Seamless Gutters</b> 5" Seamless Gutters				\$2,982.00
<b>&gt;</b>	Fascia Repairs Soffit/Fascia Reconfiguration. \$7,000-\$10,	000. Up to \$3,000	max change	order for unforseen costs.	\$10,000.00
				Quote	\$15,570.00
				Free of Charge Upgrade(s)	\$13,882.00
				Final Price	\$29,452.00
Cus	tomer Comments / Note	S			
ulie Halkola Griffith: Quantum 13 also also also Date: 6/25/2025					

## **TERMS AND CONDITIONS**

Billy Goat Roofing is NOT responsible for these damages and cannot compensate you for them:

- -Skylight Insulation: Drywall damage (nail pops, torn paper, cracking) may occur and cannot be avoided depending on installation.
- -Landscape & garden accessories: Please remove all garden accessories and lights before construction as they will and can be damaged & trampled.
- -Patio furniture/ Flower pots: Please have these items moved away or protected as they are prone to be broken during construction.
- -Material drop: Our supplies might damage or yellow grass. In most cases, watering can bring back this dying grass.
- -Attic/garage Spaces: You may/will have debris from the roof fall into your attic. Homeowners are responsible for moving important items out or covering items in the garage or attic.

By signing this form I agree to and confirm the following: I certify that I am the registered owner of the above project property, or have the legal permission to authorize the work as stated. I agree to pay the total project price and understand that this work will be completed in accordance with industry best practices.

All invoices not paid in full beyond 30 days of completion of work will be subject to a 2% per month interest charge.



Registering your Owens Corning® warranty ensures it's easily referenced should you ever need to access it. The process is easy—just have your installation date, shingle type, shingle color and number of squares ready. Then go online to www.owenscorning.com/roofingstandardwarranty or call 1-800-ROOFING (1-800-766-3464) to finish the process.



SCAN TO REGISTER YOUR WARRANTY



## WARRANTY

Billy Goat Roofing warrants to the homeowner that the project installation will be free of defects in workmanship. Should a failure occur due to defects in workmanship that may cause leakage or loss of shingles, Billy Goat Roofing will repair such problems by supplying materials and labor for as long as you own your home. This warranty only applies to portions of the project in which Billy Goat Roofing fully replaced any existing products, and does not cover repairs or service done to another contractor's work. This warranty is transferable one time to your buyer for an additional 10 year period.

The warranty items are to be repaired only by Billy Goat Roofing and the customer must notify Billy Goat Roofing within two weeks after the problem has been discovered. Billy Goat Roofing will not be liable for siding or structural damage resulting from normal wear and tear, including but not limited to ice damage, hailstorms, foreign objects or hurricane force wind and rain. The duration of the manufacturer's warranty is determined by the product being installed and the limited lifetime workmanship warranty is for the same duration.

In addition, any fungus, bacteria, infestation, UV degradation, rust or corrosion resulting in metal or wood decay will not be covered. This warranty is in lieu of all other express and implied warranty of merchantability and fitness for a particular purpose and if limited to the duration of this warranty. Billy Goat Roofing shall not be liable for any incidental, consequential or special damages of any form. This includes damage to the interior or exterior of any building or replacement not authorized in writing or performed by Billy Goat Roofing.

Customer	
_	
Project address	
Date Project Completed	

# OAKRIDGE® Shingles




### **COLOR DISCLAIMER**

As color experts, we know getting the shingle color right is a big part of any roofing purchase. Due to printing color variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your color choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.



# **DURATION® SERIES SHINGLES COLORS**





















Midnight Plum

Peppercorn

Sand Castle

Williamsburg Gray

Chateau Green

**Colonial Slate** 

















Driftwood

Estate Gray

**Harbor Blue** 

Onyx Black

Sierra Gray

Slatestone Gray

Teak

Terra Cotta

## **HIGH-PERFORMANCE ROOFING SHINGLES**

Duration® Series Shingles are unrivaled by any other architectural shingles because they feature our patented <u>SureNail® Technology</u>. - a technological breakthrough in shingle design.

The Series highlights our popular Duration® Shingles, along with up to 7 other Duration styles, depending on where you live, that feature unique performance characteristics. It's no wonder why 9 with 10 perfociency tree first performance of the performance of out 10 professional roofing contractors prefer to install Duration® Series Shingles with SureNail® Technology1.


















# TruDefinition® DURATION FLEX™



Shingles with SureNail\* Technology

Your shingles need to help protect your home on a daily basis. Duration FLEX" shingles are more flexible than standard shingles, for enhanced durability and performance in all environmental conditions, including storms and cold weather installation. And they're the only SBS modified polymer shingle that also comes with the advanced performance of patented SureNail\* Technology for added confidence in windy conditions.

### As with other Duration<sup>®</sup> Series shingles, Duration FLEX<sup>™</sup> shingles include:

- Patented SureNail\* Technology for exceptional wind resistance
- Limited Lifetime Warranty\*\*/#
- 130-MPH Wind Resistance Limited Warranty\*\*
- StreakGuard<sup>™</sup> Protection with a 10-year Algae Resistance Limited Warranty\*\*



# HELP PROTECT WITH THE POWER OF FLEX

### Made with a proprietary blend of SBS polymer modified asphalt

The rubberizing effect of our uniquely blended SBS modified asphalt makes the shingles pliable and gives them greater flexibility than standard shingles. The result is a premium architectural asphalt shingle with enhanced durability and toughness, especially under intense storm conditions, to help deliver lasting protection for your home.

### **Duration FLEX**<sup>™</sup> Shingles

- Feature SureNail\* Technology which gives a 42% better nail-pull resistance against the wind versus standard shingles.
- Have built-in flexibility to help resist cracking and tearing, in all-weather installation conditions over 10% stronger tear strength than traditional shingles.
- Lays flat faster than standard shingles.
- Offer rubber-like flexibility to withstand expansion and contraction stresses and helps minimize loss of granules which help to protect the shingle against UV.
- Help absorb the energy of the impact of hail or storm debris; have the highest impact rating possible; UL 2218 Class 4 and may qualify for a homeowner insurance discount\*.

# LAYS FLAT FASTER

Duration FLEX<sup>™</sup> shingles are specifically formulated to lay flat more quickly than standard shingles in all weather conditions for a clean, finished look.







# THE ONLY SBS SHINGLE WITH SURENAIL® TECHNOLOGY



When performance is your priority, choose the shingle that offers you a material difference.

Duration FLEX<sup>™</sup> shingles are the only SBS modified polymer shingle with the added confidence of patented SureNail<sup>®</sup> Technology for exceptional wind resistance.




### **UL 2218, Class 4**

Highest rating possible for impact resistance.

### Flexible Shingles

Withstands shingle expansion and contraction; helps resist cracking and tearing.



### Breakthrough Design •

Patented SureNail\* Technology is the first and only reinforced nailing zone on the face of the shingle.



### "No Guess" Wide Nailing Zone •

This tough, engineered woven-fabric strip is embedded in the shingle to create an easy-to-see, strong, durable fastener zone.

### Triple Layer Protection\*++ -

A unique "triple layer" of reinforcement occurs when the fabric overlays the common bond of the shingle laminate layers that offers excellent fastener holding power.



SureNail\* Technology features up to a 200% wider common bond area in the nailing zone over standard shingles.




# FIRST CLASS PROTECTION

### **UL 2218**

Underwriters Laboratories (UL) has one of the most demanding standards for testing the impact resistance of shingles. The UL 2218 test determines the amount of stress a newly manufactured roofing shingle can withstand without cracking. It also rates the shingle's performance. Duration FLEX™ shingles have achieved the highest rating possible — Class 4. Here's how the testing works:

- Four different-sized steel balls are used to simulate the force of free-falling hailstones
- To test impact resistance, shingles are struck twice in the same spot
- A class rating is assigned to signify resistance to a particular size steel ball — the higher the class rating, the greater the resistance

Choose Duration FLEX<sup>™</sup> shingles along with ProEdge FLEX<sup>™</sup> Impact-Resistant Hip & Ridge shingles for a complete UL 2218, Class 4 Impact-Resistant Roof System.



Class 1	11/4" steel ball	
Class 2	1½" steel ball	
Class 3	1¾" steel ball	
Class 4	2" steel ball	





Desert Tan<sup>†</sup>



Brownwood<sup>†</sup>



Teak<sup>†</sup>



Driftwood†



Antique Silver†



Estate Gray<sup>†</sup>



Onyx Black†



# SEE HOW YOUR SELECTED SHINGLE COLOR WILL LOOK ON YOUR HOME.


Try it out at owenscorning.com/DEQ





# SEAL. DEFEND. BREATHE. TOTAL PROTECTION ROOFING SYSTEM®

It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to perform in three critical areas. The Owens Corning\* Total Protection Roofing System\*^ gives you the assurance that all of your Owens Corning\* roofing components are working together to help increase the performance of your roof.



††† Use of shingle-over ridge vents will affect the impact resistance classification of the ProEdge Storm 'Hip & Ridge Shingles; use off-ridge ventilation as an alternative. Refer to the installation instructions for complete details.



### OWENS CORNING ROOFING AND ASPHALT, LLC

ONE OWENS CORNING PARKWAY TOLEDO, OHIO, USA 43659

1-800-GET-PINK\* www.owenscorning.com

Pub. No. 10023121-C. Printed in U.S.A. May 2019.
THE PINK PANTHER™ & © 1964−2019 Metro-Goldwyn-Mayer Studios Inc.
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.
© 2019 Owens Corning. All Rights Reserved.

(Brookville, Denver, Medina, Minneapolis, Summit)

### **Product Attributes**

### Warranty Length\*\*

Limited Lifetime#(for as long as you own your home)

#### Wind Resistance Limited Warranty\*\*

130 MPH§

### Algae Resistance Limited Warranty\*\*

10 Years

### TRU PROtection\* Non-Prorated Limited Warranty\*\* Period

10 Years

### TruDefinition® Duration FLEX™ Shingles

Nominal Size	13¼" x 39¾"
Exposure	55%"
Shingles per Square	64
Bundles per Square	3
Coverage per Square	98.4 sq. ft.

# ProEdge FLEX<sup>™</sup> Hip & Ridge Shingles Product Specifications

Exposure	6"
Nominal Size	12" x 36"
Piece Size	12" x 12"
Shingles per Bundle	22
Pieces per Shingle/Bundle	3/66
Lineal Coverage per Bundle	33 ft.

### **Applicable Standards and Codes**

ASTM D228

ASTM D3018 (Type 1)

ASTM D3161 (Class F Wind Resistance)

ASTM D3462

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

PRI ER 1378E01

UL 2218 (Class 4 Impact Resistance)§§

- \* Homeowners should double-check with their insurance company to see if they qualify.
- \*\* See actual warranty for complete details, limitations and requirements.
- † Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.
- †† The amount of Triple Layer Protection\* may vary on shingle-to-shingle basis.
- ‡ Tru-Bond\* is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning Roofing and Asphalt, LLC.
- ## 40-Year Limited Warranty on commercial projects.
- § To maintain the 130-MPH Wind Resistance Limited Warranty, each ProEdge FLEX" Hip & Ridge Shingle must be hand-sealed. Failure to hand seal will reduce wind warranty to 110 MPH for the ProEdge FLEX" Hip & Ridge Shingles. Refer to the installation instructions for complete details.
- §§ ProEdge FLEX" Hip & Ridge Shingles are required to complete UL 2218 Class IV Impact-Resistant Roof System.
- ^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.

SureNail\* Technology is not a guarantee of performance in all-weather conditions. SureNail\* Technology is available only on Owens Corning\* Duration\* Series Shingles. For patent information, please visit www.owenscorning.com/patents



### **BILLY GOAT ROOFING**

Get your dream project done by turning a large purchase into affordable monthly payments

### **HOW TO APPLY?**



- 1. Open the QR code or follow the link <u>Enhancify.com/billy-goat-roofing</u> to submit a 60-second application.
- 2. Review offers and select the one that's right for you.
- 3. **Finalize your** application with a lender and **get funding** in 1-5 business days.

### WHY CHOOSE FINANCE?

- Turn a large purchase into an affordable monthly payment
- Predictable monthly payments with a set end date
- No collateral offers available
- Get your project done without weeks of meetings with banks, home appraisals, or paperwork
- Get funding in 1-5 business days

REQUEST \$1,000 -\$200,000 IN FUNDING FUNDS AVAILABLE AS QUICKLY
AS 1 BUSINESS DAY

APR STARTING AT 7.99%







SIMPLE 60-SECOND APPLICATION

INSTANT PRE-APPROVAL SOFT CREDIT
PULL AVAILABLE

1-12 YEAR TERMS









## WHAT FINANCING OPTION IS RIGHT FOR YOU?



Give us a call at **(414) 426-7885**, or visit our website <a href="http://Billygoatroofing.com">http://Billygoatroofing.com</a>

Talk with Enhancify at **(813) 212-3073** or visit **Enhancify.com/billy-goat-roofing** to see your offers.

\$10B

IN REQUESTED LOAN VOLUME from \$1,000 to \$200,000, Enhancify supports offers across the credit spectrum. 45K

LOANS FUNDED
Enhancify's platform
has funded over 35,000
consumers.

30+

LENDING NETWORKS
Enhancify's online marketplace
acts as a matchmaker
connecting homeowners to 30+
leading lending networks.

60 SEC

PRE-APPROVAL TIME

Get real-time pre-approvals on financing and see all your options in one place.

3,000

**CONTRACTORS**<u>Currently increasing their revenue with us.</u>

### **LEADING LENDERS**



OneMain Financial

AVANT





**★** Best Egg









And 20+ more



# **FINAL AUTHORIZATION SUMMARY**

**Status: Signed** 

Agreement Completed: Wed, 25 Jun 2025 17:56:32 GMT

• Document emailed for signature: Wed, 25 Jun 2025 17:51:17 GMT Document e-signed by: Julie Halkola Griffith (julie.halkola-griffith@aah.org) Signature date: Wed, 25 Jun 2025 17:56:24 GMT

IP address: ::ffff:10.192.167.13