



# Certificate of Appropriateness

Milwaukee Historic Preservation Commission/200 E. Wells Street/Milwaukee, WI 53202/phone 414-286-5712/fax 414-286-3004

**Property** 2703 N. SHERMAN BLVD., North Sherman Boulevard Historic District  
**Description of work** Face change on the monument to Milwaukee Math & Science Academy, adding a wall sign to the same elevation. All signs to be made out of aluminum.  
**Date issued** 5/20/2021 PTS ID 114613 COA: Wall Sign and Monument Face Change

In accordance with the provisions of Section 320-21 (11) and (12) of the Milwaukee Code of Ordinances, the Milwaukee Historic Preservation Commission has issued a certificate of appropriateness for the work listed above. The work was found to be consistent with preservation guidelines. The following conditions apply to this certificate of appropriateness:

Mounting posts shall be drilled into mortar joints only and not into the face of any brick or stone. Any surface-mounted electrical conduit shall be painted to match surrounding building material.

All work must be done in a craftsman-like manner, and must be completed within one year of the date this certificate was issued. Staff must approve any changes or additions to this certificate before work begins. Work that is not completed in accordance with this certificate may be subject to correction orders or citations. If you require technical assistance, please contact Tim Askin of the Historic Preservation staff as follows: Phone: (414) 286-5712 E-mail: [hpc@milwaukee.gov](mailto:hpc@milwaukee.gov).


If permits are required, you are responsible for obtaining them from the Milwaukee Development Center. If you have questions about permit requirements, please consult the Development Center's web site, [www.milwaukee.gov/build](http://www.milwaukee.gov/build), or call (414) 286-8210.

City of Milwaukee Historic Preservation Staff

Copies to: Development Center, Ald. Russell Stamper II, Contractor



Old Face



Existing Face to be Removed

Cut Out Existing Face



New Face

### Monument Sign Face Specifications

One (1) New Routed Aluminum Face for an Existing Illuminated Monument Sign

Single Sided  
Size: 3'-3" x 6'-3"

(A) Sign Face:

Routed 1/8" aluminum face (no exposed fasteners), backed with white acrylic, 3M translucent film on 1st surface of back up acrylic. (white outline required on copy)

Installation Method:


Cut out existing aluminum face leaving 2" +/- border to stud mount new routed aluminum face.

Colors:

- 1) Paint to match 3M Light Beige film 3630-149
- 2) 3M translucent film Dark Brown 3630-59
- 3) 3M opaque film, Dark Blue (Color Needed)



SIDE VIEW





**Flat Cut Aluminum Wall Sign Specifications**

One (1) Flat Cut Aluminum Wall Sign  
Non-Lit

(A) Substrate:  
1/8" thick aluminum, painted satin finish.

(B) Graphics:  
3M opaque film applied to 1st surface.

Installation Method:  
Mounted flush to building fascia with screws thru face.

**Colors:**

- 1) 3M opaque film, Dark Blue (Color Needed)
- 2) White paint, satin finish (Standard)

**FIELD SURVEY REQUIRED PRIOR TO PRODUCTION**  
- BUILDING DIMENSIONS TO BE FIELD VERIFIED PRIOR TO PRODUCTION.