

Pam Ferderbar and Tom Bamberger  
422 West National Avenue  
Milwaukee, WI 53203  
414-975-5711

City Clerk  
ATTN: CLAIMS  
200 E. Wells St., Room 205  
Milwaukee, WI 53202

16 April 2024

CITY OF MILWAUKEE  
2024 APR 17 PM 3:56  
CITY CLERK'S OFFICE

To Whom It May Concern:

On January 3, 2024 at approximately 1:30P Tom was in the basement when he noticed water coming up through the floor drains. He called for Pam, his wife, and by the time she got to the bottom of the stairs water was gushing in, up through the drains and a section of patched concrete. The concrete patch broke off with the force of the water, and within minutes the concrete slab raised up a few inches on one end. By this time, water had breached the art storage room at the bottom of the basement stairs.

It wasn't raining, there was no snow outside or melting snow, and nothing running/leaking on the street. Tom immediately called the City while Pam began calling fire/water restoration companies to see who could come the fastest to get pumps set up. The water continued to gush in as City workers arrived on the scene on National Avenue at 4<sup>th</sup> Street at approximately 2:05P. They located a broken water main under the street and were trying to figure out which of three valves would shut it down.

It took approximately 40-45 minutes for them to locate the correct valve, but they needed authorization to shut it down as they told us that the valve also serviced the Vieux School on the southwest corner of 4<sup>th</sup> Street and National Avenue. At about this time, the furnace started to make a clicking and whining sound that was loud enough that we heard it through the air exchange duct. Within moments the furnace ceased to work.

By the time the City workers closed the valve, we had 14" of water, which continued to gush in until it crested at 18".

By then Sid Grinker Restoration Services had arrived with two water pump trucks and began pumping out the water. We were told the water was mixed with sewage; the storm drains and sewers are the same system.

An HVAC guy from Air Solutions arrived at about 4P when much of the water/sewage had been pumped out and had also begun to drain out of the floor drains. He noted approximately 6" of water at that time. He showed us the inside of the furnace where sewage and sludge had been deposited by the retreating water and the various parts that were water-logged and muddy.

Grinker sent a plumber, we think, early that evening (it was a stressful time, we were freezing without heat or hot water and the exact details at this point of when people came to help are a little rough). He also showed us the damage caused by the water/mud/sewage as well as the water heater parts that were water-logged and muddy.

OFFICE OF CITY CLERK  
154PP-24408-29

Grinker's team arrived the next day, and for the next several days...and weeks thereafter for the abatement, remediation, and ultimately restoration.

We called friends throughout the neighborhood that afternoon to see whether they had been flooded, and to our knowledge, we were the only people to be flooded by the broken water main.

We think it was the next day that we spoke with Lore Sheeley, the City's Water Claim Specialist. After a couple of days of working with the City to try and determine the cause of our flood, Ms. Sheeley recommended we hire a company to scope and video record the pipes from the house to the lateral in the middle of the street, her thought being it was probably our pipes since no one else on the street had a flood.

We hired Knight Plumbing, Inc. (\$377.65 receipt enclosed). Their report is attached to the receipt. There didn't appear to be anything amiss with the pipes from our house and the lateral, approx. 51'.

Other damage:


**\$1,000 insurance deductible**

Furnace got fried. We paid Air Solutions \$7600. American family reimbursed us \$6600, deducting the \$1,000 deductible from the payment to us. Receipts and paperwork from Air Solutions and AmFam enclosed.)

3 canvas storage bins: replacement \$45 + tax = **\$47.48**



/ Home Decor / Decorative Bins & Baskets / Fabric Open Storage Bin



### The Container Store Large Tapered Canvas Bin Grey Stripe

By The Container Store

★★★★☆ 4.0 2 Reviews

**\$14.39/ea** Reg \$17.99/ea


Save \$3.60 (20% off)

Or 4 payments of \$3.60 with **afterpay**®


Color: Farmhouse




Size: Large



Exterior Dimensions



1 roll Epson photo paper: replacement \$133.05 + tax = **\$140.37**



#### Epson Premium Glossy 250 Photo Inkjet Paper (24" x 100' Roll)

B&H #EPPG241C0 | MFR #S041638

Free 2-Day Shipping

ⓘ Packaging Reveals Contents

📦 Accessories

In Stock  
Ready to Ship



1

\$133.05

Save for Later | Remove

Item Total: **\$133.05**

**\$1,700.00** Print Restoration/Peter DiAntoni for 34 silver gelatin prints that got soaked. (See pictures. The grow lights in the basement change color which is why the pictures look pink in some of the photos.)



P5 Bamberger/422 W. National Avenue Claim

\$1,700.00

377.65

1,000.00

140.37

47.48

\$3,265.50 Claim total

Pam Ferderbar and Tom Bamberger  
422 West National Avenue  
Milwaukee, WI 53203  
414-975-5711

Enclosed:

Pete DiAntoni invoice \$1700

American Family documentation that we paid \$1000 deductible

Pete DiAntoni invoice \$1700

The Alice Wilds (gallery) STATEMENT OF VALUE

Knight Plumbing Swerer line diagnosis invoice \$377.65

Air Solutions invoice showing we paid \$7600 (AmFam paperwork shows they reimbursed us \$6600)

COOLING

HEATING

AIR SOLUTIONS

414-554-1220

www.airsolutionshc.com

airsolutionshc@gmail.com

5428 W Vliet St

Milwaukee WI

53208

# INVOICE #13395

ISSUED:

01/25/2024

DUE:

01/25/2024

PAID:

01/25/2024

RECIPIENT:

Tom Bamberger

422 West National Avenue  
Milwaukee, Wisconsin 53204

SERVICE ADDRESS:

422 West National Avenue  
Milwaukee, Wisconsin 53204

PAID

# AIR SOLUTIONS

414-554-1220

www.airsolutionshc.com  
airsolutionshc@gmail.com

5428 W Villet St  
Milwaukee WI  
53208

COOLING  
HEATING

## INVOICE #13395

ISSUED:

01/25/2024

DUE:

01/25/2024

PAID:

01/25/2024

| Product/Service                  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Qty. | Unit Price | Total       |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|-------------|
| American Standard<br>Platinum 95 | <p>MODEL: AUHMD120ACV5<br/>EFFICIENCY: 97%<br/>SIZE: 120,000 btu<br/>FUEL TYPE: Natural Gas<br/>WARRANTY: Limited Lifetime On Heat Exchanger /<br/>10 Years on Parts / 1 Year on labor</p> <p>PLATINUM 95 GAS FURNACE HIGHLIGHTS:</p> <ul style="list-style-type: none"><li>• Provides fully modulating heating, operating between 40 percent and 100 percent firing rates for ultimate efficiency and comfort control</li><li>• Variable-speed blower motor adjusts speed to provide a consistent flow of warm, comfortable air with quiet operation</li><li>• Converts up to 97.3 percent of the fuel you pay for into heat for your home</li><li>• Automatically communicates and coordinates with your other system components via the AccuLink™ Communicating System*</li><li>• Faster, easier installation that is less invasive to your home with a simplified connection to the Comfort Control</li><li>• Saves on energy usage while reducing greenhouse gas emissions by significantly surpassing government efficiency standards on energy usage while reducing</li><li>• Its heavy steel insulated cabinet is durable, quiet and holds more heat in the furnace to better warm your home</li></ul> <p>INSTALLATION DETAILS:</p> <ul style="list-style-type: none"><li>• Plenum transition done in sheetmetal from new furnace to exiting sheetmetal</li><li>• New cold air return drop from cold air trunk to filter assembly ( 2 cold air returns will be needed for this system )</li><li>• Trion Air Bear hi-Flow air cleaner with 20 x 25 x 5 media filter ( 2 air cleaners will be needed for this system )</li><li>• Includes all necessary inlet/outlet vent piping</li><li>• Includes all necessary gas piping</li><li>• Includes all necessary drain piping</li><li>• Includes all necessary low voltage wiring</li><li>• Electrical wiring with new switch and switch box</li><li>• Labor and materials</li><li>• Removal and Disposal of old equipment</li></ul> <p>• It is recommended that the equipment be serviced annually in order to maintain manufacturers warranty</p> | 1    | \$7,600.00 | \$7,600.00* |

COOLING

HEATING

AIR SOLUTIONS

414-554-1220

www.airsolutionshc.com

airsolutionshc@gmail.com

5428 W Vliet St

Milwaukee WI

53208

INVOICE #13395

|            |            |            |
|------------|------------|------------|
| ISSUED:    | DUE:       | PAID:      |
| 01/25/2024 | 01/25/2024 | 01/25/2024 |

\* Non-taxable

Wisconsin Sales Tax ID 456-1029268652-02

|                                                   |              |
|---------------------------------------------------|--------------|
| Subtotal                                          | \$7,600.00   |
| Milwaukee County<br>(City of Milwaukee)<br>(7.9%) | \$0.00       |
| Total                                             | \$7,600.00   |
| Paid                                              | - \$7,600.00 |
| Invoice balance                                   | \$0.00       |
| Account balance                                   | -\$1,300.00  |

PAID



## Your receipt from Knight Plumbing, Inc.

**Invoice Number:** 17489  
**Service Date:** Jan 25, 2024  
**Invoice Date:** Jan 25, 2024  
**Customer Name:** Tom Bamberger  
**Service Address:** 422 W National Ave Milwaukee, WI 53204

| Services                                         | qty | unit price | amount   |
|--------------------------------------------------|-----|------------|----------|
| R08-DC Camera                                    | 1.0 | \$350.00   | \$350.00 |
| Use drain camera to inspect interior drain line. |     |            |          |

---

|          |          |
|----------|----------|
| Subtotal | \$350.00 |
| TAX 1    | \$27.65  |

---

**Amount Paid**

**\$377.65**

**Payment Method**  
Misc

January 25, 2024  
10:55am

Diagnosis. Camera inspect sewer because of possible water main break.

Recommended Work. Camera inspect sewer.

Actual Work Performed. Same as recommended.

(414) 423-7376 | [dispatch@knightplumbinginc.com](mailto:dispatch@knightplumbinginc.com)

<http://www.knightplumbinginc.com>

4270 S. Howell Ave.  
Milwaukee, WI 53207

Terms & Conditions



## Knight Plumbing, Inc.

Tom Bamberger  
422 W National Ave  
Milwaukee, WI 53204

☎ (414) 975-5711  
✉ tom.bamberger@gmail.com

|              |              |
|--------------|--------------|
| INVOICE      | #17489       |
| SERVICE DATE | Jan 25, 2024 |
| INVOICE DATE | Jan 25, 2024 |
| DUE          | Upon receipt |

|            |               |
|------------|---------------|
| AMOUNT DUE | <b>\$0.00</b> |
|------------|---------------|

### CONTACT US

4270 S. Howell Ave.  
Milwaukee, WI 53207

☎ (414) 423-7376  
✉ dispatch@knightplumbinginc.com

Service completed by: Dan Stelter, Gerson  
Tjahikika

## INVOICE

| Services                                                          | qty | unit price | amount          |
|-------------------------------------------------------------------|-----|------------|-----------------|
| R08-DC Camera<br>Use drain camera to inspect interior drain line. | 1.0 | \$350.00   | \$350.00        |
| Subtotal                                                          |     |            | \$350.00        |
| Total Tax                                                         |     |            | \$27.65         |
| TAX 1 (7.9%)                                                      |     |            | \$27.65         |
| <b>Total</b>                                                      |     |            | <b>\$377.65</b> |

### Payment History

|        |             |       |          |
|--------|-------------|-------|----------|
| Jan 25 | Thu 10:55am | Other | \$377.65 |
|--------|-------------|-------|----------|

Diagnosis.

Camera inspect sewer because of possible water main break.

Recommended Work.

Camera inspect sewer.

Actual Work Performed.

Same as recommended. Camera showed that the sewer is roughly 51 ft long. Sewer is 6" clay pipe that has a transition to schedule 35 PVC pipe at the 47ft mark leading to the city connection. The clay piping has multiple areas of minor offset joints that create a small amount of standing water in areas of the sewer. The camera did not show any infiltration of water at the time of the recording. The camera did not show any root intrusion on clay joints.

✓ Signed on 01/25/24 for \$377.65



January 11, 2024

THOMAS BAMBERGER  
422 W National Ave  
Milwaukee, WI 53204-1744

Claim Number: 01007084328  
Date of Loss: 1/3/2024

**Summary For Coverage A - Dwelling**

| <b>Replacement Cost Value</b>           | <b>Less Recoverable<br/>Depreciation</b> | <b>Less Non Recoverable<br/>Depreciation</b> | <b>Actual Cash Value (ACV)</b> |
|-----------------------------------------|------------------------------------------|----------------------------------------------|--------------------------------|
| <u>\$7,696.03</u>                       |                                          |                                              | <u>\$7,696.03</u>              |
| Less Deductible                         |                                          |                                              | <u>(\$1,000.00)</u>            |
| <b>Total ACV Settlement</b>             |                                          |                                              | <u><b>\$6,696.03</b></u>       |
| Less ACV Payments Made                  |                                          |                                              | <u>(\$96.03)</u>               |
| <b>Total Outstanding ACV Settlement</b> |                                          |                                              | <u><b>\$6,600.00</b></u>       |

Insured: THOMAS BAMBERGER  
422 W National Ave  
Milwaukee, WI 53204-1744

Phone: (213) 364-5449

Claim Rep.: Erin Abens  
Estimator: Erin Abens

Claim Number: 01007084328

Policy Number: 410767537385

Type of Loss: LossCause

| Coverage                            | Deductible | Policy Limit |
|-------------------------------------|------------|--------------|
| Coverage A - Dwelling               | \$1,000.00 | \$746,100.00 |
| Coverage B - Unscheduled Structures | \$0.00     | \$5,000.00   |
| Coverage C - Personal Property      | \$0.00     | \$559,600.00 |
| Water Mitigation                    | \$0.00     | \$746,100.00 |

Date Contacted: 1/4/2024 12:00 AM

Date of Loss: 1/3/2024 11:00 AM

Date Est. Completed: 1/10/2024 1:42 PM

Price List: WIMWAFICS\_JAN24\_72  
Restoration/Service/Remodel

|              |                    |   |        |
|--------------|--------------------|---|--------|
| Sales Taxes: | Material Sales Tax | @ | 5.000% |
|              | Services Mat'l Tax | @ | 5.000% |
|              | Service Sales Tax  | @ | 5.000% |
|              | Manuf. Home Tax    | @ | 5.000% |
|              | Storage Tax        | @ | 5.000% |

---

**Estimate Recap For Coverage A - Dwelling**

| <b>Description</b> | <b>RCV</b>      | <b>Recoverable<br/>Depreciation</b> | <b>Non-recoverable<br/>Depreciation</b> | <b>ACV</b>      |
|--------------------|-----------------|-------------------------------------|-----------------------------------------|-----------------|
| <b>HVAC</b>        | <b>7,696.03</b> | <b>0.00</b>                         | <b>0.00</b>                             | <b>7,696.03</b> |
|                    | <b>7,696.03</b> | <b>0.00</b>                         | <b>0.00</b>                             | <b>7,696.03</b> |

THOMAS\_BAMBERGER

HVAC

| QUANTITY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | UNIT     | TAX  | RCV      | AGE/LIFE | COND. | DEP % | DEPREC. | ACV      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|----------|----------|-------|-------|---------|----------|
| 1. HVAC Technician - per hour                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |      |          |          |       |       |         |          |
| 1.00 HR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 96.03    | 0.00 | 96.03    | 0/NA     | Avg.  | 0%    | (0.00)  | 96.03    |
| Furnace inspection invoice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |      |          |          |       |       |         |          |
| Home had water back up from the city sewer. 6" of water in basement. Furnace stopped working due to the variable speed blower motor being submerged in unsanitary water. Removed blower housing from furnace and found at least 3" of water still inside the blower housing. Blower motor , wiring harness and motor control have been submerged in water. Both cold air return ducts and air cleaner assemblies have been submerged as well. Furnace needs to be replaced due to unsanitary water penetrating the equipment. Furnace has major mechanical damage and is not repairable. |          |      |          |          |       |       |         |          |
| 2. Heat, Vent, & Air Conditioning (Agreed Price)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |      |          |          |       |       |         |          |
| 1.00 EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 7,600.00 | 0.00 | 7,600.00 | 0/NA     | Avg.  | 0%    | (0.00)  | 7,600.00 |
| Invoice received and verified with HVACi. Cost to replace water damaged furnace approved.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |      |          |          |       |       |         |          |
| Totals: HVAC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          | 0.00 | 7,696.03 |          |       |       | 0.00    | 7,696.03 |
| Line Item Totals: THOMAS_BAMBERGER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          | 0.00 | 7,696.03 |          |       |       | 0.00    | 7,696.03 |

[%] - Indicates that depreciate by percent was used for this item

[M] - Indicates that the depreciation percentage was limited by the maximum allowable depreciation for this item

**Summary for Coverage A - Dwelling**

|                               |                   |
|-------------------------------|-------------------|
| Line Item Total               | 7,696.03          |
| <b>Replacement Cost Value</b> | <b>\$7,696.03</b> |
| Less Deductible               | (1,000.00)        |
| <b>Net Claim</b>              | <b>\$6,696.03</b> |

Erin Abens

**Recap of Taxes**

|                   | <b>Material Sales Tax<br/>(5%)</b> | <b>Services Mat'l Tax<br/>(5%)</b> | <b>Service Sales Tax<br/>(5%)</b> | <b>Manuf. Home Tax<br/>(5%)</b> | <b>Storage Tax (5%)</b> |
|-------------------|------------------------------------|------------------------------------|-----------------------------------|---------------------------------|-------------------------|
| <b>Line Items</b> | 0.00                               | 0.00                               | 0.00                              | 0.00                            | 0.00                    |
| <b>Total</b>      | 0.00                               | 0.00                               | 0.00                              | 0.00                            | 0.00                    |

---

**Recap by Room**

**Estimate: THOMAS\_BAMBERGER**

**HVAC**

**7,696.03**

**100.00%**

---

**Subtotal of Areas**

---

**7,696.03**

---

**100.00%**

---

**Total**

---

**7,696.03**

---

**100.00%**

---

**Recap by Category**

| <b>Items</b>                             | <b>Total</b>    | <b>%</b>       |
|------------------------------------------|-----------------|----------------|
| <b>HEAT, VENT &amp; AIR CONDITIONING</b> | <b>7,696.03</b> | <b>100.00%</b> |
| <b>Subtotal</b>                          | <b>7,696.03</b> | <b>100.00%</b> |

# INVOICE

#050

**Peter DiAntoni**

2563 N. Booth St.  
Milwaukee, WI 53212  
414.520.9644  
pdiantoni@gmail.com

Tom Bamberger

March 18, 2024

| description of services                                       | amount                 |
|---------------------------------------------------------------|------------------------|
| Silver gelatin print restoration<br>34 prints @ \$50/ea ..... | \$1700.00              |
| please make check payable to Peter DiAntoni                   | balance due- \$1700.00 |

# THE ALICE WILDS

STATEMENT OF VALUE

APRIL 12, 2024

The object(s) described below have been reviewed by: The Alice Wilds

DATE REVIEWED    APRIL 12, 2024

PURPOSE                Statement of value for insurance claim by Tom Bamberger

As Tom Bamberger's representative gallery since 2019 we can attest that the fair market value of his vintage gelatin silver photographic prints from his series *Horizon Lines* are currently valued at \$3,000.00 (each), as was listed in our recent exhibition *Untitled (show of ten)*, exhibition dates: December 2, 2023 – January 20, 2024, which the work was featured in; exhibition price list below. Please see page 4 of this document.

  
John Sobczak (Apr 12, 2024 12:49 CDT)

John Sobczak, Director, The Alice Wilds

Apr 12, 2024

Date

# Untitled (show of ten)

December 2, 2023 – January 20, 2024

THE  
ALICE  
WILDS

1. Sean Heiser  
*Untitled*, 2017  
Acrylic and flashe on canvas  
26-1/4 x 19-1/4 inches  
\$1200
2. Leslie Vansen  
*Rowena Cade*, 1970s  
Oil and acrylic on canvas  
60 x 60 inches  
\$7000
3. Julie Weber  
*Image in B&W (portraits)*, 2019  
Gelatin silver photogram  
14 x 11 inches  
Edition 1 of 2 variants + 1 AP  
\$1200
4. Julie Weber  
*Image #2 YMC in B&W (portraits)*, 2019  
Gelatin silver photogram  
14 x 11 inches  
Edition 1 of 2 variants + 1 AP  
\$1200
5. Julie Weber  
*Undisclosed Typology: 1407.04.P*, 2014  
Found gelatin silver contact print, altered  
11 x 14 inches  
\$1200 (framed)
6. Julie Weber  
*Undisclosed Typology: 1407.04.O*, 2014  
Found gelatin silver contact print, altered  
11 x 14 inches  
\$1200 (framed)
7. Ida Applebroog  
*Untitled*, 1992  
Screenprint printed in 11 colors  
Edition 6 of 100  
(image): 25-1/4 x 25-1/4 inches; (sheet): 26 x 26 inches  
\$1800
8. Santiago Cucullu  
(west wall top left to bottom right)  
*X-ibit*, 2021  
Ink on paper  
13 x 9 inches  
\$350  
*Untitled*, 2021  
Ink and acrylic on paper  
13 x 9 inches  
\$350  
*Two Triangles & a Monolith*, 2022  
Ink on canvas  
10 x 8 inches  
\$1000  
*Shelves and Pots*, 2022  
Ink on paper  
13 x 10 inches  
\$350  
*Guitar and Drums*, 2020-21  
Ink on paper  
24 x 19 inches  
\$750  
*First Diamonds*, 2021  
Ink on canvas  
10 x 8 inches  
\$1000  
*Nights*, 2021  
Ink on canvas  
10 x 8 inches  
\$1000  
*Untitled (10 am)*, 2021  
Acrylic on canvas  
10 x 8 inches  
\$1000  
*Holding Pattern*, 2021  
Ink on paper  
14 x 8 inches  
\$350

Santiago Cucullu  
(south wall and center)

*Diamonds*, 2022  
Ink and pumice gel on cyanotype canvas  
14 x 11 inches  
\$1500

*Stack of Three & Intersecting Rectangle*, 2021  
Acrylic, ink and collage on canvas  
16 x 12 inches  
\$1500

*Five Pots on a Shelf with a Triangle & a Half Moon*, 2021  
Acrylic and ink on canvas  
15 x 12 inches (framed)  
\$1800

*Four Triangles, a Square, a Circle, and a Bowl on Two Shelves*, 2022  
Acrylic and latex on wood  
36 x 24 inches  
\$5000

9. Kevin Larmon  
*Pail*, 1987  
Oil on linen  
19 x 15 inches  
\$1600

10. Leslie Vansen  
*Speaking Likeness*, 1970s  
Acrylic on canvas  
60 x 60 inches  
\$7000

11. Leslie Vansen  
*Jessie Parrott*, 1976  
Acrylic on canvas  
60 x 60 inches  
\$7000

12. Sean Heiser  
*Untitled (George Wythe)*, 2017  
Acrylic and flashe on linen  
14 x 10-1/2 inches  
\$600

13. Steven D. Foster  
*Steve Lacy Series (23-3-10)*, 1977  
Vintage gelatin silver print  
(image): 13-7/8 x 13-7/8 inches  
(sheet): 15-15/16 x 19-7/8 inches  
Edition 6/10  
\$3650 (framed)

14. Steven D. Foster  
*Steve Lacy Series (SL Neg. #22 – Row 2 - #10)*, 1977  
Vintage gelatin silver print  
(image): 13-7/8 x 13-7/8 inches  
(sheet): 15-15/16 x 19-7/8 inches  
Edition 5/10  
\$3650 (framed)

15. Steven D. Foster  
*Steve Lacy Series (Milwaukee)*, 1977  
Vintage gelatin silver print  
(image): 13-7/8 x 13-7/8 inches  
(sheet): 15-15/16 x 19-7/8 inches  
Unnumbered print of an unrealized edition of 10  
\$3650 (framed)

16. Laurence Rath sack  
*Ship*, 1962  
Watercolor on paper  
22 x 29-1/5 inches  
Price upon request

17. Laurence Rath sack  
*White Land*, 1977  
Watercolor on paper  
22 x 28 inches  
Price upon request

18. Steven D. Foster  
*Lake Series*, 1981  
Vintage gelatin silver print  
(image): 10-3/4 x 10-3/4 inches; (sheet): 16 x 20 inches  
1 of an unrealized edition of 10  
\$3600 (framed)

19. Steven D. Foster  
*Lake Series, Milwaukee*, 1981  
Vintage gelatin silver print  
(image): 10-1/2 x 10-1/2 inches; (sheet): 16 x 20 inches  
Edition 4 of 10  
\$3600 (framed)

20. Steven D. Foster  
*Lake Series (7-23-81-4)*, 1981  
Vintage gelatin silver print  
(image): 10-3/4 x 10-3/4 inches; (sheet): 16 x 20 inches  
Edition 10 of 10  
\$3600 (framed)

21. Gary Stephan  
*Gozonta 2*, 1985  
Acrylic on linen  
45 x 32 inches  
\$7500

22. Tom Bamberger  
*Untitled (LA)*, 1997 from the series, *Horizon Lines*, 1994-1999  
Vintage gelatin silver print  
20 x 24 inches  
\$3000
23. Tom Bamberger  
*Untitled (California Eden)*, 1997 from the series, *Horizon Lines*, 1994-1999  
Vintage gelatin silver print  
20 x 24 inches  
\$3000
24. Tom Bamberger  
*Untitled (Silver Desert)*, 1996 from the series, *Horizon Lines*, 1994-1999  
Vintage Gelatin silver print  
20 x 24 inches  
\$3000
25. Laurence Rathsack  
*Empty #1*, 1977  
Watercolor on paper  
24 x 22 inches  
Price upon request

# TAW\_InsuranceClaim\_Bamberger\_2024\_001

Final Audit Report

2024-04-12

|                 |                                              |
|-----------------|----------------------------------------------|
| Created:        | 2024-04-12                                   |
| By:             | Tina Schinabeck (tinaschinabeck@gmail.com)   |
| Status:         | Signed                                       |
| Transaction ID: | CBJCHBCAABAAz3RbgJMvS3tlkJqR1-531SBenF2zkass |

## "TAW\_InsuranceClaim\_Bamberger\_2024\_001" History

-  Document created by Tina Schinabeck (tinaschinabeck@gmail.com)  
2024-04-12 - 5:46:30 PM GMT- IP address: 184.58.227.80
-  Document emailed to John Sobczak (sobczak.john@gmail.com) for signature  
2024-04-12 - 5:46:57 PM GMT
-  Email viewed by John Sobczak (sobczak.john@gmail.com)  
2024-04-12 - 5:48:30 PM GMT- IP address: 104.28.103.15
-  Document e-signed by John Sobczak (sobczak.john@gmail.com)  
Signature Date: 2024-04-12 - 5:49:17 PM GMT - Time Source: server- IP address: 72.128.67.191
-  Agreement completed.  
2024-04-12 - 5:49:17 PM GMT



Adobe Acrobat Sign