

- A. ALL WORK UNDER THIS CONTRACT SHALL BE PERFORMED IN STRICT COMPLIANCE WITH ALL LOCAL CODES, ORDINANCES AND REGULATIONS
- CONTRACTOR SHALL OBTAIN ALL PERMITS REQUIRED TO PERFORM WORK IN ACCORDANCE WITH REQUIREMENTS AND PROCEDURES OF ANY
- CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS, DIMENSIONS, AND COORDINATES. THE CONTRACTOR SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BETWEEN EXISTING CONDITIONS AND THE CONTRACT DOCUMENTS.
- DO NOT SCALE THE DRAWINGS. IF A CONTRADICTION OCCURS WITHIN THE CONTRACT DOCUMENTS OR INFORMATION IS UNCLEAR, THE CONTRACTOR SHALL NOTIFY THE ARCHITECT FOR CLARIFICATION.
- CONTRACTOR SHALL COORDINATE WITH THE WORK OF OTHERS NOT INCLUDED IN THE THIS CONTRACT AS DIRECTED BY THE OWNER.
- G. ALL PLAN DIMENSIONS ARE TO FACE OF MASONRY VENEER OR FACE OF WALL FINISH, U.N.O.
- H. ALL VERTICAL DIMENSIONS TO BE ABOVE FINISH FLOOR (A.F.F.) U.N.O.
- I. THE WORD ALIGN AS USED IN THESE DOCUMENTS SHALL MEAN TO ACCURATELY LOCATE FINISH FACES IN THE SAME PLANE.



EXISTING PHOTO OF EAST ELEVATION


| KEYED ELEVATION NOTES | |
|-----------------------|---|
| TAG # | DESCRIPTION |
| 1 | NEW CONCRETE RAMP SURFACE, SEE SECTION FOR DETAILS |
| 2 | NEW RAILING, SEE TYPICAL RAILING DETAIL |
| 3 | RECLAIMED CREAM CITY BRICK VENEER, MATCH EXISTING BRICK TO EXISTING BUILDING AS CLOSE AS POSSIBLE. SEE TYPICAL SECTION FOR SUPPORT AND FLASHING DETAILS |
| 4 | NEW CONCRETE STAIRS, SEE STAIR SECTION FOR DETAILS |
| 5 | EXISTING ENTRANCE SYSTEM TO REMAIN, PROVIDE WARNING SIGNAGE AND PROTECTION DURING CONSTRUCTION |
| 6 | LOCATE WALL MOLINTED HANDRAIL ATTACHMENTS TO AVOID WINDOWS |



ENTRY STAIR RENOVATION

STAIR AND RAMP RENOVATION FOR: ST. JOHN CATHEDRAL

600 E. WELLS STREET MILWAUKEE, WI



COMPLEX MAP & WORKSITE LOCATION




SHEET LIST


Architectural

TITLE SHEET, SHEET INDEX, LOCATION MAP


CONSTRUCTION PLAN

© in. studio architecture, Ilc.





A1.0 A3.1



NEW STEEL RAILING, SEE

NEW CONCRETE RAMP

TYPICAL RAILING DETAIL 3/A3.1

SLOPE CONCRETE ADJACENT

NEW L5x5-1/2x5/16 GALVANIZED STEEL ANGLE W/ 1/2" DIA HEADED

EXISTING BUILDING OR GROUT

STUDS AT 48" O.C. ATTACHED TO

FILLED CMU W/ 3/4" DIA TITEN HD

TO MASONRY WALLS TO PREVENT WATER INTRUSION.

ANCHORS AT 16" O.C.

— ENGINEERED FILL & GRAVEL

© in. studio architecture, Ilc.