



### THE MARVIN PORTFOLIO

The Marvin portfolio consists of five product lines organized into three distinct collections defined by the degree of design detail and customization opportunities.

Marvin windows and doors offer exceptional performance, energy efficiency, low maintenance, and quality you can see, feel, and touch to help bring your vision to life.



#### **ULTIMATE**

Most extensive selection of features. options, and product types



#### **MODERN**

Design flexibility in a purely modern aesthetic available exclusively at Marvin Modern dealers



#### **COASTLINE**

**EXTRUDED ALUMINUM** 

Custom windows and doors for high velocity hurricane zones in the coastal Southeast



#### **ELEVATE**

Wide range of options and product types



#### **ESSENTIAL**

MARVIN ESSENTIAL™ COLLECTION

Curated options and product types

MARVIN SIG	INATURE® (	COLLECTION

WOOD
6 species options + custom
2 painted or primed option
6 stains + clear coat

#### **EXTRUDED ALUMINUM** 5 color options

**FIBERGLASS** 

**EXTRUDED ALUMINUM** 6 solid colors, 4 woodgrain finishes

#### WOOD

Bare pine, painted Designer Black, painted White, or clear coat

MARVIN ELEVATE® COLLECTION

#### **FIBERGLASS**

4 color options

#### **EXTERIORS**

**INTERIORS** 

#### EXTRUDED ALUMINUM 19 colors + custom

#### WOOD

WOOD

3 species + custom

5 color options 6 solid colors, 4 woodgrain finishes

#### **FIBERGLASS**

6 color options

#### **FIBERGLASS**

6 color options

new construction

#### SIZING

#### Standard + custom sizing for replacement, remodeling, or new construction

Extensive selection including

Marvin Gallery Hardware

#### Custom sizing for remodeling or new construction

Minimalist hardware for

modern design aesthetic

#### Available in multiple styles, sizes, and finishes to complement the window + door aesthetics

Custom sizing for replacement,

remodeling, or new construction

Available in 6 finish options with 2 door handle styles

new construction

Standard + custom sizing for

replacement, remodeling, or

#### **HARDWARE**

#### COASTAL +

Hurricane Impact Zones 3 and 4, WATERFRONT + PG 50 Products

#### All products rated for High Velocity Hurricane Zone (IZ4)

Hurricane Impact Zone 3, + PG 50 Products

Standard + custom sizing for

replacement, remodeling, or

#### Available in 6 finish options with 1 door handle style



## THE PERFECT BALANCE OF BEAUTY AND STRENGTH

Balancing beautiful design with superior strength, the Marvin Elevate collection delivers style in any climate. Elevate features warm wood interiors that can blend in or stand out with Ultrex® fiberglass exteriors for lasting durability. The collection offers a range of carefully selected features and options, making it as versatile as it is elegant.



Casement windows with Simulated Checkrails and Grills-between-the-Glass

in Designer Black with Matte Black hardware

MARVIN ELEVATE® COLLECTION

#### **About Us**

At Marvin, we're driven to imagine and create better ways of living, helping people feel happier and healthier inside their homes. We believe that our work isn't just about designing better windows and doors—it's about opening new possibilities for the people who use them.

# Inswing French door with Matte Black hardware MARVIN ELEVATE® COLLECTION

#### TABLE OF CONTENTS

- 4 MARVIN ELEVATE COLLECTION
- 8 WHY MATERIALS MATTER
- 10 ENERGY EFFICIENCY
- 12 DESIGNED WITH PROS IN MIND
- 14 WINDOWS
- 16 CASEMENT + AWNING
- 18 DOUBLE HUNG
- 20 GLIDER
- 22 PICTURE
- 24 BAY + BOW
- 26 ROUND TOP + SPECIALTY SHAPES
- 28 DOORS
- 30 BI-FOLD DOOR
- 32 SLIDING PATIO DOOR
- 34 SLIDING FRENCH DOOR
- 36 INSWING FRENCH DOOR
- 38 OUTSWING FRENCH DOOR
- 40 PRODUCT OPTIONS
- 42 INSTALLATION ACCESSORIES
- 43 EXTERIOR TRIM
- 44 DESIGN OPTIONS
- 46 HARDWARE STYLES
- WINDOW SAFETY

7

#### WHY MATERIALS MATTER

#### THE MARVIN MATERIALS DIFFERENCE: ULTREX® FIBERGLASS

Choosing the right materials for windows and doors is important when it comes to long-term appearance and performance. Ultrex, an innovative fiberglass material pioneered by Marvin over 25 years ago, was one of the first premium composites on the market. However, not all composites are created equal.

Some companies use materials with fundamentally different properties and performance values to produce a composite material. But, Ultrex is different. High density woven fibers bound by a thermally-set resin makes Ultrex more resistant to pressure and temperature than vinyl-based composites. With such different materials grouped in the composites category, it becomes important to know what sets them apart.




#### TEMPERATURES MAY FLUCTUATE, BUT ULTREX FIBERGLASS WON'T

Ultrex expands and contracts at virtually the same rate as glass, so it works with glass rather than against it. This means seals aren't as prone to leaking, and windows aren't subjected to sagging issues like other composites.

This is especially true when compared to vinyl, which can distort in extreme heat and crack in fluctuating temperatures. Ultrex resists distortion even at temperatures up to 285°F. Rapid temperature change doesn't faze Ultrex. From -30°F to 70°F, a 6-foot stile changes less than 1/32 inch in length.

#### **EXPANSION MEASUREMENT**

Ultrex expands and contracts at virtually the same rate as glass.



#### INDUSTRY'S BEST FIBERGLASS FINISH FOR LASTING BEAUTY

Ultrex is the first and only fiberglass finish to be verified to AAMA's 624 voluntary finish specifications for fiber reinforced thermoset profiles (fiberglass).

Windows and doors made with Ultrex resist scratches, dings, and marring more than vinyl. Our proprietary, mechanically bonded acrylic finish is up to three times thicker than painted competitive finishes, and it resists UV degradation up to five times longer than vinyl-even on dark colors.

#### ACRYLIC CAP








#### STRENGTH AND STABILITY OF ULTREX

Ultrex pultruded fiberglass has a tensile strength 8x stronger than vinyl and 3x stronger than non-fiberglass vinyl/wood composites. Windows and doors made with Ultrex bend and flex less, resist cracking and separating, and stand up better to everyday wear and tear.

The exceptional strength and stability of Ultrex eases installation and establishes a secure, long-lasting fit that stays square and true, year after year.





MARVIN ELEVATE® COLLECTION

#### COOLER IN SUMMER, WARMER IN WINTER

#### TOP RATED ENERGY FEFICIENCY

The National Fenestration Rating Council (NFRC) defines energy performance ratings for the entire window and door industry. It rates:

- U-factor: How well a window keeps heat inside a building.
- Solar heat gain: A window's ability to block warming caused by sunlight.
- Visible light transmittance: How much light gets through a product.
- Air leakage: Heat loss and gain by air infiltration through cracks in the window assembly.

Ultrex® fiberglass is 500 times less conductive than roll form aluminum, similar to wood and PVC. It provides an insulated barrier against extreme weather temperatures, keeping homes comfortable, and reducing heating and cooling costs.


#### **ENERGY COST SAVINGS**

Marvin was the first major window and door manufacturer to offer energy-efficient Low E2 glass and ENERGY STAR® certified performance on all of our standard windows and doors. Compared to noncertified products, ENERGY STAR certified windows and doors cut heating and cooling costs by 12%.\*

The Elevate collection offers Triple-pane, Low E1, Low E2, Low E3, and Low E3/ERS insulated glass with argon gas, which has thermal conductivity 30% lower than that of air. It adds improved solar and thermal protection by distinguishing between visible light, damaging UV, and near-infrared rays to offer the ultimate glass performance. And provides a selection of energy-efficient solutions depending on your climate and needs.

#### LOW E GLASS COATING

The Low E coating is specially designed to take advantage of the angle of the winter and summer sun. Winter sun is absorbed and conducted indoors. Summer sun is filtered and reflected back outdoors.





# A MORE COMFORTABLE INTERIOR, REGARDLESS OF THE SEASON

Keep heat inside during cooler weather and block the sun's rays during warmer weather with dual-pane windows and Low E coating.

10 MARVIN ELEVATE® COLLECTION \* ENERGY STAR® at energystar.gov

#### **DESIGNED WITH PROS IN MIND**

#### PEACE OF MIND

Every project has its own unique requirements and Marvin is equipped to meet those challenges. Our unique Ultrex® fiberglass construction, available factory services, unmatched delivery, and network of dedicated service and support personnel make the Elevate collection the perfect choice—no matter the project.

#### EASY TO ORDER, SIMPLE TO INSTALL

The Elevate collection offers simplified options to make the order process straightforward. Installation options and accessories make installing Marvin easier than ever. See page 20 for more information.

#### MARVIN HAS YOU COVERED

The Elevate collection is backed by a fully transferable 20/10 warranty: 20-year coverage on glass, and 10-year coverage on manufacturing materials and workmanship.

# CREATING VALUE AND EFFICIENCY EVERY STEP OF THE WAY

Weather-tight, solid, and durable Ultrex® fiberglass means there are virtually no call-backs. Elevate window and door profiles are optimized for the maximum in performance and fit.



12 MARVIN ELEVATE® COLLECTION 1







#### CASEMENT + AWNING

- Multi-point sequential locking system provides superior PG50 performance rating with single lever operation.
- Interior screen features an aluminum surround and concealed pressure mounting points for ease of operation and enhanced aesthetics.
- Operating, transom, and picture units available.
- Folding handle neatly stows out of the way. Stainless steel coastal hardware available.
- Casement available in standard and special sizes up to 3 feet wide by 6 feet high.
- Awning available in standard and special sizes up to 4 feet wide by 4 feet high.
- Coordinating Picture and Transom windows also available.
- Narrow frame option with 3 ¼ inch insert replacement frame, flat sill, and through jamb installation.



CASEMENT + AWNING



CASEMENT NARROW FRAME + AWNING NARROW FRAME



#### DOUBLE HUNG





#### DOUBLE HUNG

- Equipped with a standard full screen; optional half screen is available.
- Tilt latches are ergonomically designed and easy to operate, making tilting and cleaning effortless.
- Sash lock provides a positive detent, reassuring the user that the window is either locked or unlocked.
- Up to PG50 performance rating.

- Equal, Cottage, and Reverse Cottage sash provide a variety of looks and checkrail heights.
- Available in standard and special sizes up to 4 feet 6 inches wide by 7 feet high.
- Coordinating Picture and Transom windows also available.
- Double Hung Insert option features ¾ inch insert replacement frame with through jamb installation and up to PG40 performance rating.







DOUBLE HUNG INSERT



#### **GLIDER**





#### GLIDER

- Operating sash easily tilts and removes with no cords or strings to detach.
- Tilt latches are ergonomically designed and easy to operate, making tilting and cleaning effortless.
- Available in dual sash with left or right operating panel as well as triple sash with fixed center panel and two operating end panels.
- Innovative screen design for easy installation and removal.
- Up to PG30 performance rating.
- Available in standard and special sizes up to 6 feet wide by 5 feet high for dual sash and 8 feet wide by 5 feet high for triple sash.







SASH LOCK + KEEPER

#### **PICTURE**





#### PICTURE

- Fixed window available in either in-sash or direct glaze to meet various design needs.
- Both in-sash and direct glaze Picture windows available with IZ3 hurricane rating.
- Direct glaze:
  - > Glass meets the frame directly without a sash for a simple, clean profile with more glass area.
- In-sash:
- > Designed to match profiles of operable windows in the Elevate collection.
- Casement Picture windows available in sizes up to 6 feet wide by 6 feet high.
- › Double Hung Picture windows available in sizes up to 5 feet wide by 7 feet high.







PICTURE WINDOW PROFILE SHOWN IN BARE PINE








#### BAY + BOW

- Maximize air circulation with multiple windows.
- Combine Double Hung or Casement windows with a center Picture window.
- Customize with a variety of glass, divided lites, and hardware options.
- Rich Pine interior with a variety of finish options.
- Durable low-maintenance aluminum surround screens.
- Head and seat boards use engineered wood for superior strength, stability, and durability.
- Choose from convenient factory mulling or field mulling kits.
- Bows available in configurations up to 10 feet wide by 6 feet high.
- Bays available in configurations up to 7 feet wide by 6 feet high.









BAY EXTERIOR


#### **ROUND TOP + SPECIALTY SHAPES**



#### **ROUND TOP**

- Extruded aluminum exterior finish.
- Available nailing fin, installation bracket, and through jamb installation.
- Perforated folding radius nailing fin provides for simple installation and proper water management.
- Available factory and field mulling options.
- Standard and special sizes up to 8 feet wide and up to 6 feet high depending on the shape.
- Up to PG50 performance rating.







EXTERIOR + INTERIOR

#### SPECIALTY SHAPES

- Standard jambs of 4 % 6 inch, 6 % 6 inch, and 6 13/16 inch are available factory applied or as an extension kit.
- Consistent, fast delivery applies to even the most unique products.
- ENERGY STAR® certified and available with Low E1, Low E2, Low E3, and Low E3/ERS insulated glass.
- Up to PG55 performance rating.
- Factory, reinforced, and field mulling kits available.
- Use as sidelights or transoms, or combine for a breathtaking wall of windows.
- Available in sizes up to 49 square feet. Longest leg may not exceed 9 feet.







Elevate Bi-Fold Door in White





- Available in configurations up to 7 panels and fits openings up to 22 feet wide by 8 feet high.
- Choose from 28 operating configurations.
- Carefully engineered top-hung design for effortless operation.
- Performance sill available in Beige or Bronze.

- Integrated multi-point locking system.
- Retractable pleated screen option available
- Divided lites available: Grilles-between-the-Glass (GBG) or Simulated Divided Lites (SDL).






INTERIOR



BOTTOM HINGE





- Narrow stiles and rails achieve a contemporary styling.
- Low-maintenance Ultrex fiberglass exterior; rich pine interior with a variety of finish options.
- Precision built in special sizes in 1/64 inch increments.
- 2-, 3-, or 4-panel configurations up to approximately 16 feet wide by 8 feet high.
- Up to PG40 performance rating.
- Top hung screen operates smoothly without jamming.
- Coordinating Transom windows available.
- Bronze or Beige sill available.







CAMBRIDGE HANDLES SHOWN IN SATIN NICKEL

#### SLIDING FRENCH DOOR





#### SLIDING FRENCH DOOR

- Wide stile and rail construction showcases the rich wood interior.
- Low-maintenance fiberglass exteriors and rich pine interiors with a variety of finish options.
- Configurations of 2-, 3-, or 4-panels, up to approximately 16 feet wide by 8 feet high.
- Up to PG40 performance rating.
- Optional PG50 performance rating on 2- and 3-panel configurations up to 9 feet wide by 8 feet high.
- Dual ball-bearing rollers for smooth operation.
- Bronze or Beige sill available.







EXTERIOR

SILL DETAIL SHOWN IN BRONZE







#### INSWING FRENCH DOOR

- Secure and stable stainless steel multi-point locking system.
- Precision built in 1/64 inch increments.
- Available in 1-, 2-, or 3-panel configurations.\*
- Multiple configurations up to 6 feet wide by 8 feet high.
- Bronze or Beige sill available.
- PG30 performance rating standard.
- PG50 performance rating optional on 1- and 2-panel configurations.







DOOR HINGE SHOWN IN SATIN NICKEL

# **OUTSWING FRENCH DOOR** Outswing French Door in Stone White with Oil Rubbed Bronze Cambridge hardware MARVIN ELEVATE® COLLECTION



#### **OUTSWING FRENCH DOOR**

- Low-maintenance fiberglass exteriors and rich pine interiors with a variety of finish options.
- Secure and stable stainless steel multi-point locking system.
- Precision built in 1/64 inch increments.
- Tempered, insulated glass with argon gas.

- Available in 1-, 2-, or 3-panel configuration.\*
- Multiple configurations up to 6 feet wide by 8 feet high.
- Bronze or Beige sill available.
- PG50 performance rating standard.









#### INSTALLATION MADE SIMPLE AND EFFICIENT

#### INSTALLATION OPTIONS AND ACCESSORIES

#### 1. NAILING FIN

Pre-attached folding nailing fin and drip cap for easier installation.

#### 2. THROUGH JAMB

Available through jamb and installation bracket options.

#### 3. FACTORY-APPLIED JAMB EXTENSIONS

Factory-applied jamb extensions save time and labor. We supply 4 %16", 6 %16", and 6 13/16" jamb depth in bare wood, white, designer black, or clear interior finish.

#### 4. FACTORY-INSTALLED SCREENS

Factory-installed screens are a standard offering with operating windows. At no extra cost, we can ship your screens separately to reduce on-site damage prior to installation.

#### 5. FACTORY MULLED ASSEMBLIES

Available standard factory mulling, reinforced factory mulling, or field mulling kits. The reinforced mull meets AAMA 450 specifications and performs up to PG50 on standard products and up to PG55 on IZ3 rated products.

#### 6. CORNER KEYS

Integral corner keys keeps window and door units square and corners sealed.

#### 7. CUSTOM SIZES

Custom sizes are available on windows and doors in 1/64" increments for the perfect fit every time.

#### 8. PAINTABLE ULTREX EXTERIOR

The Ultrex® fiberglass exterior is paintable, and it holds dark colors better than vinyl or vinyl/wood composites.

















#### **EXTERIOR TRIM**

Ultrex Exterior Trim is offered with all rectangular Elevate products in all six exterior finishes. The durability, performance, and look of Marvin Elevate windows and doors can be extended to the trim.

#### BRICK MOULD

2" Brick Mould is available with or without 2 1/8" sill nosing.

#### FLAT

3 ½" Flat Trim is available in Flat and Flat Ranch configurations with or without 2 1/8" sill nosing.

#### SILL NOSE

2 1/8" Sill Nose provides authentic sill appearance.

#### **CONNECTION BARB**

Barb and receiver attachment method provides for quick, secure installation.



BRICK MOULD



FLAT




**CONNECTION BARB** 



#### TRIM **CONFIGURATIONS**

Multiple configurations are available in lineal lengths and factory pre-cut kits in all six Elevate collection exterior colors.



FLAT

FLAT


RANCH

**BRICK MOULD** SILL NOSE



FLAT RANCH WITH SILL NOSE SILL NOSE







\* Brick Mould, Flat, and Flat Ranch profiles are available on doors. Sill profiles are not included for door trim sets.

#### **DESIGN OPTIONS**

#### INTERIOR AND EXTERIOR FINISHES

Elevate windows and doors features rich pine interiors and a durable, strong, and fully paintable Ultrex® fiberglass exterior, featuring our AAMA-verified acrylic finish for low-maintenance and superior aesthetics. Elevate Round Tops include the extruded aluminum exterior finished in commercial-grade paint for superior resistance to fading and chalking.

#### **WOOD INTERIOR FINISHES**

BARE PINE Wood comes bare and ready to be painted or stained	
CLEAR COAT	
CLEAR COAT Wood is finished in the	
factory with a clear coat	
ractory with a cical coat	
PAINTED WHITE	
Factory painted	
71	
PAINTED DESIGNER BLACK	
Factory painted	

#### FIBERGLASS EXTERIOR COLORS

STONE WHITE
CASHMERE
PEBBLE GRAY
BRONZE
GUNMETAL
EBONY

#### **DIVIDED LITES**

#### **GRILLES-BETWEEN-THE-GLASS (GBG)**

Available in several popular lite cut options for a classic divided lite look and easy glass cleaning. Available in Stone White, Bronze, and Ebony interior and Stone White, Cashmere, Pebble Gray, Bronze, Gunmetal or Ebony exterior.\*

#### SIMULATED DIVIDED LITE (SDL)

Bars permanently adhered to both sides of the glass for a more authentic look. Available with or without spacer bar and in several lite cut options.



GRILLES-BETWEEN-THE-GLASS




SIMULATED DIVIDED LITE

#### GLASS OPTIONS

Glass is available with Standard Dual Pane or optional Triple Pane on select products. Available with Low E1, Low E2, Low E3, and Low E3/ERS insulated glass with argon gas.\* Options include glazing for sound abatement (STC/OITC), high altitudes, and California fire zones. Laminated glass is also offered in products designed specifically for hurricane zones.

#### **DECORATIVE GLASS**






#### SIMULATED CHECKRAIL

Simulated Checkrail is the perfect solution when aesthetics call for the beauty of a double hung, but operation, egress, or performance demand another solution.

You specify placement of the horizontal simulated checkrail bar and the lite cut patterns above and below.

These illustrations offer a sampling of 7/8" Simulated Divided Lite (SDL) patterns that can be selected in combination with the 2 11/32" Simulated Checkrail on Casement, Awning, Glider, Direct Glaze Rectangle, Picture windows, and all Elevate doors.



#### HARDWARE STYLES

#### WINDOW HARDWARE

Windows feature classic low-profile durable hardware for clean aesthetics, safety, and security.



SASH LOCK + KEEPER

Double Hung and Glider



**FOLDING HANDLE**Casement and Awning



#### DOOR HANDLES

Door handles are available in two distinct hardware styles.



CAMBRIDGE



NORTHFIELD

#### DOOR HANDLE OPTIONS

- Available keyed-alike option (use one key on multiple locks, with up to 3 different keys on each project).
- Choose a distinct interior and exterior handle finish that matches or complements the interior and exterior color of your door.

#### **FINISHES**





Choose from a variety of hardware finishes to complement your Elevate collection windows and doors.

The Physical Vapor Deposition (PVD) process adds a layer of toughness to hardware exposed to environmental factors like direct sun and humidity. PVD finishes resist fading and discoloration, even in coastal areas. PVD has the highest grade corrosion resistant finish.

PVD finish is available on exterior door hardware in Oil Rubbed Bronze, Satin Nickel, and Brass.



MARVIN ELEVATE® COLLECTION

#### SAFE AND SOUND

#### **ACCESSIBILITY OPTIONS**

#### **OPENING CONTROL DEVICE**

Limits opening to 4" while providing for full egress. ASTM F2090 compliant. Available on Casement, Double Hung, and Glider windows.

#### **SASH LIMITER**

Permanently limits sash movement for safety and security.



CASEMENT
OPENING CONTROL DEVICE



DOUBLE HUNG
OPENING CONTROL DEVICE



GLIDER
OPENING CONTROL DEVICE



AWNING SASH LIMITER

#### IZ3 PRODUCTS FOR COASTAL LIVING

Our Elevate IZ3 Certified products are specifically designed for the extreme conditions and construction requirements of coastal areas. Rigorously tested by third-party agencies to meet or exceed the most stringent coastal codes, they protect against flying debris, driving rain, cyclic pressure, and extreme temperatures. The Ultrex® fiberglass finish exceeds AAMA 624 standards for weathering and fading resistance.



# IN HARSH COASTAL CONDITIONS, YOUR WINDOWS AND DOORS MATTER

Marvin offers windows and doors specifically designed for the coast.



48 MARVIN ELEVATE® COLLECTION

THE MARVIN ELEVATE®

COLLECTION IS AN IDEAL BLEND

OF REMARKABLE DESIGN AND

SUPERIOR STRENGTH.

Warm wood interiors add timeless beauty, while resilient, long-lasting Ultrex® fiberglass exteriors stand up to the toughest conditions, outperforming and outlasting vinyl, roll-form aluminum and other composites.





Since we opened as a family-owned and -operated lumber and cedar company in 1912, Marvin has designed products to help people live better. We remain committed to bringing beauty and simplicity into people's lives with windows and doors that stand the test of time.

MARVIN.COM

©2023 Marvin Lumber and Cedar Co., LLC. All rights reserved. ®Registered trademark of Marvin Lumber and Cedar Co., LLC. ENERGY STAR® and the ENERGY STAR certification mark are registered US marks.

Cover Image: Elevate Casement and Direct Glaze windows with Modern Multislide Door

Part #19981914. February 2023. [MUT]

Colors shown in printed materials are simulations and may not precisely duplicate product or finish colors. Contact your local Marvin dealer to view actual product and finish color samples.