

Frank Productions Deer District (Block 3)

DPD ZONING SUBMITTAL FOR PORTION OF BLOCK 3 OF MILWAUKEE BUCKS ARENA DEVELOPMENT - GPD

SHEET INDEX

VOL. 1

SUPPLEMENTAL DRAWINGS

AS-1 CONTEXT PHOTOS


CIVIL DRAWINGS

PLAT OF SURVEY WITH TOPOGRAPHY

C102 SITE LAYOUT PLAN
C103A SITE GEOMETRICS PLAN
C103B SITE GEOMETRICS PLAN
C104A SITE GRADING PLAN
C104B SITE GRADING PLAN
C105A SITE UTILITY PLAN
C105B SITE UTILITY PLAN
C105C SITE DRAINTILE PLAN
C105D SITE DRAINTILE PLAN

LANDSCAPE DRAWINGS

L101 SITE LANDSCAPE PLAN
L201 SITE LANDSCAPE DETAILS







DPD ZONING SUBMITTAL

09/18/2023 PROJECT NUMBER: 2-20225-03






PROJECT INFORMATION







ISSUANCE AND REVISIONS

DPD ZONING SUBMITTAL



C FOR PORTION OF BLOCK 3
OF MILWAUKEE BUCKS ARENA DEVELOPMENT - GPD






BLOCK 3

Looking North from W State Street & Vel Phillips Ave

Aerial View



SHEET INFORMATION

PROGRESS DOCUMENTS NOT FOR CONSTRUCTION be subject to change, including additional detail. These are not final construction documents and shall not be used for final bidding or construction-related purposes.


PROJECT MANAGER PROJECT NUMBER

CONTEXT PHOTOS

© 2023 Eppstein Uhen Architects, Inc.

Looking West from Vel R Phillips Ave

Looking North from W State Street



7711 N. Port Washington Road Milwaukee, Wisconsin 53217

FRANK PRODUCTIONS -BLOCK 3

1001 VEL R. PHILLIPS AVE., MILWAUKEE, WI 53203




DESCRIPTION

| PLAT OF SURVEY W/ TOPOGRAPHY


PROJECT MANAGER: PROJECT NUMBER: 22.0601


08/23/2022





































BY USE OF THESE DRAWINGS BEARING THE SEAL AND SIGNATURE OF THE LANDSCAPE ARCHITECT, FOR ANY REASON, THE USER ACKNOWLEDGES AND ACCEPTS THE FOLLOWING:

- 1. PLANT MATERIAL IS A DYNAMIC, UNPREDICTABLE, LIVING ORGANISM THAT CAN CREATE HAZARDS TO PEOPLE AND BUILT STRUCTURES.
- 2. THIS PROJECT FEATURES PLANTING IN CONTAINERS AND IN SPACES CONFINED ON ALL SIDES BY BUILDING STRUCTURES. PLANTS GROWN IN CONTAINERS OF CONFINED SPACES WILL NOT ACHIEVE SIZES OR CHARACTERISTICS AS THE SAME PLANTS GROWN IN UNRESTRICTED, NATURAL CONDITIONS. ROOTS WILL GROW TO THE EDGES OF CONFINED AREAS AND MUST BE REGULARLY INSPECTED BY PLANT CARE PROFESSIONALS TO INSURE NO DAMAGE TO THE CONTAINER, BUILDING STRUCTURE, OR WATERPROOFING COMPONENTS.
- 3. PLANT MATERIALS USED ON THIS PROJECT HAVE VARYING WATER USE REQUIREMENTS THAT ARE DETERMINED FROM SEASON TO SEASON, WEATHER CONDITIONS, TYPE OF PLANT, AND BY LOCATION. WATER APPLICATION MUST BE ADJUSTED AS NECESSARY. PLANT MATERIAL, PLANTING SOIL, AND IRRIGATION SYSTEMS REQUIRE CONTINUOUS, ON-GOING, PROFESSIONAL MONITORING. IMPROPER MAINTENANCE AND MONITORING CAN LEAD TO SIGNIFICANT DAMAGE. THE LANDSCAPE ARCHITECT HAS NO CONTROL OVER THE MAINTENANCE OF THE WORK REPRESENTED ON THESE DRAWINGS AND THEREFORE DISAVOWS ANY RESPONSIBILITY FOR DAMAGES CAUSED BY PLANT GROWTH AND/OR THE APPLICATION OF IRRIGATION WATER.
- 4. THE LANDSCAPE ARCHITECT HAS NO CONTROL OVER, AND TAKES NO RESPONSIBILITY FOR ANY COMPONENTS OF THE PROJECT OTHER THAN WHAT IS EXPLICITLY ILLUSTRATED ON THE DRAWINGS SIGNED AND SEALED BY THE LANDSCAPE ARCHITECT. WORK NOTED AS "BY OTHERS" IS SHOWN FOR REFERENCE ONLY.
- 5. UNLESS THESE PLANS ARE CLEARLY MARKED "FOR CONSTRUCTION" AND BEAR THE SEAL AND SIGNATURE OF A LICENSED LANDSCAPE ARCHITECT, THEY MAY NOT BE USED FOR CONSTRUCTION.

PLANTING GENERAL NOTES

- 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAKING HIMSELF OR HERSELF FAMILIAR WITH ALL UNDERGROUND UTILITIES AND STRUCTURES. THE CONTRACTOR SHALL TAKE SOLE RESPONSIBILITY FOR ANY COST INCURRED TO DAMAGE OF SAID UTILITIES OR STRUCTURES IF PROPER VERIFICATION BY CONTRACTOR WAS NOT PERFORMED.
- 7. DO NOT WILLFULLY PROCEED WITH PLANTING OPERATIONS AS DESIGNED WHEN IT IS OBVIOUS THAT OBSTRUCTIONS AND/OR GRADE DIFFERENCES EXIST THAT WERE NOT KNOWN DURING THE DESIGN PROCESS. SUCH CONDITIONS SHALL IMMEDIATELY BE BROUGHT TO THE ATTENTION OF THE OWNER, CIVIL ENGINEER AND LANDSCAPE ARCHITECT. THE CONTRACTOR SHALL ASSUME ALL RESPONSIBILITY FOR ALL NECESSARY CHANGES DUE TO FAILURE TO GIVE SUCH NOTIFICATION.
- 8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY COORDINATION WITH SUBCONTRACTORS AS REQUIRED TO ACCOMPLISH THESE PLANTING OPERATIONS.
- 9. ANY DISCREPANCIES BETWEEN THE SPECIFICATIONS, NOTES, AND PLANS SHALL BE BROUGHT TO THE ATTENTION OF THE CIVIL ENGINEER AND LANDSCAPE ARCHITECT FOR RESOLUTION.
- 10. IF CONFLICTS ARISE BETWEEN THE ACTUAL SIZE OF THE AREAS ON THE SITE AND THE DRAWINGS, THE CONTRACTOR SHALL CONTACT THE OWNER'S AUTHORIZED REPRESENTATIVE FOR RESOLUTION. THE CONTRACTOR SHALL ASSUME ALL RESPONSIBILITY FOR ALL NECESSARY REVISIONS DUE TO FAILURE TO GIVE SUCH NOTIFICATION.
- 11. SEE DETAIL 14/L203 FOR PLANTING SOIL DEPTHS FOR VARIOUS PLANT TYPES. THE CONTRACTOR IS TO RECEIVE THE ON-GRADE PORTION OF THE SITE WITHIN 0.1 OF A FOOT. THE CONTRACTOR SHALL OBTAIN A LETTER OF GRADE CERTIFICATION FROM THE OWNER PRIOR TO BEGINNING WORK.
- 12. AFTER FINISH GRADES HAVE BEEN ESTABLISHED FOR ALL ON-GRADE PLANTING AREAS, THE CONTRACTOR SHALL HAVE SOIL SAMPLES TESTED BY A QUALIFIED SOILS TESTING LABORATORY FOR SOIL FERTILITY, AGRICULTURAL SUITABILITY, AND SOIL PREPARATION RECOMMENDATIONS. THE CONTRACTOR MAY BE REQUESTED TO AMEND THE SOIL TO CONFORM TO THE RECOMMENDATIONS. HOWEVER, ANY AMENDMENT THAT MIGHT BE REQUESTED OF THE CONTRACTOR SHALL ONLY BE UPON RECEIPT OF A WRITTEN CHANGE ORDER FROM THE OWNER.
- 13. REFER TO THE SPECIFICATIONS FOR PLANTING REQUIREMENTS, MATERIALS, AND EXECUTION.
- 14. ALL TREES SHALL BE TAGGED BY THE LANDSCAPE ARCHITECT AND OWNER'S REPRESENTATIVE AS PER THE SPECIFICATIONS.
- 15. FINAL LOCATION OF ALL PLANT MATERIAL SHALL BE SUBJECT TO THE REVIEW AND APPROVAL OF THE LANDSCAPE ARCHITECT. CONTRACTOR SHALL COMPLETE THE FOLLOWING TASKS BEFORE BEGINNING PLANTING OPERATIONS.

 -SHRUBS: STAKE OUT ALL PLANTING BEDS AND THE LAYOUT OF ACTUAL CONTAINER LOCATIONS FOR APPROVAL BY LANDSCAPE ARCHITECT ONSITE PRIOR TO DIGGING HOLES FOR PLANTING.

 -TREES: STAKE ALL TREE LOCATIONS FOR APPROVAL BY THE LANDSCAPE ARCHITECT PRIOR TO DIGGING HOLES.

 -ANY TREE OR SHRUB PLANTED WITHOUT ITS FINAL LOCATION APPROVED BY THE LANDSCAPE ARCHITECT IS SUBJECT TO RELOCATION AT THE SOLE EXPENSE OF THE CONTRACTOR. ENSURE PROPER COORDINATION OF ALL FOOTINGS, BOLLARDS, SUB-STRUCTURE, AND UTILITIES PRIOR TO PLANTING.
- 16. ELECTRICAL LANDSCAPE LIGHTING: STAKE THE LOCATIONS FOR APPROVAL BY THE LIGHTING ENGINEER AND LANDSCAPE ARCHITECT PRIOR TO INSTALLATION. REVIEW WITH PROPOSED TREE STAKING. ANY SITE LIGHTING INSTALLED WITHOUT ITS FINAL LOCATION APPROVED BY THE LIGHTING ENGINEER AND LANDSCAPE ARCHITECT IS SUBJECT TO RELOCATION AT THE SOLE EXPENSE OF THE CONTRACTOR.
- 17. IT IS THE CONTRACTORS RESPONSIBILITY TO FURNISH PLANT MATERIAL FREE OF PEST OR PLANT DISEASES.

 PRE—SELECTED "TAGGED" PLANT MATERIAL MUST BE INSPECTED BY THE CONTRACTOR AND BE CERTIFIED PEST AND DISEASE FREE. IT IS THE CONTRACTORS OBLIGATION TO WARRANTY THE PLANT MATERIAL PER SPECIFICATIONS.
- 18. ALL SHRUB AND GROUND COVER AREAS ARE TO BE MULCHED WITH HARDWOOD SHREDDED BARK MULCH PER
- SPECIFICATIONS. REFER TO THE DRAWINGS FOR SPECIFIC LOCATIONS.
- 19. THE CONTRACTOR SHALL ALWAYS ASSUME THE SMALLER SIZE OF EACH PLANT WHEN A RANGE IS GIVEN CONCERNING SPACING i.e. PLANT TYPE X IS 12" TO 18" WIDE. THE CONTRACTOR SHALL USE 12" (THE SMALLER SIZE) TO ESTIMATE PLANTS REQUIRED TO FILL ANY GIVEN AREA.
- 20. ALL PLANT MATERIAL SHALL BE OBTAINED FROM A NURSERY LOCATED IN ZONE 5, CONFORM TO APPLICABLE REQUIREMENTS OF THE CURRENT EDITION OF THE AMERICAN STANDARD FOR NURSERY STOCK, AND BOTANICAL NAMES SHALL BE ACCORDING TO THE CURRENT EDITION OF "STANDARDIZED PLANT NAMES PREPARED BY THE AMERICAN JOINT COMMITTEE ON HORTICULTURE NOMENCLATURE."
- 21. ALL SHADE AND ORNAMENTAL TREES SHALL BE SELECTED FROM JOHNSON'S NURSERY. CONTRACTOR TO CONTACT VANESSA MUELLER: ADDRESS W180 N6275 MARCY ROAD, MENOMONEE FALLS, WI 53051. PHONE: 262-252-4980, EMAIL: VMUELLER@JOHNSONNURSERY.COM.
- 22. CONTRACTOR TO PROVIDE TO THE LANDSCAPE ARCHITECT SAMPLES OF ALL BARK AND MINERAL/STONE MULCHES, DECORATIVE GRAVELS, MAINTENANCE STRIP STONE, OR OTHER GROUND COVER MATERIALS FOR APPROVAL PRIOR TO
- 23. BARK MULCH TO BE FRESHLY ACQUIRED HARDWOOD SHREDDED BARK MULCH. DOUBLE MILLED, EXCESSIVE DIRT AND
- DUST LIKE MATERIAL OR OLD MATERIAL IS NOT ACCEPTABLE.

 24. ALL PLANTING AREAS TO RECEIVE A 3-INCH THICK LAYER OF HARDWOOD SHREDDED BARK MULCH WITH PRE-EMERGENT HERBICIDE APPROVED/SAFE FOR ALL PROPOSED PLANTINGS. EDGING TO BE INSTALLED BETWEEN DIFFERENT TYPES OF MULCHES, BETWEEN MULCHES AND TURF, AND/OR WHERE SPECIFICALLY NOTED ON THE PLAN. REFER TO SPECIFICATION 32 93 00 PLANTS FOR ADDITIONAL INFORMATION.
- 25. INSTALL SHOVEL CUT EDGE AROUND ALL INDIVIDUAL TREES AND SHRUBS IN LAWN AREAS AND ALONG PAVEMENT WHERE PLANTING AREAS ABUT TO PREVENT HARDWOOD SHREDDED BARK MULCH FROM SPILLING OUT OF THE PLANTING AREA.
- 26. CONTRACTOR RESPONSIBLE FOR MAINTENANCE OF PLANT MATERIAL FOR 90 DAYS FROM INSTALLATION, INCLUDING WATERING, WEEDING, ETC. CONTRACTOR IS RESPONSIBLE FOR MAINTENANCE OF SEEDED AREAS FOR 60 DAYS FROM INSTALLATION, INCLUDING WATERING, WEEDING, ETC. CONTRACTOR TO PROVIDE AND REVIEW MAINTENANCE INSTRUCTIONS WITH THE OWNER PRIOR TO THE COMPLETION OF THESE MAINTENANCE PERIODS. REFER TO SPECIFICATIONS FOR
- ADDITIONAL REQUIREMENTS.


 27. CLEANLY PRUNE AND REMOVE DAMAGED BRANCHES, DEAD WOOD, AND ROOTS IMMEDIATELY PRIOR TO PLANTING. DO NOT CUT LEADERS OR LEAVE "V" CROTCHES OR DOUBLE LEADERS UNLESS A MULTI-STEM TREE IS SPECIFIED.
- 28. REMOVE BURLAP, WIRE BASKET, ROPE, TWINE, AND ALL SYNTHETIC MATERIAL FROM THE ROOTS, TRUNK, OR CROWN OF
- 29. REMOVE EXCESS SOIL ABOVE ROOT COLLAR.

KAFKA@KAFKAGRANITE.COM

- 30. PLANT TREES AND SHRUBS SO THAT THE ROOT COLLAR IS 2" ABOVE FINISHED GRADE OR SEVERAL INCHES ABOVE GRADE IF PLANT IS INSTALLED IN POOR SOILS.
- 31. PLANT TREES AND SHRUBS WITH SAME ORIENTATION AS WHEN HARVESTED FROM THE NURSERY OR TO SHOWCASE THE
- 32. PLANT ALL TREES WITH THREE SLOW RELEASE FERTILIZER PACKETS, SPACED EQUIDISTANT AROUND THE EDGE OF THE ROOT BALL.
- 33. PLANT ALL SHRUBS WITH ONE SLOW RELEASE FERTILIZER PACKET.
- 34. WATER AND TAMP BACKFILL AND ROOTS OF ALL NEWLY SET PLANT MATERIAL SO THE SOIL AND ROOTS ARE THOROUGHLY SOAKED AND AIR POCKETS ARE REMOVED.
- 35. STAKING UTILIZE THE "PLATIPUS TREE ROOTBALL FIXING SYSTEM WITH PLATI—MAT" FOR ALL TREES UNLESS THE SUBGRADE IS DISTURBED UNDER THE ROOTBALL OR THERE ARE UTILITY CONFLICTS WITH DRIVING THE ANCHORS OF THE PLATIPUS TREE ROOTBALL FIXING SYSTEM INTO THE SUBGRADE (SEE DETAIL 12/L202). UTILIZE THE "PLATIPUS TREE ROOTBALL DEADMAN FIXING SYSTEM WITH PLATI—MAT" WHEN SUBGRADE IS DISTURBED UNDER THE ROOTBALL OR THERE ARE UTILITY CONFLICTS WITH DRIVING THE ANCHORS OF THE PLATIPUS TREE ROOTBALL FIXING SYSTEM INTO THE SUBGRADE (SEE DETAIL 13/L203). CHECK TREES FOR LEANING OR ROOT BALL MOVEMENT AT LEAST EVERY THREE MONTHS AND CORRECT ANY ISSUES.
- 36. CRUSHED STONE STRIP IN AT GRADE PLANTERS TO BE %-INCH OR LESS TWILIGHT BLACK GRANITE STABILIZED PATHWAY MIX INSTALLED 3-INCHES DEEP OVER WEED BARRIER FABRIC. TWILIGHT BLACK GRANITE STANDARD PATHWAY MIX TO BE FROM KAFKA GRANITE. SEE DETAILS 6/L201 AND 7/L201 AND SITE LANDSCAPE PLAN FOR ADDITIONAL INFORMATION. KAFKA GRANITE ADDRESS: 550 EAST HWY 153 MOSINEE, WI 54455, PHONE: 715-687-2395, EMAIL:
- 37. STEEL EDGING IN AT GRADE PLANTERS TO BE ½ INCH THICK BY 10 INCHES TALL CORTEN STEEL FLAT SHEETS FROM WESTERN STATES METAL ROOFING OR APPROVED EQUIVALENT. ALL STEEL EDGING TO BE WELDED AT ALL SEAMS AND CORNERS. SEE DETAILS 6/L201, 7/L201 AND SITE LANDSCAPE PLAN FOR ADDITIONAL INFORMATION. CONTRACTOR TO CONTACT RUSTY FAILS AT WESTERN STATES METAL ROOFING. EMAIL: RUSTY@METALDECK.COM OFFICE PHONE: 1−855−426−7836
- 38. CONTRACTOR TO ENSURE ALL BOXWOOD BE TREATED WITH ANTI-DESICCANT SPRAY AT LEAST TWICE OVER FIRST WINTER
- IF BOXWOOD SHRUBS ARE PROPOSED ON THE PROJECT. APPLY PER MANUFACTURER SPECIFICATIONS.


 39. FIELD ADJUST SMALL SHRUBS AND PERENNIALS AROUND SITE ELECTRICAL LIGHTING. CONTACT LANDSCAPE ARCHITECT IF CONFLICTS ARISE.
- 40. REFER TO SPECIFICATIONS 32 93 00 PLANTS AND 32 92 00 TURF AND GRASSES FOR ADDITIONAL INFORMATION.









discrepancies between the plant schedule, labels and the landscape plan occur, the quantity drawn on the landscape plan shall be the official quantity.



3 DECIDUOUS TREE PLANTING, STAKING, & PLANTING ON A SLOPE


PREPARE SOIL IN THE ENTIRE BED USING PROCEDURES OUTLINED IN THE SPECIFICATIONS BALLED AND BURLAPPED PLANT CONTAINER PLANT -REMOVE PLANT FROM POT. SET ROOT COLLAR 2" -SET ROOT COLLAR SLIGHTLY ABOVE FINISHED GRADE ABOVE FINISHED GRADE INSTALL MULCH 3" THICK. -BEFORE PLANTING, ADD 3" TO 4" KEEP 2" AWAY FROM TRUNK. OF AMENDMENTS TO BED AND TILL INTO TOP 2" OF PREPARED SOIL REFER TO SPECIFICATIONS RETURN EXISTING SOIL--LOOSEN AND PULL OUT ROOTS TO ROUGHEN SOIL SURFACE TO AMENDED PER SPECS PREVENT PLANT FROM BECOMING BIND EXISTING SOIL WITH NEW ROOT BOUND SOIL AND AMENDMENTS BALL SEATED FIRMLY ON --BALL SEATED FIRMLY ON SCARIFIED UNDISTURBED SUBGRADE SCARIFIED UNDISTURBED SUBGRADE - INSTALL ONE SLOW RELEASE INSTALL ONE SLOW RELEASE -FERTILIZER PACKETS PER SHRUB, FERTILIZER PACKETS PER BENEATH THE ROOT BALL. SHRUB, BENEATH THE ROOT BALL. DECIDUOUS & EVERGREEN SHRUB PLANTING





ENNIAL PLANTING

8 SHREDDED HARDWOOD MULCH SECTION



milwaukee | madison | green bay | denver | atlanta

FRANK PRODUCTIONS CONCERTS

PROJECT INFORMATION

Frank Productions
Deer District (Block 3)



D



ISSUANCE AND REVISIONS

DATE DESCRIPTION
09/18/2023 DPD ZONING SUBMITTAL

DPD ZONING SUBMITTAL
FOR PORTION OF BLOCK 3
OF MILWAUKEE BUCKS
ARENA DEVELOPMENT - GPD



TRUE

— TYPICAL ALUMINUM EDGING COLOR- BLACK ALUMINUM EDGING SHALL BE MANUFACTURED TO PROVIDE FLUSH OVERLAPPING ENDS WITH 2 STAKE POCKETS TO ALLOW 2 STAKES TO CONNECT ADJACENT ALUMINUM EDGING PIECES END TO END /-- 3" MULCH WITH PRE-EMERGENT ___ TYPAR WEED BARRIER FABRIC SPECIFIED TOPSOIL OR PLANTING SOIL TYPICAL ALUMINUM STAKE MANUFACTURED TO BE PART OF THE ALUMINUM EDGING SYSTEM MINIMUM LENGTH: 12 INCHES (STAKES SHALL BE INSTALLED ON THE MULCH SIDE AND WITHIN ALL

- LAWN FINISH GRADE

9 ALUMINUM EDGING AT PLANTING BED SECTION

MANUFACTURED STAKE POCKETS

PROVIDED IN STEEL EDGING)

PROGRESS DOCUMENTS
NOT FOR CONSTRUCTION

PROJECT MANAGER

PROJECT NUMBER

SITE LANDSCAPE DETAILS

These documents reflect progress and intent and may

be subject to change, including additional detail. These

are not final construction documents and shall not be

used for final bidding or construction-related purposes.

L201

220601.01

© 2023 Eppstein Uhen Architects, Inc.