



CERTIFICATE OF APPROPRIATENESS APPLICATION FORM

Incomplete applications will not be processed for Commission review.

Please print legibly.

1. **HISTORIC NAME OF PROPERTY OR HISTORIC DISTRICT:** (if known)
The Pabst Theater

ADDRESS OF PROPERTY:

144 East Wells Street, Milwaukee, Wisconsin, 53202

2. **NAME AND ADDRESS OF OWNER:**

Name(s): Pabst Theater Foundation

Address: 144 East Wells Street

City: Milwaukee

State: WI

ZIP: 53202

Email: gwitt@pabsttheater.org

Telephone number (area code & number) Daytime: 414-286-8302

Evening: 414-286-8302

3. **APPLICANT, AGENT OR CONTRACTOR:** (if different from owner)

Name(s): Robert Zenoni, Production Manager

Address: 144 East Wells Street

City: Milwaukee

State: WI

ZIP Code: 53202

Email: rzenoni@pabsttheater.org

Telephone number (area code & number) Daytime: 414-286-2239

Evening: 414-573-7845

4. **ATTACHMENTS:** (Because projects can vary in size and scope, please call the HPC Office at 414-286-5712 for submittal requirements)

A. REQUIRED FOR MAJOR PROJECTS:

X5 Photographs of affected areas & all sides of the building (annotated photos recommended)

Sketches and Elevation Drawings (1 full size and 1 reduced to 11" x 17" or 8 1/2" x 11")

A digital copy of the photos and drawings is also requested.

Material and Design Specifications (see next page)

B. NEW CONSTRUCTION ALSO REQUIRES:

_____ Floor Plans (1 full size and 1 reduced to a maximum of 11" x 17")

_____ Site Plan showing location of project and adjoining structures and fences

**PLEASE NOTE: YOUR APPLICATION CANNOT BE PROCESSED UNLESS
BOTH PAGES OF THIS FORM ARE PROPERLY COMPLETED
AND SIGNED.**

5. **DESCRIPTION OF PROJECT:**

Tell us what you want to do. Describe all proposed work including materials, design, and dimensions. Additional pages may be attached.
Installing RV/Bus power at curbside in front of Pabst Theater.

Two, 50A RV/Bus power interconnect boxes will be mounted at west building canopy column on sidewalk side of column (north). Electrical conduit (galvanized) will exit the wall of the Pabst theater above the oval window on the south wall of the building, under the canopy. This hole will measure approximately 1.5" in diameter. The conduit will turn 90° west for approximately 6' and then turn another 90° south. The conduit will be held high and tight to the under side of the canopy and steel support beam. A minimum number of tapped and thread conduit hangers will hold in place. A southwest corner of canopy, an approximately 6" x6" junction box will be mounted to the conduit, and under side of the canopy. A conduit will exit the bottom of the junction box and travel down the south west canopy column, on the north side of the column to interconnect to 2-RV/Bus Power Interconnect boxes. These boxes will be strap mounted to the lower column at 5' and lower. All components will be painted as the surrounding steel structure as to blend with the architecture.

Paul Jakubovich (of the committee) has given a verbal "go-ahead" for this work and will be called to inspect when in a rough-in state as well as after completion.

Photos of the area are attached and well as a simple diagram of the work.

A professional licensed Electrical contractor will pull the needed city permits and do the work.

Work will begin immediately after permit approval.

6. **SIGNATURE OF APPLICANT:**


Signature

Robert Zenoni

Please print or type name

9/21/14

Date

This form and all supporting documentation **MUST** arrive by 12:00 noon on the deadline date established to be considered at the next Historic Preservation Commission Meeting. Any information not provided to staff in advance of the meeting will not be considered by the Commission during their deliberation. Please call if you have any questions and staff will assist you.

Hand Deliver or Mail Form to:
Historic Preservation Commission
City Clerk's Office
200 E. Wells St. Room B-4
Milwaukee, WI 53202

PHONE: (414) 286-5722

FAX: (414) 286-3004

www.milwaukee.gov/hpc









