

In accordance with the provisions of Section 320-21 (11) and (12) of the Milwaukee Code of Ordinances, the Milwaukee Historic Preservation Commission has issued a certificate of appropriateness for the work listed above. The work was found to be consistent with preservation guidelines. The following conditions apply to this certificate of appropriateness:

All work to be carried out per the attached drawings. Details of front brackets to be supplied to staff.


All work must be done in a craftsman-like manner, and must be completed within one year of the date this certificate was issued. Staff must approve any changes or additions to this certificate before work begins. Work that is not completed in accordance with this certificate may be subject to correction orders or citations. If you require technical assistance, please contact Carlen Hatala of the Historic Preservation staff as follows: Phone: (414) 286-5722 Fax: (414) 286-3004 E-mail: carlen.hatala@milwaukee.gov.


If permits are required, you are responsible for obtaining them from the Milwaukee Development Center. If you have questions about permit requirements, please consult the Development Center's web site, <u>www.milwaukee.gov/build</u>, or call (414) 286-8210.

Carlo Jata

City of Milwaukee Historic Preservation Staff


Copies to: Development Center, Ald. Milele Coggs, Contractor, Inspector Peter Schwartz (286-2537)












12. GUTTER & DOWNSPOUTS RAKE TRIM 8" FRIEZE BOARD 8" TRIM BOARD S" PROFILE 4 + CLAPBOARD PROFILE STOING WOOD BRACKET 32" 4ª CORNER TRIM BRICK VENEER-GRADE 15 GARAGE SIDE (WEST) ELEVATION 8



BULLO UP GRADE BEHIND GARAGE WITH EXCAVATED SOIL 241-04 - 3' 066P SNELVES/24 + 0 -142 GAR 6E V (IN SIDE DIMENSIONS) 22' NIS STYLE OVER Vi . 2 9'28' 9'x 8' 304 BRACKETS TRAFILE OF GARAGE EAVE DRIVEWAY (COMPACTED DECORATIVE STONE) GARAGE FLOOR PLAN 18 = 1-04

10