

To: Finance and Personnel Committee Members

Mark Nicolini, Budget and Management Director

From: Dennis Yaccarino, Budget and Policy Manager Senior

**Date:** October 27, 2008

Subject: 2009 Fire Department Budget

The following provides information requested by the Finance and Personnel Committee at the October, 13, 2008 budget hearing on the Fire Department's 2009 proposed budget.

There was a request for addition injury information. Attached is that information.

If you have additional questions, please contact me at extension 8552.

Cc: Marianne Walsh, Fiscal Staff

DY:dmr

File Ref: 09BF-4C

Common/budget/09budget/F&P Follow-ups/add injury data.doc

**EMERGENT INJURIES - FEBRUARY 2008 (REVISED)** RIGS BURNS FIRE EMS?
STRAIN STRAIN EXPOSURE MISC DATE & TIME PROOF GOMPANY REMARKS **ACTIONS TAKEN** While lifting BLS kit by strap, employee experienced 2/2 @2145 OQ E26 pain in upper back & rt. shoulder 36 LT As employee walked around apparatus to unlock door, he slipped on the ice in street, causing pain in 37 LΤ 2/4 @1230 QQ Lt5 right knee. While walking down street to assist Med 13, employee fell on snow covered street, causing pain 38 Х 2/6 @1400 ΟQ E35 to left side of body (primarily left shoulder) White moving patient from house to sidewalk, the wheel of cot became caught, causing cot & patient to 39 LT 2/6 @1330 ΟQ E16 roll to one side. In an attempt to keep patient from falling, strained lower back During blizzard, employee slipped off the back of apparatus while loading hose. Employee landed on LT 2/6 @1200 OQ. E22 40 back, wearing SCBA (In)ured back,neck, & rt. shoulder Walking up snow covered concrete steps, employee 2/7 @t01t OQ fell forward hitting elbow on left arm. (swelling & pain 41 to left elbow/forearm) While climbing stairs to attic, employee slipped & 2/7 @0140 QQ 42 Х etruck rt. knee & lower leg, causing pain to both While taking 14" combination ladder out of compartment, employee experienced pain to right 43 Х 2/9 @1300 QQ L01 shoulder White driving Med 6, employee noticed a couple 44 2/1 t @2030 OQ. MD6 fighting. Employee wrestled with subject & sustained savere back strain While fighting fire with attack hose, employee 2/t3 @0330 sustained 2nd degree burns to top of rt. ear & wrists 45 LT ΟQ E26 as a large amount of steam erupted Employee slipped & fell on ice white performing 360 LT 2/13 @0330 ΟQ L16 45 for RIT operations Employee twisted his left knee while carrying a 20 ft. 47 2/t5 @t255 QΩ E16 roof ladder over a snow bank While raising roof ladder, employee lost control of 48 2/15 @0330 ΟQ L01 ladder and fell to ground. (right shoulder pain) While laying out hose line, employee slipped on ice 49 х 2/t5 @1250 ΟQ L03 and injured right shoulder Employee experienced pain to right shoulder, and numbness to arm & finger tip, after removing "blue" LT 2/t6 @1220 QQ 50 first aid bag off of partner's shoulder Entering doorway of resident's home, with blue med bag on shoulder, employee turned & experienced LT 2/16 @0600 OQ. 51 strain in lower back Employee experienced e "twinge" with pain & weakness in back, down left leg & foot, while driving 2/t9 @09t5 ΟQ 52 E04 spare Engine 343. Rig drove over numerous pot holes in street While enroute to auto accident using spare Engine 343, drove over numerous pot holes in road, which 53 2/19 @09 t5 QQ E04 caused employee to experience pain in lower back Employee fell on ice while placing PPV fan at 2/21 @0530 ΟQ LT L11 54 structure fire In an attempt to provide first aid to an intoxicated 2/26 @ t328 OQ. patient, patient became combatitive & scratched Х E12 55 employee's enterior foreamybicep area Employee was cerrying EMS bag, slipped on ice, 56 LT 2/26 食 1830 00 E38 twisting rt. arm & shoulder While on an EMS run, employee was punched with a closed flat in the upper left arm & chest area by a Х 2/25 @0 t00 ΟQ 57 combative patient

:

**EMERGENT INJURIES - MARCH 2008 (REVISED)** ACTIONS TAKEN STE RIGS BURNS FIRE EMS EXPOSÚRE STRAIN STRAIN DATE & TIME LIQ/OQ While working on patient, employee was exposed to 3/2 @0300 QQ L09 possible Meningitis 70 Х While working on patient, employee was exposed to possible Meningitis QQ L09 Х 3/2 @0300 71 While working on patient, employee was exposed to L09 possible Meningitis QQ 72 Х 3/2 @0300 While working on patient, employee was exposed to possible Meningitis OQ L09 73 Х 3/2 @0300 Bending over & lifting patient onto long board, OQ. L15 Х 3/7 @1600 74 employee experienced lower back strain Wearing SCBA & stepping down from epparatus, 3/8 @1630 OΩ L12 75 Х employee twisted & strained back. Employee twisted left knee while stepping over 3/3 @0650 οQ MD4 Х 78 snow benk at EMS scene Moving patient to med unit (lcy road conditions), MD15 employee stopped, causing pain in the middle of his OQ 77 Х 3/5 @0330 While carrying blue EMS bag from patient's home, 3/5 @1830 QQ E37 employee slipped on Ice and experienced sharp Х 78 pain underneath left knee cap Employee experienced pain in left shoulder while QQ L09 Х 3/6@1144 79 removing blue EMS bag off of fire apparatus. Employee strained lower back while lifting large ΟQ E02 80 Х 3/8 @0840 patient from long board onto cot Responding to run, driving in spare rig #343, 3/8 @0933 OQ. E04 81 Х employee experienced pain to lower back Assisting with cere of patient while enroute to hospital, suspension of vehicle feiled, causing 3/9 @0600 ΟQ MD6 vehicle to bounce & shake while navigating over 82 Х ruts & potholes in the road. Employee experienced lower back pain Enroute to hospital, sitting on captain seat, rig hit 3/9 @0600 ΟQ MD6 R 83 pot hole, causing lower back pain Walking to apparatus, employee slipped on Ice, 3/12 @2200 OQ. L11 Х 84 twisting and injuring left knee Lifting blue EMS bag off Engine 1, employee OQ 3/12 @1000 E01 85 LT experienced e sharp pain in groin area. Using shoulder strap to carry blue EMS bag, 86 Х 3/13 @0820 OQ E01 employee experienced pain & stiffness in rt. shoulder & neck area Employee unbuckled seat belt, turned around to 87 Х 3/9 @1935 OQ L02 grab SCBA face piece, & felt a "snap" in neck area Moving patient from house and onto cot, col hit groove in the sidewalk, shifting patient. Preventing LT 3/22 @?? QQ MD15 89 patient from falling, employee strained lower back Employee slipped on icy roadway, striking his back 3/22 @0425 OQ E13 89 LT & head, causing pain to back, neck, & head

EMERG	ENT I	NJUR	ES - MA	ARCH 2	008 (RE	VISED)				•		
#OF	STF	RIGS	BURNS	FIRE	EMS STRAIN	EXPOSURE	MISC	DATE & TIME	- (Q/OQ)	GOMPANY	REMARKS	ACTIONS TAKEN
107				LT				3/19 @1100	οQ	145	Employee was forcing open door using battering ram, when he struck his wrist on door frame, causing pain & swelling to left wrist/hand	

MO.	7	9	0	4	12	5	1
YTD	29	24	1	11	26	10	6

Totals: 38 Year-to-Date Totals 107

MO.	2	2	0	2~~	3	0	1
YTD	12	8	1	5	10	0	2

Totals (Lost Time): 10 Year-to-Date Totals (Lost Time): 38

MO:	2	3	0	2	3	(a 1.2 0 1.2 b)	1.1
YTD	13	9	1	5	10	0	2

Totals (Recordable) 11 Year-to-Date (Recordable) 40

X: No lost time & not Recordable

LT: Lost time & Recordable

R: Recordable

:

EMER!	GENT	INJUI	RIES - N	/AY 200	8 (REV	ISED)						
# OF =x INJURY	STF	RIGS	BURNS	FIRE	*EMS *STRAIN	EXPOSURE	MISC.	DATE & TIME	IQ/0Q:	COMPANY	REMARKS.	ACTIONS TAKEN
123							x	5/2 @0300	oq	L09	Upon breaking glass with ax, employee was struck In his left cheek by a falling place of glass, cutting his cheek	
124					LT			5/2 @ 1014	<b>o</b> Q	E10	Employee was lifting patient onto cot when he experienced a sherp pain in his back	
125		LT						5/2 @1137	OQ	E31	Employee was exiting apparatus, grabbed onto the hand rall & experienced pain in laft shoulder as he was stepping down from apparatus	
126		LT						5/2 @1132	OQ	L07	Ladder 7 was traveling down a bumpy road, jarring employee's back, causing pain	
127					LT			5/6 @ 0420	oo.	E09	While lifting patient from floor 10 wheelchair, employee experienced pain in lower back & neck	
128		,		х				5/5 @1100	00	L12	Employee strained his back while carrying PPV fan back to rig	
129			ĻŢ					5/7 @1800	oa.	L12	Wearing full protective gear, employee was venting outside windows when embers fell into hood, burning left side of neck & upper chest region	
130		x						5/7	<b>o</b> Q	E32	Responding to an alarm, seated & belted in apparatus, employea experienced pain to back, knees, neck & rt. hand.	
131		x						5/7 @1545	OQ	E29	Employee twisted his left knee while exiting apparatus carrying EMS equipment	
132	-				LT			5/8 @1000	OQ	E26	Employee was carrying EMS equipment down stairs when he twisted his right knee	
133	LT							5/9 @2150	δα	E12	Employee was opening the rear door of a residence when he tripped & fell down the stalrwell. Employee extended his left arm to brace himself, hitting his left elbow on stairs. Employee experienced pain & numbness in allow & fingers	
134					LT			5/10 @0531	00	MD6	Employee experienced a strain in his lower back as he was lifting patient into med unit	
135							LT	5/10 @0315	οα	L03	While attempting to place c-collar on patient, employee's tip of left Index finger was cut by another employee using a scissors	
136		х						5/8 @0230	OQ	E24	Wearing wet boots, employee stepped into rig & slipped on step. Employee fell; landing on rt. elbow, causing an abrasion to rt. elbow	
137	×							5/13 @??	OQ.	L03	Employee was walking down basement stairs, slipped, & twisted left knee.	
138						×		5/14 @1510	. ∞	MD6	While providing EMS care to pattent, blood was in alrway; pattent coughed, spraying blood onto employee's face & arms	
139						х		5/14 @1518	00	E02	While providing EMS care to patient, blood was in airway, patient coughed, spraying blood onto employee's face	·
140						х		5/14 @1510	OQ	MD6	While providing EMS care to patient, blood was in airway, patient coughed, spraying blood onto employee's face & arms	
141					x			5/20 @0019	oq.	E10	White moving patient, employee experienced pain In his neck and beck	
142		х						5/19/2006	OQ.	E09	Stepping down from fire apparatus, employee slipped on stair, causing his back to strike the metal plating on the corner of apparatus	

							(REVIS						
	#OF INJURY	STF	RIGS	BURNS	STRAIN	EMS. STRAIN	EXPOSUR E	MISC.	DATE 8	IQ/OQ	COMPANY	REMARKS	ACTIONS TAKEN
	153	Х							6/3 @1039	OQ	E18	White advancing 1 3/4" line over junk piled on floor, employee tripped over debris due to limited visibility, resulting in pain & stiffness in neck, left shoulder & upper back	
	154				×				6/2 @2359	oq	L17	White performing overhaul operations (pulling ceilings & opening walls), employee experienced pain in rt. knee	
	155	х				-			6/3 @1039	0Q	E18	White advancing hose line, employee missed a step & fell over debris. Employee sustained a cut & bruising to rt. arm	
	156	x							6/5 @0918	oq	L14	White performing ventilation operations, employee fell over debris, causing pain to left shoulder & arm	
	157					R			6/6 @2000	OQ .	E12	While lifting patient, employee experienced a sharp pain in the back of his head	
	158					х			6/6 @1500	OQ.	L12	While carrying a very obese patient, employee jammed his thumb against door, resulting in pain & swelling to left thumb & hand	
	159					х			6.6 @1140	οQ	E29	While carrying patient on cot, employee hit his left heel, causing severe pain to heel	
	160							LT	6/6 @0129	oq	L14	White performing general overhaut operations & searching 2nd floor of bldg., employee cut his finger & experienced pain in rt. knee	
	161			LT					6/7 @0500	OQ	E33	White searching for trapped fire victim, employee sustained burns to his neck	
	162				х				6/7 @0434	OQ	E13	White performing overhaul operations (swinging of ax), employee experienced pain to rt. shoulder & upper area of arm	
	163	х							6/7 @2000	OQ.	E31	Checking extent of flooding, employee slipped from a retaining wall, jamming his left heel on concrete,	
	164					LT			6/9 @1910	OQ	E31	White assisting with carrying an obese patient, employee experienced pain in groin/hip area	
	165	-	LT						6/7 @1932	OQ	E24	White stepping out of fire apparatus, employee "jammed" his neck upon landing on ground	
	166		х						6/2 @2100	οQ	E36	While closing apparatus door, employee smashed his rt. thumb on door	
	167	· ·					х	<del></del>	6/13 @1408	OQ	E18	White laying hose to exterior of bldg., employee inhated smoke and experienced dehydration	
	168					х			6/13 @ 1832	Q	E32	Employee used a clipboard to protect patient from being hit with a beer bottle; clipboard struck employee's head, causing pain to neck & left side of head	
	169				LT				6/13 @0230	OQ	E05	Employee was pulling down celling with an ax, the handle cupped in his hand, when he experienced pain & tingling in his rt. forearm & hand	

EME	RGENT	ΓINJU	RIES	- JUNE	E 2008	(REVIS	ED)					
#OF INJURY	STF	RIGS	BURNS	FIRE	EMS STRAIN	EXPOSUR E	MISC	» DATE &	[0/00	COMPANY	REMARKS:	ACTIONS TAKEN
189					Х			6/28 @1700	OQ.	E05	Lifting patient out of front seat of automobile, employee twisted, causing strain to upper back	
190							х	6/28 @1500	OQ	L10	While attempting to hook roof saw onto roof ladder, the saw fell, pinching employee's rt. thumb between saw & wrung of roof ladder (rt. thumb injury)	
191				х				6/28 @ 0530	0Q	L13	Leaning out of a 3rd story window, pulling wood trim off of bldg., employee experienced pain in his left side (rib cage)	
192					х			6/24 @ 2330	OQ	E10	Experienced pain in the small of back while placing 380 lb. patient on cot & into ambulance.	
193						х		6/29 @ 2400	OQ	E22	White assisting with CPR, the bag valve mask became dislodged, & vomit sprayed onto arms & face	
194						х		6/29 @ 2400	OQ	E22	While performing chest compressions on patient, B.V.M. became disconnected from tube, causing frothy sputum to spray onto rt. arm & face	
195				×				6/28 @ 0322	OQ.	E30	While performing overhaul operations, employee experienced pain & weakness in rt. elbow	
196		٠		х				6/28 @ 0322	oQ	E30	Experienced pain in lower back while pulling hose into fire building.	
197						х		6/19 @ 1930	OQ	E32	While placing blanket under head of patient, employee was exposed to patient's blood	

MO:	5	5	4 *	* 11	-12	<b>4.</b> 51. 4.	- 3
YTD	41	41	7	28	48	18	14

MO.	0.	2 -	4	2.	4.4	0	
YTD	17	15	7	9	20	0	5

MO:	0 1	2	4	2	5	2 05	2.13
YTD	18	16	7	10	22	0	6

X: No lost time & not Recordable

LT: Lost time & Recordable

R: Recordable

Totals: 45
Year-to-Date Totals 197

Totals (Lost Time): 13

Year-to-Date Totals (Lost Time): 73

Totals (Recordable) 14

Year-to-Date (Recordable) 79

				JULY 20		<del></del>						
#OF# NJURY	STF	RIGS	BURNS	FIRE STRAIN	STRAIN	EXPOSURE	MISCY	DATE & TIME	(Q/QQ)	COMPANY	REMARKS	ACTIONS TAKEN
221				LΤ				7/4 @ 2254	oq.	E12	While advancing hose line, object fell from celling, striking head. Employee suffered pain to head, neck & arm	
222	LT							7/2 @ 0300	OQ	E24	Tripped and fell at fire scene. Awoka the next morning unable to bear weight on left ankle.	
223				LT				7/22 @ 2130	OQ	L12	Experienced pain to left side of groin during overheul operations (hemia)	
224	LT							7/7 @ 2030	o Q	мо7	Employee tripped over an uneven curb causing a contusion to rt. knee & strain to left shoulder	
225				LT				7/22 @ 2143	<b>0</b> Q	E31	Responding to burning fire, employee stepped into hole, twisting his rt. ankle & jamming left index finger	
226		х		<del></del>				7/23 @ 1012	OQ.	- E07	While carrying D-Unit out of Eng. 7, employee's left elbow etruck apparatus frame, causing pein & swelling	
227							LΥ	7/27 🔞 0520	ΟQ	E13	Employee received laceration to the top of his head as another FF released hose line, causing hose to strike employee on his head. Employee hed just removed helmet	
228			ı	LΫ́				7/11 @ 2000	ΟQ	L13	Employee sprained rt. enkle as he stepped on debris et fire scene	
229				x		-		7/28 @ 0100	οQ	E30	Experienced pain in right shoulder white pushing on roof with pike pole.	
230	×							7/28 @ 0200	OQ	L12	White placing ladder for rescue, occupant grabbed ladder & jumped. Occupant landed on employee's head; employee felt backwards onto SCBA & rolled down a hill. (Pain in neck & back)	
231				LT				7/27 @ 0330	ΟQ	E36	While humping hose up stairs, employee stepped down a stair & twisted his rt. knee	
232		LT						7/28 @ 1833	OQ	L10	Exiting fire apparatus, employee twisted left knee	_
233				LT				7/28 @ 2340	ρο	E26	While washing down fire room., employee twisted left knee when foot became tangled in debris	
234	Ľľ							7/21 @1048	OQ	E22	While transferring patient from floor1o chair, employee slipped on bodily fluids & twisted rt. knee	
235					LT			7/31 @1715	ΟQ	E03	While lifting cot with patient upon col. employee experienced a sharp pain in lower back	

NO E			<b>2000</b>	6 7 G	118		(1.00
YTD	49	47	7	44	51	20	17
Men.	34						0000
YTD	22	17	7	17	22	1	-6
MO.	66	2	(1)	3.0	2	8 Y W 7 7	2 2
YTD	24	18	.7	18	24	1	8

X: No lost time & not Recordable LT: Lost time & Recordable R: Recordable

Totals: 38 Year-to-Date Totals: 235

Totals (Lost Time): Year-to-Date Totals (Lost Time): 19 92

Totals (Recordable): Year-to-Date (Recordable): 21 100

				AUGUS								
#OF INJURY	STF	RIGS	BURNS	FIRE STRÂIN	EMS.	EXPOSURE	MISC	DATE & TIME	10/00	COMPANY	REMARKS)	ACTIONS TAKEN
257						х		8/21 @2139	OQ.	L13	While treating patient, employee was exposed to MRSA	
258						Х		8/21 @2139	00	L13	While treating patient, employee was exposed to MRSA	
259						х		8/29 @ 1530	OQ.	MD 4	While treating patient, patient splt bloody sputum in employee's eye & mouth	
260		х						8/27 @0830	00	L10	Employee was placing ladder on apparatus, middle finger became caught on storage divider, resulting in strain to rt. middle finger	
261				LT				8/28 @0400	<b>0</b> Q	L11	While performing overhaul operations, employee experienced pain in lower back & rt. hand	
262		LT						8/29 @0430	OQ.	E31	Employee experienced pain in rt. shoulder efter placing a 1 3/4" hose onto fire apparatus	
263	LΤ							8/29 @1140	OQ	MD 5	While carrying patient out of building, amployee stepped off porch & onto EMS bag, tripping & falling onto rt. ankle, causing a fracture	
264		LT						8/31 @1610	80	E23	White stepping off Engine 23, employee twisted left ankle	
265					R	<u>-</u>		8/30 @0800	00	E23	Employee strained lower back lifting patient onto cot	

MO18 1.5	5.5	0.2	6.	5.	8	1.50
YTD 54	52	7	50	56	28	18

110).	2.2				?)	(0)	
YTD	24	20	7	19	24	1	7

Mex	(* ( <b>*)</b> (*)	233	***0***			0.0	
YTD	26	21	7	21	27	1	9

X: No lost time & not Recordable

LT: Lost time & Recordable

R: Recordable

Totals: 30 Year-to-Date Totals 265

Totals (Lost Time): 10 Year-to-Date Totals (Lost Time): 102

> Totals (Recordable) 12 Year-to-Date (Recordable) 112

**EMERGENT INJURIES - SEPTEMBER 2008** RIGS' BURNS FIRE EMS EXPOSURE MISC DATE/8-TIME 10/00 GOMPANY REMARKS **ACTIONS TAKEN** Experienced sharp pain to right knee while stepping 284 LT 9/15 @ 0620 OQ MD19 out of ria. Rig was hit by another vehicle enroute to scene, 285 LT 9/9 @ 0800 OQ MD13 causing pain in lower back Tripped over a stair in full tumout gear and SCBA; 286 LT 9/10 @ 1441 OQ. E34 causing lower back pain. Foot slipped while stepping into rig, causing rt. knee 287 LT OQ. 9/9 @ 1310 MD18 to impact step. While carrying patient down stairs in a stair chair, 288 LT 9/11 @ 0840 OQ. L14 employee missed step and rolled ankle Experienced pain in rt. heel while moving positive 289 LT 9/13 @ 0505 OQ L07 pressure ventilation fan Experienced rt. shoulder pain while laying out 290 Х 9/9 @ 2440 OQ. E08 exposure line at a large apartment fire. While exiting an attic with hose line, employee 291 Х 9/1 @ 0230 OQ L10 slipped in stairway, causing pain in left foot & ankle Experienced pull/tear in left hamstring while carrying 292 LT 9/9 @ 1330 ΟQ MD5 patient down stairs in a wheelchalr. Received minor abrasions to left upper arm while 293 Х 9/10 @ 2123 00 E30 accessing patient trapped in car after an accident. Exiting Ladder 3, employee slipped on step; falling 294 Х 9/12 @ 1325 OQ. L03 forward, causing left ankle to twist. Noticed injury after firefighting activities: forcible entry, ventilation, moving ladders & overhaul. 295 Х 9/17 @ 1900 ΘQ L11 (swelling to rt. forearm/numbness in hand) While walking along side of fire building, employee 296 Х 9/17 @ 1820 OQ L11 was hit in neck with falling hot glass (1 in. burn) Felt a "pop" in left arm/elbow when holding cot while 297 Х 9/18 @ 0610 OQ MD3 wheels were being raised. Twisted and pulled back while accessing release 298 Х 9/18 @ 1607 OQ E25 strap on stuck SCBA. "Jammed" left shoulder while bracing to prevent fall R 299 9/20 @ 0100 OQ E30 after slipping on stairs at a house fire. Exiting apparatus, struck left elbow on a mounted 300 Х 9/20 @ 1006 OQ E11 handle, (pain & swelling) While performing EMS duties at scene of an 301 Х 9/20@2100 OQ E29 accident, twisted left ankle and knee on debris in the Walking backwards, employee assisted with carrying 302 LT 9/13 @1300 00 MD6 patient on cot, injuring rt. knee While climbing stairs of fire bldg., employee tripped 303 OQ 9/3 @0100 L12 on a burnt mattress, causing pain in rt. knee

.

NON-E	MERGEN	T INJU	JRIES -	JANUA	RY 200	REVISE	D)							
# OF	STE	RIGS	EXERCISE	GOOKING	STRAINS	CRUSHING & LACERATIONS	EXPOSURE	TRAIN NO	Misc	DATE & TIME	(0/00	COMPANY	REMARKS	ACTIONS TAKEN
1		LT								1/3 @2120	IQ .	E27	Stepping out of rear cabin door with equipment, employee experienced pain to rt. Knee	
2		×								1/8 @0060	IQ	E24	Exting fire apparatus, employee's left foot allpped on bunker pante/boots, twisting left antice/loot; lost balance & fell	
3						,	×			1/3 @0800	IQ	L14	Performing general house, firefighting, & EMS duties, employee was exposed to employee infected with MRSA	
4	,						х			1/3 @0600	IQ	E23	Performing general house, firefighting, & EMS duties, employee was exposed to amployee infected with MRSA	
8							х			1/3 <b>@</b> 0800	IQ	E23	Performing general house, firstighting, & EMS duties, employee was exposed to employee infected with MRSA	
8			:				х			1/3 @0800	íQ	L14	Performing general house, firefighting, & EMS duties, employee was exposed to employee infected with MRSA	
7							х			1/3 @080	IQ	E23	Performing general house, firefighting, & EMS duties, employee was exposed to employee infected with MRSA	
8									LT	1/16 @0030	IQ	E03	White deaning kitchen vent hood, cleaning solution spisehed into employee's rt. Eye	
9					LT					1/18 @0200	IQ	E37	White assisting in repacking hose, employee bent over to pick up hose and lower back stiffened	
10	良									f/16 @ 1310	1Q	MD16	Walking across parking lot, employee sapped and fell onto back	
11			LT							1/20 @2330	IQ	E03	Employee rolled his left enkile while jogging over to retrieve bell during the game of recountbell	
12	LT									1/14 @0725	ΙQ	E28	Walking down stairs, carrying bunker pente & bag, employee missed step & fall; injured rt. Knee	
13	<u></u>				×					1/19 @1000	IQ	MD19	Walking across appearatus floor, employee stapped on a reflector. Floor was dirty & covered with self; strain to rt. Anide	
14		×								1/27 @0746	1Q	L13	While exiting rig, employee turned sharply back to hang face piece, straining his left groin area	
15				×						1/28 @1145	1Q	E04	Washing dishes, employee lacerated his left middle finger	
16						×				1/27 @0410	1Q	Diep.	Standing at supervisor's workstation, metal cover panel fell & struck employee's it, leg, causing continuon to leg	,
17						x				1/27 @0829	IQ	Disp.	Sifting at supervisor's workstation, front cover panel fell on employee's loft ankle, brutaing the ankle	· - · · · · · · · · · · · · · · · · · ·
18		LT						ļ		1/16 @1030	IQ	Sinop	Employee atmost out of the engine compartment onto the upper step of the tellboard. When employee photed on left foot, his knee "gave out."	
19	LT									1/29 @0765	. Id	MD18	Carrying turnout gear & bedding, employee slipped on ice streining his back in the attempt to prevent fall	
20	•								R	1/28 @ 0900	ĸ	E20	While performing duties throughout his shift, employee experienced chest pain/heart palpatetions	

	10.00	A STATE OF THE REST		100	4 1 4 3 5	17 July 2017	THE RESERVE		32 ***********		
	LMO SECOND		1	12.5	10.00			T - 17	4.1	( ) II:	
	200			-		سيحسد ومرشا	ت بند				
1	6		.⊿ :			4					
	י טנצו		4 :	1 1	-	4		1 2	1 5 '	1 U I	

Totals: 20

Year-to-Date Totals 20

Totals (Lost Time): 7 Year-to-Date Totals (Lost Time): 7

Totals (Recordable): 9 Year-to-Date (Recordable): 9

X: No lost time & not Recordable

LT: Lost time & Recordable

R: Recordable

10/14/2008 0:40 AM

	EMER	GENT	INJURI	ES - MA	RCH 20	008 (REVIS	SED)		<del></del>					
# OF INJURY	STF	RIGS	EXERGISE	COOKING	STRAINS	GRUSHING& LAGERATIONS	EXPOSURE	TRAINING	M86.	DATES TIME	10/00	COMPANY	REMARKS	ACTIONS TAKEN
38	LT									3/2 @0645	IQ	E28	Carrying a large plastic bin of uniforms, tumout gear, & equipment, employee tripped on stairs, twisting rt. knee & causing pain to lower back	
39								LT		3/4 @1630	IQ	MD13	While at High Rise training, employee essisted in picking up hose. Employee missed a step & twisted rt. ankle & rt. knee	
40								LT		3/6 @1000	IQ	L16	During the process of making a forcible entry, employee was pulling on a halogen tool & experienced a burning/painful sensation to left inner side of elbow	
41	• .				LT			-		3/7 @0810	IQ	E29	Employee lifted blue EMS bag, straining lower back (in quarters)	
42		LT								3/8 @1100	IQ	E13	Retrieving equipment from apparatus compartment, employee hit head on celling pipe; employee fell backwards end strained upper back	
43					LT					3/8 @1900	IQ	E12	Stepping down stairs in east stairwell, employee turned left ankie, spraining ankie	
44		x		<u> </u>						3/8 @1645	Q	E22	While checking the emergency lights on Eng. 22, employee struck his head on overheed door, lacerating top of head	
45	LT									3/10 @1745	IQ	<b>E</b> 11	While taking shower, employee ellpped and struck his head on shower shut-off, causing cut on the back of his head	
48					LT					3/11 @1400	ıα	L12	While moving heavy equipment from one apparatus to another, employee experienced pain in back	
47					LT	i,				3/15 @0950	IQ	<b>E</b> 07	Throwing a roll of 1 3/4" hose, employee's right ring finger became caught in a loop of hose, twisting finger back, causing swelling & pain	
48								x		3/12 @1500	IQ	E20	Holding halogen tool, which was being struck with flat-end of axe by another FF, FF missed axe & hit employee's rt. hand, which became bruised, swollen. & lacerated	
49								LT		3/10 @1005	IQ	E06	While carrying heavy hose during training, employee gradually felt pain in neck & numbness in rt. arm	
50	LT									3/24 @1100	IQ	E11	Washing E11,floor drains were being flushed & grates were removed. Employee stepped beck & accidentally stepped Into drain, causing pain in lower back	
51								х		3/18 @ 1300	1Q	E16	While participating in high rise training, employee was moving a manikin when he injured his ankle	
52						LT				3/21 @1343	IQ	E24	Employee was cleaning axes when he lacerated his left index finger on the wire wheel of hand-held grinder	
53								LT		3/24 @1500	IQ	L13	Training in full turnout gear, in smoke from a burn barrel, employee stepped & slipped on hose, causing employee to do the "splits" straining rt. knee	

•

.•

NON-	EMER	GENT	<u> </u>	ES - AP	RIL 200	8 (REVISE	ED)							
#OF* INJURY	STF	Ries	EXERCISE	COOKING	STRAINS	CRUSHING 8. L'AGERATIONS	EXPOSURE	TIRAINING	MISC	DATE & TIME	(0/00	COMPANY	REMARKS	ACTIONS TAKEN
56		LT								4/1 @0730	ΙQ		Checking equipment on rear box of fire apparatus, employee fell stepping off apparatus, landing on tallbone. Employee experienced pain in lower back/tailbone	
57	-				•			х		4/1 @1430	IQ	Rescue 3	Participating in swift water rescue training, employee was floating on his back down river, through rough waters, when he ingested an entire mouthful of dirty/contaminated toxic water	
58	-	х								4/1 @0828	IQ	L06	Donning PPE & responding to an alarm, employee was bending down to pull up bunker pants when door of apparatus swung open, hitting employee behind rt. ear. causing severe pain & swelling	
59								х		4/2 @1500	IQ	E03	While practicing swift water rescue techniques, employee's foot struck a rock, bruising toes on right foot	
60									LT	4/9 @1030	IQ	E37	While picking up trash at engine house, employee was poked in rt. eye by a bush/stick	
62					×					4/4 @0800	IQ	L13	Walking down stairs, employee stepped on stair, twisting his rt. foot, which resulted in pain to the in- step/top of arch of foot	
62	х									4/t0 @0810	IQ		Walking Into workout room, hallway was dark, employee tripped on a large weight which was used to "prop" open door. Employee attempted to break fall, causing pain in left shoulder	
63	X									4/17 @1100	IQ	SOP	Participating in public education program, wearing full firefighting PPE, employee did not see step, stepped off with rt. foot, which became caught on step; stumbling, employee felt a tearing sensation in these area.	
64								х		4/16 @1430	1Q	E33	Participating in HURT training, operating a Jaws cutter, employee hit left hand against debris, causing pain & swelling to hand	
65		R								4/15 @1315	IQ.	E37	Lifting & lowering lead line off of Engine 37, employee experienced pain in his lower back	
66	LT									4/19 @1000	IQ	E26	Walking down stairs, employee slipped & slid down several steps. Employee grabbed onto ralling with rt. arm to prevent fall, causing pain to rt. shoulder	•
67					R					4/19 @ 2020	IQ	L14	Employee strained lower back white lifting tool box	
88		х								4/20 @0100	ΙQ	E28	Employee was stepping off rig when he experienced a sudden, sharp pain in lower right area of back	
69		,			LT					4/16 @0900	IQ	E14	As part of "Spring" firehouse cleaning, employee was lifting and moving a rack of weights, when he experienced pain to lower back, rt. hip & rt. knee	
70					×					4/22 @2015	ıα	E04	Employee was opening a 5-gal. container of AFFF when he experienced pain in his right forearm	
71		х								4/2 t @1115	IQ	L07	Driving the rig back from an incident, the apparatus hit a number of pot holes in the road, causing pain & tendemess in employee's back	
72					LT					4/29 @0800	ίQ	E16	Employee strained lower back while lifting blue EMS bag from floor	

STATE OF THE	LIVILIN	UCIVI Estatos	NUCILI		AT ZU	08 (REVIS	EU)		Name and Address		lean-area	lastic continue		ACTIONS TAKEN
# OF INJURY		RIGS	EXERCISE	COURING	SIRAIN	GRUSHING L'AGERATION	S EXPOSUR	E HRVAIIVIIVI	s MSC	UA IEG TME	4(GNoTe)	IGOMPANI	REMARKS	ACTIONS TAKEN
76			LT	The second secon		and the second of the second o	and a secondary and and a		32 7000 AV. D-000, 15 300 AV.	5/2 @1500	ΙQ	E23	Employee was lifting weights when he experienced a sharp pain in the front of his right shoulder	
77		х								5/4 @0800	ΙQ	L17	Employee was standing in wheel -well step attempting to get mesk. Mask became stuck onto holder, employee attempted several times to free mask, causing pain in left shoulder	
78	X									5/4 @1235	ΙQ	MD18	Employee slipped & fell on a small puddle of water, striking left arm on the back bumper of med unit. Employee bruised left arm and strained his neck & shoulder	
78					х					5/8 @0930	ΙQ	E14	During "Spring" cleaning, employee was removing office furniture when he experienced pain in lower back	
80		!			х					5/8 @1130	IQ	E33	As part of Spring cleaning, employee was standing on ladder washing ceiling light fixture; as he reached up & twisted to the right, he experienced pain/stiffness in lower back area	
81									х	5/13 @1900	ΙQ	E24	After mopping the floor, employee attempted to sit on bench seal of table, bench slipped out and fell onto employee's rt. toe, causing a bruise	
82			<u>L</u> T							5/18 @1500	ΙQ	E28	Employee was performing physical fitness exercises when he rolled his rt. ankle over depression on apparatus apron (twisted ankle)	
83								х		5/17 @1400	ΙQ	E18	Employee was exiting trench via ladder, turned to grab equipment & experienced a sharp pain in front of his neck	
84	х									5/21 @1000	IQ	E35	While testing hose, employee's heel of boot became caught between door frame & charged hose, causing employee to trip & fall. Employee Injured both wrists and rt. knee	
85		LT								5/28 @1025	ΙQ	E18	Climbing into rig to retrieve turnout gear, step gave way, causing pain to rt. leg, knee, rt. ankle, foot, & heel	
86							х			5/28 @0800	IQ	E35	Basement of Eng. 35 was submerged in water; mold has resulted. The basement is directly beneath dormitory, resulting in toxic environment, causing a cotential to a resultation disease.	
87					x					5/23 @0830	ιQ	E22	Employee experienced pain in left forearm & elbow as he was lifting 1 3/4" hose	
88							×			5/29 @0800	ĮQ	L16	White working at the Quarters of Ladder 16/Engine 35, employee was exposed to mold, located on the north side of the building	
89		ĹТ								5/30 @1545	ıq	E17	Climbling into the cab of Eng. 17, employee pulled himself up & into cab, holding onto side of door, experienced pain in rt. shoulder	

		GENT	INJURI	ES - JU	NE 200	8	<del> </del>							
#OF INJURY	SIF	RIGS	EXERGISE	COOKING	STRAINS	ORUSHING& PAGENATIONS	EXPOSURE	TRAINING	MISC- II	ATTERVIME	1000	(©MP/ANY	REMARKS	ACTIONS TAKEN
93							х		1 1	/3 @0800	g	L16	While working et the Quarters of Ladder 16/Engine 35, employee was exposed to mold, which was located on the north side of the building	
94							х		6/	/4 @0800	Ğ	L18	While working at the Quarters of Ladder 16/Engine 35, employee was exposed to mold, which was located on the north side of the building	
95							x		6/	/4 @0800	ğ	L16	While working at the Quarters of Ladder t6/Engine 35, employee was exposed to mold, which was located on the north side of the building	
96							х		6/	/10 @0800	ĮQ	E35	While working at the Quarters of Ladder 16/Engine 35, employee was exposed to mold, which was located on the north side of the building	
97		×							6,	/8 @1000	ΙQ	E06	Removing hose from apparatus, hose became "hung up" as employee was pulling on it. Employee experienced pein1o left hand	
98			LT						6/	/7 @ 1400	ΙQ	E23	While performing "flys" & "curls" during workout, employee experienced numbness & pain in left hand & wrist, radiating 10 left elbow	
99						x		:	6,	/14 @0840	IQ	L15	White performing routine cleaning of equipment, pike poles were left out from their tubes; employee was walking, looking at floor to avoid tripping over hose, when he walked into the protruding poles. (contusion & small laceration above left eyebrow)	
100	_			LT				·	6/	/16 @1035	ΙQ	E07	While preparing food, another FF slid table & wood bench seat across floor, causing bench to tip over & strike injured FF's left foot (toe fractured)	
101	•	LT							6,	/15 @2005	IQ	L07	Employee was climbing Into apparatus cab after incident when he experienced pain in his left ankle (achilles tendon)	
102								LT	6.	/19 @1030	IQ	E26	While lifting hotel pack at High Rise training, employee experienced pain & stiffness in right shoulder	
103	. <u> </u>	LT							6.	/19 @1730	ΙQ	E18	Employee stepped off fire apparatus after run & felt a sharp & sudden pain in his rt. foot	
104		LT							6.	/13 @1715	IQ	L18	White removing hose from top the of Eng 37, e coupling caught on apparatus & employee felt a "popping" sensation in rt. shoulder, along with tingling down rt. arm	
105	<u>-</u>	LT							6.	/25 @1650	IQ	E09	Employee was stepping onto the back of fire apparatus to load hose when he hit the top of his head on the cross-bar, injuring neck & back	
106			LT						6.	/28 @1020	ΙQ	E35	While placing a 175 lb. barbell onto weight rack, employee felt a "pop" in his left shoulder	
107					LT				6	/8 @0900	IQ	E08	After testing hose, employee bent down to pick up 3* hose & experienced sudden pain & stiffness in lower back	·
108	LT								6	1/29/2008	IQ	E39	Employee was stepping over charger, cables, extension cord & metal crate that were sitting on floor; causing him to trip, stumble & fell, striking rt. shoulder upon fall	
109	·	LT							6	6/30 @0810	IQ	L13	Employee was stepping down from apparatus & lost footing; rt. hand to become caught on handle (pain & swelling to rt. hand & ring finger)	

\*

NON-	EMER	GENT	İNJURI	ES - JU	LY 2008	<del> </del>								-
# OF INJURY	STF	RIGS	EXERCISE	COOKING	STRAINS	CRUSHING & L'AGERATIONS	EXPOSURE	TRAINING	MISC	DATE & TIME	[0]00	COMPANY	REMARKS	ACTIONS TAKEN
114				х						7/5 @ 1745	οα	E33	While chopping pepper, employee sliced off tip of thumb	
115		LT	-							7/5 Ø 1930	OQ	MD19	Exiting rig, employee missed step, causing pain & swelling to rt. heel	
118	_			-	LT					7/3 @ 1150	OQ	E39	Lifting Zoil mechine, employee experienced pain in lower back	
·117		LT								7/1 🟚 1450	oq	E18	Stepping Into rig, employee grabbed onto handle of door & strained lower back	
118					LT					7/1 @ 1115	OQ	L08	Cleaning ladders, employee ettempted to remove 20" ladder, which was wedged tightly in ledder slot, & experienced pain in left shoulder	
119	х							:		7/10 @ 2330	<b>0</b> Q	BN3	Employee slipped on e puddle of water on apparatus floor, causing him to fell; striking hip & shoulder on floor	
120					×	-				7/11 @ 0805	DQ	L16	Experienced lower back pain while checking equipment & lifting tool box.	
1 <b>2</b> 1		х								7/13 @ 1500	OQ.	E18	Stepping off rig, employee missed step & sprained left, big 10e	
122				LT						7/13 @ 1230	00	E26	White cooking, employee becked into open over door, causing burns to right calf.	
123	·				х					7/13 @ 1400	00	E38	While assisting in rolling hose, employee experienced pain in lower back & right abdominal area	
124		ĻŢ								7/16 @ 0845	00	L11	Employee experienced lower back pain while lifting generator into place on back of rig.	
125								×		7/18 @ 2345	000	L01	White walking toward fire boat, employee slipped on ramp & impacted dock with shin, causing cuts & bruises to left shin	
129		LT								7/24 @ 0330	OQ	E04	Piacing equipment onto apparatus, employee slipped on step; hitting rt. knee on diamond plate step, causing pain	,
127					:	×				7/24 @ 1303	oa	E37	While washing dishes, knife elipped, cutting employee's rt. thumb	
128								LT		7/22 @ 1000	οα	LO8	During extrication training, employee sprained rt. shoulder while lifting door from car	
129					LT					7/18 @ 0230	DQ	E09	Experienced pain in rt. leg while performing housework; pain & weakness became worse as day progressed.	
130	· -					X				7/27 @1515	0Q	E07	White performing PR assignment, employee was removing adapter from hydrent & punctured rt/middle finger. (1/2" (aceration)	

MO.	3.10	55	0.0	=2	96-5 de	97.82163	## (O)	2.2	0.4
YTD	17	26	7	7	27	10	12	18	-6
	1000 Ole Orenia			F	carra - (	g fills of the property of the pro-		de de la companya	
ilo) <sub>e</sub> ,	$\mathcal{A}_{i}$ $\mathbb{U}_{i}$	2.7.5	()	$(x_i,y_i)_{i \in I}$			(1,00)		9
YTD	8	_ 15	6	3	15	2	10	9	2
YID		15	ן ט	3	15	2 :	10	9	.2
MO.					3				, O
NOTE:	-0	16		4	16	2		•	

Totals: 17 Year-to-Date Totals: 130

Totals (Lost Time): 9 Year-to-Date Totals (Lost Time): 60

> Totals (Recordable): 9 Year-to-Date (Recordable): 66

NON-E	ON-EMERGENT INJURIES - AUGUST 2008													
# OF INJURY	Sile	RIGS	EXERCIS E	GOOKING	STRAINS	GRUSHING& LAGERATIONS	EXPOSURE	TRAINING	MISC I	MIT-8-TIME	10/00	COMPAN	YREMARKS	ACTIONS TAKEN
131	LT									8/1 @0910	ΙQ	E03	Walking up stairs, employee "pushed" off with left foot & experienced a "pop" in foot & fell down. (Partial Achilles Rupture)	
132		х		_						8/2 @1030	IQ	L14	White lifting generator off apparatus, employee experienced pain in lower back/numbness & tingling in rt. foot	
133			LT							8/3 @ 1920	IQ	L03	While playing basketball, employee made a quick move to retrieve a loose ball, & strained left calf	
134		•			LT					8/1 @0846	IQ	E20	Employee was lifting double doughnut, doughnut became stuck, & employee experienced pain in lower back	
135			 		LT					8/4 @1345	IQ	L02	Employee experienced pain in lower back while lifting geer to the top of locker	
136	-				x					8/6 @2245	IQ	E33	While donning firefighting parits/boots, employee twisted his right knee	
137	_		LT							8/9 @1515	IQ	E28	Employee experienced pain in left calf area while running	
138		X								8/6 @2100	IQ 	L07	Switching to spare apparatus, employee was re- packing hose and experienced pain in lower back	
139			-		LT	<u> </u>			8	8/11 @1030	IQ	E26	Employee experienced e sherp pain in left /mld portion of back, which radiated down left leg, while carrying a full bag of oil-dry	
140					×				8	8/11 @1500	IQ	E24	Employee experienced pain in right shoulder while pulling & re-packing hose	
141		-	LT	· · · · · · · · · · · · · · · · · · ·					8	8/13 @1630	iQ	E17	While employee was performing crunches, another employee was punching "Speed Bag." Speed bag pole became unattached, hitting employee doing the crunches in the fip (laceration)	
142		LT		_	ļ . <u>-</u>				8	8/15 @1008	IQ	E28	As employee was stepping off Eng. 28, rt. foot landed in pot hole, which was in front of E. 26's Quarters, causing pain in rt. ankle	
143		LT	· · · · · ·		ļ	-			8	8/15 @0628	IQ	MD6	Prior to leaving quarters to respond to an alarm, the exhaust hose sprung back, striking employee above left eyebrow, causing teceration	
144			LT						8	8/18 @2000	IQ	L03	While elimbing into the details each of fire	
145		LT	-	····						8/19 @0830	IQ	E27	While climbing into the driver's seat of fire apparatus, employee experienced severe pain in left knea	
146		х			_			:	8	8/21 @1100	IQ	E23	Employee experienced pain in rt. shoulder while loading & unloading hose on fire apparatus	
147			X						8	8/19 @1415	IQ	E18	While performing physical activity, employee sustained an avulsion to the bottom of rt. foot due to striking foreign object  Employee experienced pain in lower back while	· · · · · · · · · · · · · · · · · · ·
148					х					8/24 @1557	IQ	L10	bending down to don bunker pants	

-

1

NON-	NON-EMERGENT INJURIES - SEPTEMBER 2008												
# OF INJURY	STF	RIGS	EXERCISE	COOKING	STRAINS	CRUSHING'S LACERATIONS	EXPOSURE	TRAINING	MISC	DATE & TIME	10000	COMPANY	REMARKS ACTIONS TAKEN
150		LT								9/4 @ 1600	3Q		While assisting with the switching over of spare truck 24, employee experienced pain in shoulder while taking chimney chain out of sand box (under the aerial)
151	LT									9/12 @ 1235	ΙQ	E01	Lost balance while walking down back stairs; experienced sharp pain in right knee.
152					LT					9/10 @ 1030	ю	L17	Stepped in dip in asphalt in grocery store parking lot, and rolled right ankle.
153						×				9/14 @ 0200	Ю	E39	Waking 1o respond to a run, employee cut nose as he struck black equipment box
154					×					9/12 🛱 0900	ΙQ	E22	Walking through parking lot, employee struck right knee on an unseen traffer hitch ball.
155					×					9/12 @ 1600	ю	E17	Experienced sudden knee pain while pushing lawn moweron hill at southern side of engine house.
158	LT									9/17 @ 1545	ю	E20	Carrying botties, employee tripped on crack in pavement, while walking towards vehicle; broke nose & sprained both wrists
157		LT				-				9/21 @1820	ΙQ	E28	Climbing out of apparatus, employee stepped down & experienced pain in rt. elbow
158	х			•		٠				9/2 @0940	. IQ	E02	While cleaning floor, employee moved baskethall hoop, hoop tipped over & struck employee, knocking him to the floor (abrasions to neck, back, elbow, & hand)
159		x								9/23 @0900	IQ	BN3	Lifting SCBA out of vehicle, employee experienced pein in the back of rt. hand & rt. shoulder
160						х				9/26 @1415	IQ	E09	While cutting trees with pruning shears, employee's left forearm was cut by the tree branches
161				-					LT	9/17 @1030	īQ	SHOP	Wrule performing maintenance work, using a step ladder, employee scraped rt. shin on ladder rung

MO	33	-3	0	0.	3	1000	<b>3</b> 0 3 4	0.5	e dise
YTD	21	35	12	8	36	12	12	18	7
r.c.		100				(18 H)			
YTD	11	20	10	4	19	2	0	9	3
n(S)							VI.00%	S. 1945.	<b>建 "</b> 赛"
YTD .	12	21	10	5	20	3	0	9	4

X: No lost time & not Recordable

LT: Lost time & Recordable

R: Recordable

Totals: 12 Year-to-Date Totals: 161

Totals (Lost Time): 6
Year-to-Date Totals (Lost Time): 78

Totals (Recordable): 6
Year-to-Date (Recordable): 84