




*Buckley's Addition
and Interior
Remodeling*

Title Sheet

*Sheet No.
T1-01*




ADA Information

NEW TOILET ROOM

The diagram illustrates the layout and dimensions of a new toilet room. The room is rectangular, with a door on the right side. The dimensions are as follows:

- Overall width: 7'-1" MIN. CLR. (NO. 1)
- Overall height: 6'-6" MIN. CLR. (NO. 2)
- Door width: 32" MIN. CLR.
- Door height: 84" x 66" CLR. FLR. SPACE @ DOOR
- Clearance from wall to toilet: 30" x 48" LAY. CLR. FLR. SPACE
- Clearance from toilet to door: 30" x 48" MANEUVERING SPACE PAST DOOR SWING
- Clearance from toilet to wall: 18" MIN. VERTICAL GRAB BAR ABOVE
- Clearance from toilet to door: 60" x 56" W.C. CLR. FLR. SPACE
- Clearance from toilet to door: 60" TURNING CIRCLE



Project Data

SCOPE OF WORK:	RENOVATION AND ADDITION TO EXISTING BUCKLEY'S RESTAURANT AND BAR
AUTHORITY HAVING JURISDICTION:	CITY OF MILWAUKEE, WISCONSIN
APPLICABLE BUILDING CODES:	STATE OF WISCONSIN COMMERCIAL BUILDING CODE 2009 INTERNATIONAL BUILDING CODE 2003 STANDARD FOR ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES ICC/ANSI 117.1-2003 NFPA 101 LIFE SAFETY CODE 2000
PRIMARY OCCUPANCY:	GROUP A - RESTAURANT
ACCESSORY OCCUPANCY:	A-2 CLASSIFICATION FOR 50 OR MORE
CONSTRUCTION TYPE:	TYPE II-B UNPROTECTED, NON COMBUSTIBLE CONSTRUCTION

Sheet Index

TITLE SHEET	T1
SHEET INDEX,SCHEDULES & NOTES	T1-02
IMAGE PLAN	T1-03
EXISTING PHOTOS	T1-04
SITE PLAN	S1
DEMO PLAN	A0-00
BASEMENT PLAN	A1-00
BASEMENT EQUIPMENT PLAN	A1-00.1
FIRST FLOOR PLAN	A1-01
SECOND FLOOR PLAN	A1-02
ROOF PLAN	A1-03
FIRST FLOOR REFLECTED CEILING PLAN	A1-04
FIRST FLOOR FINISH PLAN	A1-05
FIRST FLOOR FURNITURE PLAN	A1-06
EAST ELEVATION	A2-01
WEST ELEVATION	A2-02
SECTION	A3-01
LANDSCAPE PLAN	A4-01
PLAN DETAIL	A5-01
INTERIOR ELEVATION	A6-01
INTERIOR ELEVATION	A6-02
SECTION/DETAIL	A7-01
DOOR SCHEDULE & DETAILS	A9-01

Demolition Notes

1. GENERAL INFORMATION IS PROVIDED FOR ITEMS NOTED TO BE DEMOLISHED AND REMOVED. THE CONTRACTOR SHALL REVIEW ALL THE INFORMATION AVAILABLE AND INCLUDE DEMOLITION ACTIVITIES FOR ALL WORK NECESSARY FOR THE CONSTRUCTION OF THE NEW IMPROVEMENTS AND ANY EXISTING WORK THAT INTERFERES WITH THE NEW IMPROVEMENTS.
2. ALL DEMOLITION ACTIVITIES ARE TO BE PERFORMED IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL REGULATIONS.
3. PRIOR TO STARTING AND DEMOLITION THE CONTRACTOR IS RESPONSIBLE FOR :
 - A. OBTAINING ALL REQUIRED PERMITS.
 - B. INSTALLING THE REQUIRED EROSION AND SEDIMENT CONTROL MEASURES.
 - C. LOCATING AND PROTECTING ALL UTILITIES AND SERVICES.
 - D. PROTECTING AND MAINTAINING IN OPERATION ALL ACTIVE UTILITIES AND SYSTEMS THAT ARE NOT BEING REMOVED DURING DEMOLITION.
 - E. IN THE EVENT THE CONTRACTOR DISCOVERS ANY HAZARDOUS MATERIAL, THE CONTRACTOR SHALL IMMEDIATELY CEASE ALL WORK AND NOTIFY THE OWNER OF THE DISCOVERY OF SUCH MATERIALS.
4. THE CONTRACTOR SHALL PROVIDE ALL THE MEANS AND METHODS NECESSARY TO PREVENT MOVEMENT, SETTLEMENT, OR COLLAPSE OF EXISTING STRUCTURES AND ANY IMPROVEMENTS REMAINING ON OR OFF SITE. THE CONTRACTOR IS RESPONSIBLE FOR ALL REPAIRS OF DAMAGE TO ALL ITEMS THAT REMAIN. ALL REPAIRS SHALL USE NEW MATERIAL. THE REPAIRS SHALL RESTORE THE ITEMS TO THEIR PRE-DEMOLITION CONDITION.
5. THE CONTRACTOR SHALL ONLY PERFORM EXCAVATION ACTIVITIES, DEMOLITION, REMOVAL OF FOUNDATION WALLS, FOOTINGS OR OTHER MATERIALS WITHIN THE LIMITS OF DISTURBANCE.
6. THE CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL IN CONFORMANCE WITH ALL STATE AND LOCAL REGULATIONS.
7. THE CONTRACTOR SHALL CONDUCT DEMOLITION ACTIVITIES IN SUCH A MANNER TO ENSURE MINIMUM INTERFERENCE WITH STREETS AND SIDEWALKS AND OTHER ADJACENT FACILITIES.
8. THE CONTRACTOR SHALL USE DUST CONTROL MEASURES TO LIMIT AIRBORNE DUST AND DIRT IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL STANDARDS. AFTER DEMOLITION IS COMPLETE, ADJACENT STRUCTURES AND IMPROVEMENTS SHALL BE CLEANED OF ALL DUST AND DEBRIS CAUSED BY DEMOLITION ACTIVITIES. THE CONTRACTOR IS RESPONSIBLE FOR RETURNING ALL ADJACENT AREAS TO THEIR PRE-DEMOLITION CONDITION.


General Notes

1. WHERE EXISTING WALLS AND OTHER CONSTRUCTION HAS BEEN REMOVED, REMAINING CONSTRUCTION SHALL BE PATCHED TO MATCH ADJACENT SURFACES.
2. CONTRACTOR SHALL PATCH ALL FINISH SURFACES THAT HAVE BEEN DISTURBED FOR MECHANICAL, ELECTRICAL AND/OR PLUMBING WORK. SURFACES TO BE PATCHED TO MATCH ADJACENT SURFACES.
3. WHERE FINISHES HAVE BEEN REMOVED, REPAIR WALL SURFACE AS NECESSARY TO ACCOMMODATE NEW WALL FINISHES AS DESIGNATED ON THE DRAWINGS.
4. WHERE LIGHT FIXTURES, SWITCHES, OUTLETS ETC. ARE TO BE REMOVED AND NOT REPLACED. REMOVE ALL JUNCTION BOXES, CONDUIT, AND WIRING ASSOCIATED WITH IT. PATCH WALL TO MATCH EXISTING ADJACENT FINISH.
5. ALL DUMPSTERS ARE TO BE PROVIDED BY THE CONTRACTOR.
6. PRIOR TO STARTING CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE TO ENSURE THAT ALL REQUIRED PERMITS AND APPROVALS HAVE BEEN OBTAINED. NO CONSTRUCTION OR FABRICATION SHALL BEGIN UNTIL THE CONTRACTOR HAS RECEIVED AND THOROUGHLY REVIEWED THE COMMENTS TO ALL PLANS AND OTHER DOCUMENTS REVIEWED AND APPROVED BY THE PERMITTING AUTHORITIES. CONTRACTOR SHALL HAVE ALL COPIES OF PERMITS AND APPROVALS ON SITE AT ALL TIMES.
7. THESE PLANS ARE BASED ON INFORMATION AVAILABLE. CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS AND NOTIFY OWNER IF ACTUAL SITE CONDITIONS DIFFER FROM THOSE SHOWN ON THE DRAWINGS, OR IF THE PROPOSED WORK CONFLICTS WITH ANY EXISTING FEATURES WHICH ARE SCHEDULED TO REMAIN.
8. ALL DIMENSIONS SHOWN ON THE PLANS SHALL BE FIELD VERIFIED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION. CONTRACTOR SHALL NOTIFY THE OWNER IF ANY DISCREPANCIES EXIST PRIOR TO STARTING PROCEEDING WITH CONSTRUCTION.
9. PRIOR TO THE START OF CONSTRUCTION, THE CONTRACTOR SHALL COORDINATE THE BUILDING LAYOUT WITH ALL TRADES INCLUDING MECHANICAL, ELECTRICAL, PLUMBING, AND STRUCTURAL.
10. DEBRIS AND EXCAVATED MATERIAL SHALL BE DISPOSED OF IN ACCORDANCE WITH THE REQUIREMENTS OF ALL AUTHORITIES HAVING JURISDICTION OVER THIS PROJECT.
11. THE CONTRACTOR IS RESPONSIBLE FOR ALL SHORING REQUIRED DURING EXCAVATION AND ANY ADDITIONAL PRECAUTIONS TO BE TAKEN TO ASSURE THE STABILITY OF ADJACENT AND CONTIGUOUS STRUCTURES.
12. THE CONTRACTOR IS RESPONSIBLE TO SAFEGUARD THE SITE AS NECESSARY TO PERFORM ALL WORK AND PREVENT THE ENTRY OF UNAUTHORIZED PERSONS AT ANY TIME.
13. THE CONTRACTOR IS RESPONSIBLE FOR ALL JOB SITE SAFETY, WHICH INCLUDES THE INSTALLATION OF FENCING, BARRIERS AND OTHER APPROPRIATE SAFETY ITEMS NECESSARY TO PROTECT THE PUBLIC.

Buckley's Addition and Interior Remodeling

Sheet Index,
Schedules & Notes

Sheet No.
T1-02



Interior Image/Concept



Exterior Image

**Buckley's Addition
and Interior
Remodeling**

Images

Sheet No.

T1-03



WEST ELEVATION 801 N. CASS ST.



SOUTH ELEVATION 801 N. CASS ST.



SE CORNER 801 N. CASS ST.



EAST ELEVATION 801 N. CASS ST.



NE CORNER 801/803 N. CASS ST.



SW CORNER 807 N. CASS ST.



NORTH ELEVATION 807/809 N. CASS ST.



SE CORNER 807/809 N. CASS ST.



EAST ELEVATION 807/809 N. CASS ST.

*Buckley's Addition
and Interior
Remodeling*


EXISTING PHOTOS

Sheet No.

T1-04

Construction Notes

- 1. CONTRACTOR SHALL BE RESPONSIBLE FOR TAKING ALL THE APPROPRIATE MEASURES REQUIRED TO ENSURE THE STRUCTURAL STABILITY OF SIDEWALKS AND PAVEMENT WHICH ARE SCHEDULED TO REMAIN AND TO PROVIDE A SAFE WORK AREA.
- 2. THE CONTRACTOR IS RESPONSIBLE FOR REPAIRING ANY DAMAGE DONE TO ANY NEW OR EXISTING CONSTRUCTION OR PROPERTY DURING THE COURSE OF CONSTRUCTION, INCLUDING BUT NOT LIMITED TO DRAINAGE, UTILITIES, PAVEMENT, STRIPING, CURB ETC. THE CONTRACTOR SHALL BE RESPONSIBLE FOR AND REPLACE ALL CABLE, WIRING CONDUITS, AND ANY UNDERGROUND ACCESSORY EQUIPMENT DAMAGED DURING CONSTRUCTION. THE REPAIR OF ANY NEW OR EXISTING CONSTRUCTION OR PROPERTY SHALL RESTORE SUCH CONSTRUCTION OR PROPERTY TO A CONDITION EQUIVALENT TO OR BETTER THAN EXISTING CONDITIONS AND IN CONFORMANCE WITH ALL APPLICABLE CODES.
- 3. THE CONTRACTOR IS RESPONSIBLE FOR MAINTENANCE AND PROTECTION OF A TRAFFIC PLAN FOR ALL WORK THAT AFFECTS PUBLIC TRAVEL EITHER IN THE R.O.W. OR ON SITE.
- 4. CONTRACTORS SHALL EXERCISE APPROPRIATE CARE AND PRECISION IN CONSTRUCTION OF ADA ACCESSIBLE COMPONENTS FOR THE SITE. THESE COMPONENTS, AS CONSTRUCTED, MUST COMPLY WITH STATE AND FEDERAL ACCESSIBILITY RULES AND REGULATIONS. FINISHED SURFACES ALONG THE ACCESSIBLE ROUTE FROM PUBLIC ACCESS TO ACCESSIBLE BUILDING ENTRY/EGRESS, SHALL COMPLY WITH ADA AND WISCONSIN BUILDING CODE REQUIREMENTS.
- 5. LOCATION OF ALL EXISTING UTILITY SERVICES ARE APPROXIMATE AND MUST BE CONFIRMED INDEPENDENTLY WITH LOCAL UTILITY COMPANIES PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION OR EXCAVATION.
- 6. ALL UTILITIES AND SERVICES INCLUDING BUT NOT LIMITED TO GAS, WATER, ELECTRIC, SANITARY AND STORM SEWER, TELEPHONE, CABLE, ETC. WITHIN THE LIMITS OF DISTURBANCE SHALL BE VERTICALLY AND HORIZONTALLY LOCATED. THE CONTRACTOR IS RESPONSIBLE FOR REPAIRS AND DAMAGE TO ANY EXISTING UTILITIES DURING CONSTRUCTION.
- 7. THE CONTRACTOR IS RESPONSIBLE TO PROTECT AND MAINTAIN ALL ACTIVE SYSTEMS THAT ARE NOT BEING REMOVED/RELOCATED DURING CONSTRUCTION ACTIVITY.
- 8. THE CONTRACTOR IS RESPONSIBLE FOR ALL COORDINATION REGARDING UTILITY DEMOLITION AS REQUIRED FOR THE PROJECT. THE CONTRACTOR SHALL PROVIDE THE OWNER WRITTEN NOTIFICATION THAT EXISTING UTILITIES AND SERVICES HAVE BEEN TERMINATED AND ABANDONED IN ACCORDANCE WITH LOCAL JURISDICTION AND UTILITY REQUIREMENTS.
- 9. ALL DEBRIS FROM REMOVAL OPERATIONS SHALL BE REMOVED FROM THE SITE AT THE TIME OF EXCAVATION. STOCKPILING OF DEBRIS WILL NOT BE PERMITTED.



Buckley's Addition
and Interior
Remodeling

Site Plan


Sheet No.

General Notes

- 1. COMPLY WITH ALL GOVERNING EPA NOTIFICATION REGULATIONS BEFORE BEGINNING SELECTIVE DEMOLITION. COMPLY WITH HAULING AND DISPOSAL REGULATION AUTHORITIES HAVING JURISDICTION. COMPLY WITH ANSI/ASSE A10.6 AND NFPA 241.
- 2. SITE ACCESS AND TEMPORARY CONTROLS: CONDUCT SELECTIVE DEMOLITION AND DEBRIS REMOVAL OPERATIONS TO ENSURE MINIMAL INTERFERENCE WITH CURRENT OPERATIONS, ROADS, STREETS, WALKS AND OTHER ADJACENT OCCUPIED FACILITIES.
- 3. DEMOLISH AND REMOVE EXISTING CONSTRUCTION ONLY TO THE EXTENT REQUIRED BY NEW CONSTRUCTION OR AS INDICATED.
- 4. DEFINITIONS:
 - A. REMOVE: DETACH ITEMS FROM EXISTING CONSTRUCTION AND LEGALLY DISPOSE OF THEM OFF SITE UNLESS INDICATED TO BE REMOVED AND SALVAGED OR REMOVED AND REINSTALLED.
 - B. REMOVE AND SALVAGE: CAREFULLY DETACH FROM EXISTING CONSTRUCTION, IN A MANNER TO PREVENT DAMAGE, AND DELIVER TO OWNER.
 - C. REMOVE AND REINSTALL: DETACH ITEMS FROM EXISTING CONSTRUCTION, PREPARE FOR REUSE AND REINSTALL WHERE INDICATED.
 - D. EXISTING TO REMAIN: EXISTING ITEMS OF CONSTRUCTION THAT ARE NOT TO BE PERMANENTLY REMOVED AND THAT ARE NOT OTHERWISE INDICATED TO BE REMOVED, REMOVED AND SALVAGED, OR REMOVED AND REINSTALLED.

Legend

- EXISTING CONSTRUCTION TO BE REMOVED THAT INTERFERES WITH NEW PLANNED CONSTRUCTION. REFER AND COORDINATE WITH FLOOR PLANS FOR NEW CONSTRUCTION.
- EXISTING CONSTRUCTION TO REMAIN.




Demo Plan

Buckley's Addition and Interior Remodeling

Demo Plan


Sheet No. A0-0



**Buckley's Addition
and Interior
Remodeling**

First Floor Plan

Sheet No.




Second Floor Plan

1/8" = 1'-0"

Buckley's Addition
and Interior
Remodeling

Second Floor Plan

Sheet No.



Roof Plan
1/8" = 1' - 0"

**Buckley's Addition
and Interior
Remodeling**

Roof Plan


Sheet No.

General Notes

- 1. PATCH CEILING TO MATCH EXISTING WHERE NEW CONSTRUCTION MEETS EXISTING CEILING CONSTRUCTION DESIGNATED TO REMAIN.
- 2. COORDINATE CEILINGS WITH MECHANICAL, PLUMBING, TECHNOLOGY AND EQUIPMENT TRADES.
- 3. REPAINT ALL EXISTING CEILINGS.

Keyed Notes

- ① GYPSUM BOARD CEILINGS. SEE FINISH SCHEDULE FOR PT. FINISH
- ② 2' X 4' VINYL CLAD CEILING TILE
- ③ WOOD COVE MOLDINGS, TRIM AND BOX OUTS. SEE ROOM FINISH SCHEDULE FOR PT. FINISH
- ④ EXISTING GYPSUM CEILING TO REMAIN. SEE FINISH SCHEDULE FOR PT. FINISH



First Floor RCP

1/8" = 1'-0"


Buckley's Addition
and Interior
Remodeling

First Floor Reflected
Ceiling Plan


Sheet No.

1. FLOOR FINISH CONTRACTOR TO PROVIDE SYMETRICAL LAYOUT FOR FLOOR FINISH FOR OWNER REVIEW PRIOR TO INSTALLATION.
2. PROVIDE STAINLESS STEEL TRANSITION STRIP WHERE WOOD FLOORING MEETS TILE FLOORING.
3. SEE ROOM FINISH SCHEDULE FOR PRODUCT DETAILS.
- 4.

- 1 PROVIDE SLAB TRHESHOLD TO MATCH BATHROOM FLOOR FINISH.
- 2 CERAMIC TILE
- 3 QUARRY TILE
- 4 WALNUT STAINED OAK PLANK FLOOR



Sheet No.



Furniture Plan
 1/8" = 1'-0"

***Buckley's Addition
 and Interior
 Remodeling***

Furniture Plan

Sheet No.

Keyed Elevation Notes:

- 1 NEW SMOOTH FACE MASONRY WITH PAINTED FINISH
- 2 PATCH BRICK TO MATCH WHERE DOOR HAS BEEN REMOVED
- 3 NEW PAINTED WOOD PANEL AND TRIM WHERE DOOR HAS BEEN REMOVED
- 4 NEW PRECAST CONCRETE SILL
- 5 NEW PAINTED WOOD PANEL AND TRIM
- 6 NEW PREFINISHED SHEET METAL COPING
- 7 NEW ALUMINUM AND GLASS WINDOW UNIT
- 8 NEW ALUMINUM AND GLASS WINDOW AND DOOR SYSTEM
- 9 NEW ALUMINUM AND GLASS WINDOW UNITS
- 10 NEW PRECAST STONE BASE
- 11 NEW WALL SCONCE LIGHTING
- 12 EXISTING BRICK, NEW PAINT
- 13 NEW ACCENT LIGHTING
- 14 NEW SIGNAGE
- 15 NEW STEEL FRAMING AND TRIM, PAINTED
- 16 NEW STANDING SEAM PANEL SYSTEM
- 17 NEW PAINTED METAL RAILING



East Elevation

1/8" = 1'-0"


Buckley's Addition
and Interior
Remodeling

East Elevation

Sheet No.

Keyed Elevation Notes:

- ① NEW SMOOTH FACE MASONRY WITH PAINTED FINISH
- ② PATCH BRICK TO MATCH WHERE DOOR HAS BEEN REMOVED
- ③ NEW PAINTED WOOD PANEL AND TRIM WHERE DOOR HAS BEEN REMOVED
- ④ NEW PRECAST CONCRETE SILL
- ⑤ NEW PAINTED WOOD PANEL AND TRIM
- ⑥ NEW PREFINISHED SHEET METAL COPING
- ⑦ NEW ALUMINUM AND GLASS WINDOW UNIT
- ⑧ NEW ALUMINUM AND GLASS WINDOW AND DOOR SYSTEM
- ⑨ NEW ALUMINUM AND GLASS WINDOW UNITS
- ⑩ NEW PRECAST STONE BASE
- ⑪ NEW WALL SCONCE LIGHTING
- ⑫ EXISTING BRICK, NEW PAINT



West Elevation


1/8" = 1'-0"

Buckley's Addition
and Interior
Remodeling

West Elevation

Sheet No.

A2-02



Section

1/8" = 1'-0"



**Buckley's Addition
and Interior
Remodeling**

Building Section

Sheet No.

A3-01

Construction Notes




Landscape Plan
1/16" = 1'-0"

***Buckley's Addition
and Interior
Remodeling***

Landscape Plan

Sheet No.

A4-01




Plan Details
 1/2" = 1' - 0"

Buckley's Addition
 and Interior
 Remodeling

Plan Details

Sheet No.
A5-01



Interior Elevation


1 1/2" = 1' - 0"

***Buckley's Addition
and Interior
Remodeling***

Interior Elevations

Sheet No.

A6-01




Interior Elevation

1/2" = 1' - 0"

PAINTED WOOD PANEL
AND TRIM

DECORATIVE WALL
MOUNTED FIXTURE

WOOD BASE



Interior Elevation


1/2" = 1' - 0"

**Buckley's Addition
and Interior
Remodeling**

Interior Elevations

Sheet No.

A6-02



***Buckley's Addition
and Interior
Remodeling***


Section/Details

Sheet No.

A7-01


DOOR SCHEDULE

NUMBER	DOOR				FRAME		HDWE SET	RATING (MIN)	PHASE	REMARKS
	SIZE			TYPE	TYPE					
	LEAF QTY	WIDTH	HGT							
100A	1	3' - 0"	6' - 8"	B	EXIST					
101A	1	EXIST	EXIST		EXIST					
101B	1	2' - 8"	6' - 8"	C	1					
102A	1	2' - 8"	6' - 8"	C	1					
102B	1	EXIST	EXIST		EXIST					
103A	1	2' - 8"	6' - 8"	C	1					
103B	1	EXIST	EXIST		EXIST					
106A	1	2' - 8"	6' - 8"	B	EXIST					
109A	1	3' - 0"	6' - 8"	C	1					
110A	1	3' - 0"	6' - 8"	C	1					
111A	1	3' - 0"	6' - 8"		1				KITCHEN DUAL SWING DOOR	
112A	1	3' - 0"	6' - 8"	C	1					
112B	1	3' - 0"	6' - 8"						EXISTING RELOCATED	
113A	1	2' - 8"	6' - 8"	C	1					
114A	2	6' - 0"	10' - 0"	A						
114B	2	6' - 0"	10' - 0"	A						
200A	1	2' - 8"	6' - 8"	C	EXIST					
200B	1	3' - 0"								
201A	1	3' - 0"	6' - 8"	C	1					
201B	1	EXIST	EXIST		EXIST					
202A	1	2' - 8"	6' - 8"	C	1					
203A	1	2' - 8"	6' - 8"	C	1					
204A	1	3' - 0"	6' - 8"	C	1					
205A	1	2' - 8"	6' - 8"	C	1					
206A	1	3' - 0"	6' - 8"	C	1					




Base Detail

Full Scale




Frame Types


1" = 1' - 0"



A
6' x 10' ENTRY DOOR



B
3' - 0" x 6' - 8" ENTRY DOOR



C
2' - 8" x 6' - 8" INTERIOR DOOR

Door Types

1/4" = 1' - 0"

Buckley's Addition
and Interior
Remodeling

Door Schedule
& Details

Sheet No.

A9-01