

Business: Gravelle Designs

Guest: Jared

1121 S 114th St

Milwaukee, WI 53214-2231 Phone: 4143128304

Gravelle

Fax:

MENARDS QUOTE

2101 MILLER PARK WAY WEST MILWAUKEE, WI 53219

(414) 672-5178 (414) 672-5212

Store Number: 3226

Store Code: WMIL

Date: 5/12/2017

Team Member: 1074070

Quote Number: 1418205

Quote Name: Unassigned Quote

UPdated 5-25-17

Print Date: 5/25/2017 3:34:51 PM

Pages: 1 of 11


EXHIBIT 3

Rough Opening: 2' 5" X 6' 1 1/2"

Actual Size: 2' 4 1/2" X 6' 1"

Room: 12" living room north

Unit is viewed from the outside looking in.



JELD-WEN Windows & Doors Premium Double Hung Assembly = Full Unit Regional Compliance = US National-AAMA Rating = PG20, DP+20/-20 Installation & Frame Type = Pocket / Replacement Sill Options = Sloped Sill Frame Color - Exterior = White Frame Color - Interior = White Measurement Type = Rough Opening Fits Rough Opening Width = Custom Fits Rough Opening Width = 29 Fits Rough Opening Height = Custom Fits Rough Opening Height = 73.5 Actual Size = 28 1/2 -in X 73 -in Vent Division = Even Divide Vent Height = 36.75 Glass Breakage Warranty = Yes - RS Glass Package Energy Efficiency = Other glass options STC / OITC Rating = STC-33/OITC-28 Glazing = Insulated Low-E = Low-E EC 180 Neat Glass = No Glass Type = Standard IG Options = Argon Elevation = 0 - 3500 feet Grid Type = No Grids Screen = Screen Full or Half Screen = Full Screen Screen Options = Screen Frame Screen Mesh Type = Fiberglass Mesh Lock Type = Deluxe Lock(s) Number of Locks = 2 Locks Hardware Finish - Interior = White Does Unit Meet Egress Req.? = Does Not Meet Egress Secondary Vent Stop = Secondary Vent Stop Exterior Frame Options = None Interior Frame Options = None Perimeter Frame Options = None Extension Jamb = None U-Factor = 0.27Solar Heat Gain Coefficient = 0.43 Visible Light Transmittance = 0.54 Condensation Resistance = 42 CPD# = JEL-A-774-04213-00001 Room Location = living room north

Rrice Breakdown		
Base Price	\$354.13	
Energy Package	\$10.51	
Glass Breakage Warranty	\$4.33	
Glass Thickness	\$53.80	100
Hardware	\$6.21	0
IG Option	\$8.41	es.
Low E	\$32.61	
Secondary Vent Stop	\$6.51	190

200-1

3

Rough Opening: 2'5" X 5'2"


Actual Size:

2' 4 1/2" X 5' 1 1/2"

Room:

2ND Floor North

Unit is viewed from the outside looking in.



JELD-WEN Windows & Doors Premium Double Hung Assembly = Full Unit

Regional Compliance = US National-AAMA

Rating = PG20, DP+20/-20

Installation & Frame Type = Pocket / Replacement

Sill Options = Sloped Sill Frame Color - Exterior = White Frame Color - Interior = White

Measurement Type = Rough Opening
Fits Rough Opening Width = Custom Fits Rough Opening Width = 29 Fits Rough Opening Height = 62 Actual Size = 28 1/2 -in X 61 1/2 -in

Vent Division = Even Divide

Vent Height = 31

Glass Breakage Warranty = Yes - RS Glass Package

Energy Efficiency = Other glass options STC / OITC Rating = STC-33/OITC-28

Glazing = Insulated Low-E = Low-E EC 180

Neat Glass = No

Glass Type = Standard

IG Options = Argon Elevation = 0 - 3500 feet

Grid Type = No Grids Screen = Screen

Full or Half Screen = Full Screen

Screen Options = Screen Frame

Screen Mesh Type = Fiberglass Mesh

Lock Type = Deluxe Lock(s)

Number of Locks = 2 Locks

Hardware Finish - Interior = White

Does Unit Meet Egress Req.? = Does Not Meet Egress

Secondary Vent Stop = Secondary Vent Stop

Exterior Frame Options = None Interior Frame Options = None

Perimeter Frame Options = None

Extension Jamb = None

U-Factor = 0.27

Solar Heat Gain Coefficient = 0.43

Visible Light Transmittance = 0.54

Condensation Resistance = 42

CPD# = JEL-A-774-04213-00001 Room Location = 2ND Floor North

Price Breakdown Base Price	\$316.85
Energy Package	\$9.41
Glass Breakage Warranty	\$3.89
Glass Thickness	\$48.22
Hardware	\$6.21
IG Option	\$7.54
Low E	\$29.21
Secondary Vent Stop	\$6.51

Rough Opening: 2'5" X 6' 2"


Actual Size:

2' 4 1/2" X 6' 1 1/2"

Room:

2ND Floor North W. EST& South LIVING

Unit is viewed from the outside looking in.



JELD-WEN Windows & Doors Builders Double Hung Assembly = Full Unit

Regional Compliance = US National-AAMA Rating = PG20, DP+20/-20

Installation & Frame Type = Pocket / Replacement

Frame Color - Exterior = White Frame Color - Interior = White Measurement Type = Rough Opening Fits Rough Opening Width = Custom Fits Rough Opening Width = 29 Fits Rough Opening Height = 74 Actual Size = 28 1/2 -in X 73 1/2 -in Vent Division = Even Divide Vent Height = 37

Glass Breakage Warranty = Yes - RS Glass Package

Energy Efficiency = Energy Star

Energy Star Zone = Energy Star - Northern

Performance Plus = Standard STC / OITC Rating = Standard

Glazing = Insulated Low-E = Low-E EC 180

Neat Glass = No Glass Type = Standard IG Options = Argon Elevation = 0 - 3500 feet Grid Type = No Grids

Screen = Screen Full or Half Screen = Full Screen Screen Options = Standard Screen Frame

Screen Mesh Type = Fiberglass Mesh Balance Covers = Without Balance Covers

Lock Type = Cam Lock(s) Number of Locks = 1 Lock

Hardware Finish - Interior = White

Does Unit Meet Egress Req.? = Meets 5.0 sqft Egress (1st Floor)

Secondary Vent Stop = Secondary Vent Stop Exterior Frame Options = Slope Sill Adaptor Exterior Frame Applied or Loose = Applied

Interior Frame Options = None Perimeter Frame Options = None Extension Jamb = None

U-Factor = 0.27

Solar Heat Gain Coefficient = 0.48 Visible Light Transmittance = 0.59

Condensation Resistance = 44 CPD# = JEL-A-725-07884-00001

Room Location = 2ND Floor North

Price Breakdown	
Base Price	\$213.76
Glass Breakage Warranty	\$4.36
IG Option	\$8.47
Low E	\$55.58
Secondary Vent Stop	\$6.51
Slope Sill Adpt	\$2.95

Line Item Quantity Product Description Unit Price Total Price
400-1 2 \$262.94 \$525.88


JELD-WEN Windows & Doors

Rough Opening: 2' 5" X 5' 2 1/2" Actual Size: 2' 4 1/2" X 5' 2"

Room: 2'4 1/2" X 5' 2"

Room: First floor __ KITCHEN SOUTH

Unit is viewed from the outside looking in.



Builders Double Hung Assembly = Full Unit Regional Compliance = US National-AAMA Rating = PG20, DP+20/-20 Installation & Frame Type = Pocket / Replacement Frame Color - Exterior = White Frame Color - Interior = White Measurement Type = Rough Opening Fits Rough Opening Width = Custom Fits Rough Opening Width = 29 Fits Rough Opening Height = Custom Fits Rough Opening Height = 62.5 Actual Size = 28 1/2 -in X 62 -in Vent Division = Even Divide Vent Height = 31.25 Glass Breakage Warranty = Yes - RS Glass Package Energy Efficiency = Energy Star Energy Star Zone = Energy Star - Northern Performance Plus = Standard

STC / OITC Rating = Standard Glazing = Insulated Low-E = Low-E EC 180 Neat Glass = No Glass Type = Standard IG Options = Argon Elevation = 0 - 3500 feet Grid Type = No Grids Screen = Screen Full or Half Screen = Full Screen Screen Options = Standard Screen Frame Screen Mesh Type = Fiberglass Mesh Balance Covers = Without Balance Covers Lock Type = Cam Lock(s) Number of Locks = 1 Lock Hardware Finish - Interior = White Does Unit Meet Egress Req.? = Does Not Meet Egress Secondary Vent Stop = Secondary Vent Stop Exterior Frame Options = Slope Sill Adaptor Exterior Frame Applied or Loose = Applied Interior Frame Options = None

Exterior Frame Applied or Loose = Interior Frame Options = None Perimeter Frame Options = None Extension Jamb = None U-Factor = 0.27 Solar Heat Gain Coefficient = 0.48 Visible Light Transmittance = 0.59 Condensation Resistance = 44 CPD# = JEL-A-725-07884-00001 Room Location = first floor

Price Breakdown	1321
Base Price	\$193.37
Glass Breakage Warranty	\$3.89
IG Option	\$7.54
Low E	\$49.44
Secondary Vent Stop	\$6.51
Slope Sill Adpt	\$2.20

\$223.98

\$223.98

Rough Opening: 1' 6 1/4" X 3' 6 1/4"

Actual Size:


1' 5 3/4" X 3' 5 3/4"

Room:

first floor

Unit is viewed from the outside looking in.

1st PANTRY



JELD-WEN Windows & Doors Builders Double Hung Assembly = Full Unit

Regional Compliance = US National-AAMA

Rating = PG20, DP+20/-20

Installation & Frame Type = Pocket / Replacement Frame Color - Exterior = White

Frame Color - Interior = White
Measurement Type = Rough Opening Fits Rough Opening Width = Custom Fits Rough Opening Width = 18.25 Fits Rough Opening Height = Custom Fits Rough Opening Height = 42.25 Actual Size = 17 3/4 -in X 41 3/4 -in

Vent Division = Even Divide

Vent Height = 21.125

Glass Breakage Warranty = Yes - RS Glass Package Energy Efficiency = Energy Star

Energy Star Zone = Energy Star - Northern

Performance Plus = Standard

STC / OITC Rating = Standard

Glazing = Insulated Low-E = Low-E EC 180

Neat Glass = No Glass Type = Standard

IG Options = Argon

Elevation = 0 - 3500 feet Grid Type = No Grids

Screen = Screen

Full or Half Screen = Full Screen

Screen Options = Standard Screen Frame

Screen Mesh Type = Fiberglass Mesh

Balance Covers = Without Balance Covers

Lock Type = Cam Lock(s)

Number of Locks = 1 Lock

Hardware Finish - Interior = White

Does Unit Meet Egress Req.? = Does Not Meet Egress

Secondary Vent Stop = Secondary Vent Stop

Exterior Frame Options = Slope Sill Adaptor

Exterior Frame Applied or Loose = Applied

Interior Frame Options = None

Perimeter Frame Options = None

Extension Jamb = None

U-Factor = 0.27

Solar Heat Gain Coefficient = 0.48

Visible Light Transmittance = 0.59

Condensation Resistance = 44

CPD# = JEL-A-725-07884-00001 Room Location = first floor

Price Breakdown	Author track
Base Price	\$170.42
Glass Breakage Warranty	\$2.86
IG Option	\$5.53
Low E	\$36.33
Secondary Vent Stop	\$6.51
Slope Sill Adpt	\$2.33

600-1

1

Rough Opening: 2' 5" X 6' 1 1/2"


Actual Size:

Room:

2' 4 1/2" X 6' 1" 2ND Floor North



Unit is viewed from the outside looking in.



JELD-WEN Windows & Doors **Builders Double Hung** Assembly = Full Unit

Regional Compliance = US National-AAMA

Rating = PG20, DP+20/-20

Installation & Frame Type = Pocket / Replacement Frame Color - Exterior = White

Frame Color - Interior = White Measurement Type = Rough Opening Fits Rough Opening Width = Custom Fits Rough Opening Width = 29 Fits Rough Opening Height = Custom Fits Rough Opening Height = 73.5 Actual Size = 28 1/2 -in X 73 -in

Vent Division = Even Divide Vent Height = 36.75

Glass Breakage Warranty = Yes - RS Glass Package

Energy Efficiency = Energy Star

Energy Star Zone = Energy Star - Northern

Performance Plus = Standard STC / OITC Rating = Standard

Glazing = Insulated

Low-E = Low-E EC 180

Neat Glass = No

Glass Type = Standard

IG Options = Argon

Elevation = 0 - 3500 feet Grid Type = No Grids

Screen = Screen

Full or Half Screen = Full Screen

Screen Options = Standard Screen Frame

Screen Mesh Type = Fiberglass Mesh Balance Covers = Without Balance Covers

Lock Type = Cam Lock(s)

Number of Locks = 1 Lock

Hardware Finish - Interior = White

Does Unit Meet Egress Req.? = Meets 5.0 sqft Egress (1st Floor)

Secondary Vent Stop = Secondary Vent Stop Exterior Frame Options = Slope Sill Adaptor

Exterior Frame Applied or Loose = Applied Interior Frame Options = None

Perimeter Frame Options = None

Extension Jamb = None

U-Factor = 0.27

Solar Heat Gain Coefficient = 0.48

Visible Light Transmittance = 0.59

Condensation Resistance = 44

CPD# = JEL-A-725-07884-00001


Room Location = 2ND Floor North

Price Breakdown	AACI0 111 - WALL
Base Price	\$211.46
Glass Breakage Warranty	\$4.33
IG Option	\$8.41
Low E	\$55.21
Secondary Vent Stop	\$6.51
Slope Sill Adpt	\$2.95

Neat Glass = No

Rough Opening: 1'8" X 3' 1 1/2" Actual Size: 1' 7 1/2" X 3' 1" First floor Bath Room:

Unit is viewed from the outside looking in.



JELD-WEN Windows & Doors **Builders Double Hung** Assembly = Full Unit Regional Compliance = US National-AAMA Rating = PG20, DP+20/-20 Installation & Frame Type = Pocket / Replacement Frame Color - Exterior = White Frame Color - Interior = White Measurement Type = Rough Opening Fits Rough Opening Width = 20 Fits Rough Opening Height = Custom Fits Rough Opening Height = 37.5 Actual Size = 19 1/2 -in X 37 -in Vent Division = Even Divide Vent Height = 18.75 Glass Breakage Warranty = Yes - RS Glass Package Energy Efficiency = Energy Star Energy Star Zone = Energy Star - Northern Performance Plus = Standard STC / OITC Rating = Standard Glazing = Insulated Low-E = Low-E 180

Glass Color/Texture = Obscure Glass Type = Standard IG Options = Argon Elevation = 0 - 3500 feet Grid Type = No Grids Screen = Screen Full or Half Screen = Full Screen Screen Options = Standard Screen Frame Screen Mesh Type = Fiberglass Mesh Balance Covers = Without Balance Covers Lock Type = Style Cam Lock(s) Number of Locks = 1 Lock Hardware Finish - Interior = White Does Unit Meet Egress Req.? = Does Not Meet Egress Secondary Vent Stop = Secondary Vent Stop Exterior Frame Options = Slope Sill Adaptor Exterior Frame Applied or Loose = Applied Interior Frame Options = None Perimeter Frame Options = None Extension Jamb = None U-Factor = 0.3Solar Heat Gain Coefficient = 0.49 Visible Light Transmittance = 0.6 Condensation Resistance = 59 CPD# = JEL-A-725-07917-00009 Room Location = First floor Bath

Price Breakdown	337, 2,23	
Base Price	\$170.43	
Glass Breakage Warranty	\$2.86	
Glass Color-Texture	\$35.07	
IG Option	\$5.53	
Low E	\$14.87	
Secondary Vent Stop	\$6.51	
Slope Sill Adpt	\$2.33	


Line Item Quantity Product Description Unit Price Total Price 800-1 2 \$202.34 \$404.68

Rough Opening: 2' 5 1/4" X 3' 10"

Actual Size: 2' 4 3/4" X 3' 9 1/2"

Room: None Assigned 2 ND - WEST BORM

Unit is viewed from the outside looking in.



JELD-WEN Windows & Doors **Builders Double Hung** Assembly = Full Unit Regional Compliance = US National-AAMA Rating = PG20, DP+20/-20 Installation & Frame Type = New Construction Nail Fin Frame Frame Color - Exterior = White Frame Color - Interior = White Measurement Type = Rough Opening Fits Rough Opening Width = Custom Fits Rough Opening Width = 29.25 Fits Rough Opening Height = Custom Fits Rough Opening Height = 46 Actual Size = 28 3/4 -in X 45 1/2 -in Vent Division = Even Divide Vent Height = 23 Glass Breakage Warranty = Yes - RS Glass Package Energy Efficiency = Energy Star Energy Star Zone = Energy Star - Northern Performance Plus = Standard STC / OITC Rating = Standard Glazing = Insulated Low-E = Low-E 180 Neat Glass = No Glass Color/Texture = Clear Glass Type = Standard IG Options = Argon Elevation = 0 - 3500 feet Grid Type = No Grids Screen = Screen Full or Half Screen = Full Screen Screen Options = Standard Screen Frame Screen Mesh Type = Fiberglass Mesh Lock Type = Cam Lock(s) Number of Locks = 1 Lock Hardware Finish - Interior = White Does Unit Meet Egress Req.? = Does Not Meet Egress Secondary Vent Stop = Secondary Vent Stop Exterior Frame Options = None Interior Frame Options = None Perimeter Frame Options = None Extension Jamb = None U-Factor = 0.3Solar Heat Gain Coefficient = 0.5 Visible Light Transmittance = 0.6


Price Breakdown	
Base Price	\$172.04
Glass Breakage Warranty	\$2.92
IG Option	\$5.66
Low E	\$15.21
Secondary Vent Stop	\$6.51

Condensation Resistance = 59 CPD# = JEL-A-725-07917-00008 Rough Opening: 2' 5 1/4" X 3' 10" **Actual Size:**

2' 4 3/4" X 3' 9 1/2" second floor

Room:

Unit is viewed from the outside looking in.



JELD-WEN Windows & Doors **Builders Double Hung** Assembly = Full Unit

Regional Compliance = US National-AAMA

Rating = PG20, DP+20/-20

Installation & Frame Type = Pocket / Replacement

Frame Color - Exterior = White Frame Color - Interior = White

Measurement Type = Rough Opening Fits Rough Opening Width = Custom Fits Rough Opening Width = 29.25 Fits Rough Opening Height = Custom Fits Rough Opening Height = 46

Actual Size = 28 3/4 -in X 45 1/2 -in Vent Division = Even Divide

Vent Height = 23

Glass Breakage Warranty = Yes - RS Glass Package

- Trampulia

Energy Efficiency = Energy Star

Energy Star Zone = Energy Star - Northern

Performance Plus = Standard STC / OITC Rating = Standard

Glazing = Insulated Low-E = Low-E 180

Neat Glass = No

Glass Color/Texture = Clear

Glass Type = Tempered IG Options = Argon Elevation = 0 - 3500 feet

Grid Type = No Grids

Screen = Screen

Full or Half Screen = Full Screen

Screen Options = Standard Screen Frame Screen Mesh Type = Fiberglass Mesh

Balance Covers = Without Balance Covers

Lock Type = Style Cam Lock(s)

Number of Locks = 1 Lock

Hardware Finish - Interior = White

Does Unit Meet Egress Req.? = Does Not Meet Egress

Secondary Vent Stop = Secondary Vent Stop Exterior Frame Options = Slope Sill Adaptor

Exterior Frame Applied or Loose = Applied Interior Frame Options = None

Perimeter Frame Options = None Extension Jamb = None

U-Factor = 0.3

Solar Heat Gain Coefficient = 0.49

Visible Light Transmittance = 0.6

Condensation Resistance = 59

CPD# = JEL-A-725-07917-00009 Room Location = second floor

Price Breakdown Base Price	\$170.43
Glass Breakage Warranty	
IG Option	\$5.53
Low E	\$14.87
Secondary Vent Stop	\$6.51
Slope Sill Adpt	\$2.33
Tempered Glass	\$70.33

5-25-2017

Total: \$4,781.49

5.6% TAX 267.76

TOTAL \$5,049.25

Doesn't include delivery

Print Date: 5/25/2017 3:34:51 PM

Pages: 11 of 11