

## Certificate of Appropriateness 2<sup>nd</sup> AMENDED

Milwaukee Historic Preservation Commission/200 E. Wells Street/Milwaukee, WI 53202/phone 414-286-5712/fax 414-286-3004

**Property** 1921 N. 2<sup>nd</sup> Street Brewers Hill Historic District

**Description of work** Whole House renovation

**Date issued** 2/26/2018 PTS ID 114448 COA New furnace venting

The Certificate of Appropriateness issued July 8, 2016 and the Amended Certificate of Appropriateness issued January 16, 2018 are hereby amended for the second time to reflect the new deadline date of May 16, 2018. This deadline synchronizes with the deadline on the restoration agreement the current owner entered into with the Department of Neighborhood Services.

NOTE: All of the previously approved work and current work must be completed by May 16, 2018

The proposed work will include:

New clapboard siding

New roofing.

New wood windows.

New rear porch

In accordance with the provisions of Section 320-21 (11) and (12) of the Milwaukee Code of Ordinances, the Milwaukee Historic Preservation Commission has issued a certificate of appropriateness for the work listed above. The work proposed was found to be consistent with preservation guidelines. The following conditions apply to this certificate of appropriateness:

1) New cedar clapboards will be installed matching the 4-1/2 inch lap currently on the house. The Paulownia wood erroneously installed during the summer of 2017 will be removed. The substitute material installed as trim at corners and windows will be removed. All clapboards and trim must be cedar.

- 2) New roofing will be installed. Roofing can be 3-tab or dimensional shingles, in a color that resembles weathered wood. No black or light color shingles are allowed. Gutters will be half-round.
- 3) New wood sash windows will be installed. The original windows at the lower front feature arched 1-over-1 sash. Side windows feature rectangular 2-over-2 sash. The new windows will match the dimensions of the originals and fit the openings. Windows at the upper front feature gabled pediments and these pediments will be retained but returned to historic character.
- 5) The new front door will match the original as shown attached.
- 6) It appears that the water table has been removed in prior remodelings. It will be reconstructed as shown attached.
- 7) No front porch work to be done without working with staff. The current front porch is not appropriate.
- 8) The new rear porch will be constructed as shown in the attached drawings. If code requirements necessitate alterations to the design of this rear porch, new drawings are to be submitted to HPC staff.

In accordance with the provisions of Section 320-21 (11) and (12) of the Milwaukee Code of Ordinances, the Milwaukee Historic Preservation Commission has issued a certificate of appropriateness for the work listed above. The work was found to be consistent with preservation guidelines.

The above conditions apply to this certificate of appropriateness. This Certificate of Appropriateness does not remove any conditions required by the Department of Neighborhood Services.

All work must be done in a craftsman-like manner, and must be completed by the deadline cited above. Staff must approve any changes or additions to this certificate before work begins. Work that is not completed in accordance with this certificate may be subject to correction orders or citations. If you require technical assistance, please contact Carlen Hatala of the Historic Preservation staff as follows: Phone: (414) 286-5722 Fax: (414) 286-3004, Email: carlen.hatala@milwaukee.gov.

Copies to: Development Center, Ald. Milele Coggs, Contractor	If permits are required, you are responsible for obtaining them from the Milv requirements, please consult the Development Center's web site,
--	---




The condition of the house in the early 1980s.



The front door with transom was original until the 1980s and has been replaced. It is the intent to install a new wood door. The door will match this original and the transom will be retained.


House as it appears today. Window tops will match the design as shown below.









Clapboards will be replaced with new cedar siding. The Paulownia wood installed will be removed and cedar siding installed. Window trim and other trim must be cedar. Corner boards can be built according to one of the designs below.





Note 2-over-2 sash. Window tops should be crowned with moldings that will shed water as shown below.




Water table will be added to help shed water





The rear stair enclosure as it looked in Mid-June 2016

The rear as it appeared after the enclosure was removed. Note: the upper door will be eliminated.



New cedar clapboards will have same exposure as the originals

## Semco Windows & Doors

PO Box 378 Merrill, WI 54452

Phone: (800) 933-2206 Fax: (800) 456-2206

Dealer QUOTATION

**QUOTE EXPIRES** Quote Not Certified

www.semcowindows.com

BILL TO:

SHIP TO:

Senn Plywood 16550 W Glendale Drive

Senn Plywood Tom Senn

16550 W Glendale Drive

New Berlin Phone: 262-786-1200

53151 Fax: 262-786-3874 New Berlin Phone: 262-786-1200

53151 Fax: 262-786-3874

QUOTE NAME	PROJECT NAME	CUSTOMER PO#	PRINT DATE
midwest construction	1921 North 2nd Street		6/30/2016
QUOTED BY	Salesperson	Bid By	OUOTE NUMBER
Michelle Senn			3856

Customer Comments:		WENNESD TO THE STATE OF THE STA
LineItem #	Description	List Price Quantity Extended Price

RO:

30.625" X 77.25"

Complete Unit, Pine

Wood Double Hung Operating, Product Code = DW\*\*\*\*
<>

Overall Frame Size

30.125" X 76.75"

Sash Split = Even, Frame Width = 30.125, Frame Height = 76.75 \$\infty\$ Primed Ext, Snow Blanc Int, Std Hdw, White Hdw, White JBLN<>


Comment/Room: Insulated, Clear, No Tint

None Assigned 1 1/4" SDL w/Spacer Bar, Colonial, 2W1H >>

Ext Casing/BKMD = None, Sill Nose Profile = None, Jamb Wth = 6 9/16", Jamb

Extn Shipped Loose, Prep for Stool

Clr Opening Wth = 26.75, Clr Opening Hgt = 32.90137, Clr Opening Sq Ft = 6.111887Product Code = DW\*\*\*\*



o.11169/11oddet Code = D W		
LineItem # Description	List Price	Quantity Extended Price
200-1	CANCER ACCURAGE	5

RO:

Complete Unit, Pine

DW\*\*\*\*

Wood Double Hung Operating, Product Code = DW\*\*\*\*

<>>

31.5" X 72.75" Overall Frame Size

Sash Split = Even, Frame Width = 31, Frame Height = 72.25 >>

31" X 72.25"

Primed Ext, Snow Blanc Int, Std Hdw, White Hdw, White JBLN, Full Scr,, Chel

Comment/Room: None Assigned

FBG Mesh Scr, ScreenColor = Bright White >> Insulated, Clear, No Tint

1 1/4" SDL w/Spacer Bar, Colonial, 2W1H >>

Ext Casing/BKMD = None, Sill Nose Profile = None, Jamb Wth = 6 9/16", Jamb

Extn Shipped Loose, Prep for Stool

Clr Opening Wth = 27.625, Clr Opening Hgt = 30.65137, Clr Opening Sq Ft = 5.880168Product Code = DW\*\*\*\*



QUOTE NAME	PROJECT NAME	CUSTOMER PO#	PRINT DATE
midwest construction	1921 North 2nd Street		6/30/2016
QUOTED BY	Salesperson	Bid By	OUOTE NUMBER
Michelle Senn		3430 - 15040 - 15040 - 15040 - 15040 - 15040 - 15040 - 15040 - 15040 - 15040 - 15040 - 15040 - 15040 - 15040 -	3856

LineItem #	Description List Price	Quantity Extended Price
300-1		2

RO:

Complete Unit, Pine

34" X 66.25"

Wood Double Hung Operating, Product Code = DW\*\*\*\*◆

Overall Frame Size

DW\*\*\*\*

33.5" X 65.75"

Sash Split = Even, Frame Width = 33.5, Frame Height = 65.75 >> Primed Ext, Snow Blanc Int, Std Hdw, White Hdw, White JBLN, Full Scr,, Chcl

Comment/Room:

FBG Mesh Scr, ScreenColor = Bright White >>

None Assigned


Insulated, Clear, No Tint

Ext Casing/BKMD = None, Sill Nose Profile = None, Jamb Wth = 6 9/16", Jamb

Extn Shipped Loose, Prep for Stool

Clr Opening Wth = 30.125, Clr Opening Hgt = 27.40137, Clr Opening Sq Ft =

5.732406Product Code = DW\*\*\*\*



LineItem#	Description List Price	Quantity Extended Price
400-1		5

RO:

Complete Unit, Pine

31.5" X 63.25"

Wood Double Hung Operating, Product Code = DW\*\*\*\* DW\*\*\*\*

**Overall Frame Size** 

Sash Split = Even, Frame Width = 31, Frame Height = 62.75 \$\infty\$ 31" X 62.75"

Primed Ext, Snow Blanc Int, Std Hdw, White Hdw, White JBLN, Full Scr,, Chcl

Comment/Room:

FBG Mesh Scr, ScreenColor = Bright White >>

None Assigned Insulated, Clear, No Tint

1 1/4" SDL w/Spacer Bar, Colonial, 2W1H<>

Ext Casing/BKMD = None, Sill Nose Profile = None, Jamb Wth = 6 9/16", Jamb

Extn Shipped Loose, Prep for Stool

Clr Opening Wth = 27.625, Clr Opening Hgt = 25.90137, Clr Opening Sq Ft =

4.968927Product Code = DW\*\*\*\*

LineItem #	Description List Price Quantity Extended Price
500-1	4

RO:

Complete Unit, Pine⇔

Wood Double Hung Stat, Product Code = DWP\*\*\*\* 15.5" X 30.5"

DWP\*\*\* Overall Frame Size

15" X 30"

Frame Width = 15, Frame Height = 30 <>

Primed Ext, Snow Blanc Into Comment/Room: Insulated, Clear, No Tint

None Assigned

1 1/4" SDL w/Spacer Bar, Colonial, 1W2H<>

Ext Casing/BKMD = None, Sill Nose Profile = None, Jamb Wth = 6 9/16", Jamb

Extn Shipped Loose, Prep for StoolProduct Code = DWP\*\*\*\*



## Senn Plywood

16550 W Glendale Drive

Customer QUOTATION

QUOTE EXPIRES

Quote Not Certified

New Berlin

WI 53151

BILL TO:

SHIP TO:

Phone:

Fax:

Phone:

Fax:

262-786-1200

QUOTE NAME	PROJECT NAME	CUSTOMER PO#	PRINT DATE
820470	Unassigned Project		6/30/2016
QUOTED BY	Salesperson	Bid By	QUOTE NUMBER
Dave Voelz			3973

RO:

Special Complete Unit, Pine

30.75" X 77.25"

Wood Double Hung Operating, Product Code = DW\*\*\*\*

Overall Frame Size

30.25" X 76.75"

Sash Split = Even, Frame Width = 30.25, Frame Height = 76.75 >> Primed Ext, Snow Blanc Int, Std Hdw, White Hdw, With Fingerpulls, White JBLN, Full Scr,, Chel FBG Mesh Scr, ScreenColor = Bright White

Insulated, Clear, No Tint

Comment/Room:

Ext Casing/BKMD - None, Sill Nose Profile = Standard, Jamb Wth = 6 9/16",


Jamb Extn Shipped Loose, Prep for Stool

Clr Opening Wth = 26.875, Clr Opening Hgt = 32.90137, Clr Opening Sq Ft =

6.140448Product Code = DW\*\*\*\*

14






## **Doors**



These three styles are appropriate for the rear door.



New rear porch with enclosure for exterior basement stairs.

