

N174 W21221 ALCAN DRIVE

QUOTE BY: Dawn Arndt

PO#:

SOLD TO: ILIYA TORBICA

ILIYA

Jackson, WI 53037 Phone: (262) 677-1460



QUOTE #: JDA100444 SHIP TO:

PROJECT NAME: WOOD REPL 6/12

REFERENCE: 4-9/16 JAMBS

Ship Via: Ground/Next Truck

LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
Line-1					
Line-1 Rough Opening: 27 1/2 X 69 1/2 I Viewed from Exterior. Scale: 1/8" = 1'		Frame Size : 26 3/4 X 68 3/4			
		(Outside Casing Size: 29 3/8 X 70 15/1 Siteline Wood Double Hung, Auralast P Natural Pine Exterior, Natural Interior, Brickmould, Standard Sill Nosing, Casin Brilliant White Drip Cap, 4 9/16 Jamb, Fixed Top Sash, No Finger Plows, Tan 1 Chestnut Bronze Hardware, US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, N Spacer, Argon Filled, Traditional Glz Bd BetterVue Mesh Brilliant White Screen, *Custom-Width*, *Custom-Height*, Gl Opening:23w, 30.8h, 4.9 sf U-Factor: 0.29, SHGC: 0.20, VLT: 0.47, JEL-N-885-00012-00001 PEV 2018.2.0.2105/PDV 6.281 (04/05/18) NW	ine, g & Nosing Loose Jambliner, Concea leat, Preserve Filr , Half Screen, assThick=0.698,	aled Jam n, Stand Clear	bliner ard
			\$641.85	5 3	\$1,925.55

LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE			
Line-2								
Rough Opening: 27 1/2 X 69 1/2		Frame Size : 26 3/4 X 68 3/4						
	erior. Scale: 1/8" = 1'	(Outside Casing Size: 29 3/8 X 70 15/16), Siteline Wood Double Hung, Auralast Pine, Natural Pine Exterior, Natural Interior, Brickmould, Standard Sill Nosing, Casing & Nosing Loose, DripCap, Brilliant White Drip Cap, 4 9/16 Jamb,						
		Fixed Top Sash, No Finger Plows, Tan Jam Chestnut Bronze Hardware, US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Tempered Glass, Nea Spacer, Argon Filled, Traditional Glz Bd, BetterVue Mesh Brilliant White Screen, Hal	ass, Neat, Preserve Film, Standard Iz Bd,					
		Custom-Width, *Custom-Height*, Glass Opening:23w, 30.8h, 4.9 sf						
		U-Factor: 0.29, SHGC: 0.20, VLT: 0.47, En JEL-N-885-00142-00001 PEV 2018.2.0.2105/PDV 6.281 (04/05/18) NW	47, Energy Rating: 15.00, CPD:					
			\$777.36	1	\$777.36			
Line-3								
Rough Opening	g: 27 1/2 X 45 1/2	Frame Size : 26 3/4 X 44 3/4						
		(Outside Casing Size: 29 3/8 X 46 15/16), Siteline Wood Double Hung, Auralast Pine, Natural Pine Exterior,						
Viewed from Exte	erior. Scale: 1/8" = 1'	Natural Interior, Brickmould, Standard Sill Nosing, Casing & Brilliant White Drip Cap, 4 9/16 Jamb,	osing, Casing & Nosing Loose, DripCap,					
		Fixed Top Sash, No Finger Plows, Tan Jam Chestnut Bronze Hardware, US National-WDMA/ASTM, PG 35,	bliner, Concea	lled Jarr	nbliner			
		Insulated Low-E 366 Annealed Glass, Neat Spacer, Argon Filled, Traditional Glz Bd, BetterVue Mesh Brilliant White Screen, Hal		n, Stand	lard			
		Custom-Width, *Custom-Height*, GlassThick=0.698, Clear Opening:23w, 18.8h, 3 sf						
		U-Factor: 0.29, SHGC: 0.20, VLT: 0.47, En JEL-N-885-00012-00001 PEV 2018.2.0.2105/PDV 6.281 (04/05/18) NW	, Energy Rating: 15.00, CPD:					
			\$530.59	3	\$1,591.77			
			Total:		\$4,294.68			
		SALES TA	X(5.6%)		\$240.50			
		NE	T TOTAL:		\$4,535.18			

Total Units:

7



Protect yourself when you choose JELD-WEN[®] AuraLast[®] pine products backed by a limited lifetime warranty against wood rot and termite damage.