
Drawing No. 2416/far



PLAT OF SURVEY

(WITH PROPOSED IMPROVEMENTS)

CLIENT

Cardinal Capital Management, Inc.

SITE ADDRESS

2331 W Vieau Pl. and 1114 S 24th St, City of Milwaukee, Milwaukee County, Wisconsin.

LEGAL DESCRIPTION PARCELI:

PARCEL I:
The North 35 feet of Lot 9 in Block 31 in Clark's Addition, in the Southwest 1/4 of Section 31, in Township
7 North, Range 22 East, in the City of Milwaukee, Milwaukee County, Wisconsin, excepting therefrom that
part conveyed to the City of Milwaukee by Quit Claim Deed in Volume 1215 of Deeds at page 529 as
Document No. 1567043.

AND
Lots 7 and 8 in Block 31 in Clark's Addition, in the Southwest 1/4 of Section 31, in Township 7 North,
Range 22 East, in the City of Milwaukee, Milwaukee County, Wisconsin, together with the South 3.5 feet
of vacated Vieau Place abutting Lot 7; excepting therefrom that part conveyed to the city of Milwaukee by Quit Claim Deed in Volume 1215 of Deeds at page 530 as Document No. 1567046.

BASIS OF BEARINGS
Bearings are referenced to the East line of the South 24th Street which is assumed to bear S01*19'24"W Bearings are referenced to the East line of the South 24th Street which is assumed to bear SOUL Vertical datum is based on National Geodetic Vertical Datum of 1929


Note: Elevations area adjusted to the City of Milwaukee Vertical Datum, which is NGVD - 580.603

- WARKED GAS MAIN

- WARKED TELEPHONE MARKED CABLE TV LINE

- MARKED FIBER OPTIC

LAND AREA
The Land Area of the subject property is 19,390 square feet or 0.4451 acres.





I Certify that I have surveyed the above described property (Property), and the above map is Certify that I have surveyed the above described property (Property), and the above map is correct to the best of my professional knowledge and belief and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and wistle encogachments, if any. This survey is made for the exclusive use of the present owners of the Property Goldalsy frog who purchase, mortgage, or guarantee the title thereto, within one (1) year from the property of the property

DONALD C

S-1316

Date: February 11, 2019

Donald C. Chaput Professional Land Surveyor



Added Proposed Improvem Drawing No. 2416-0

SITE DATA TABLE

INTENDED USE: APARTMENT BUILDING BUILDING HEIGHT: 37.0'

SITE AREA:

TOTAL SITE AREA: 19,389 SF (0.44 AC)
IMPERVIOUS AREA: 14,635 SF (0.33 AC)
PERVIOUS AREA: 4,754 SF (0.11 AC)

SETBACKS:

NORTH: 10.0' EAST: 11.4' WEST: 12.0' SOUTH: 28.7'

PARKING: 31 TOTAL PARKING STALLS
6 SURFACE PARKING STALLS
25 UNDERGROUND PARKING STALLS
-2 ADA STALLS

REFUSE COLLECTION:

ALL REFUSE LOCATED IN UNDERGROUND PARKING AREA. NO EXTERIOR REFUSE AREAS

DIMENSION MANUS MA

architecture · interior design · planning

6515 Grand Teton Plaza, Suite 120
Madison, Wisconsin 53719
p608.829.4444 f608.829.4445 dimensionivmadison.com



15850 W. BLUEMOUND ROAD BROOKFIELD, WI 53005 (262) 754-8888

JOURNEY HOUSE AT CLARKE SQUARE

2331 WEST VIEAU PLACE MILWAUKEE, WI 53204

DATE OF ISSUE: 11/21/18

REVISIONS: 11/21/18


PROJECT# 16133


GRAPHICAL SCALE (FEET)

SITE PLAN

C2.0

WEST VIEAU PL







architecture · interior design · planning

6515 Grand Teton Plaza, Suite 120 Madison, Wisconsin 53719

p608.829.4444 f608.829.4445 dimensionivmadison.com



15850 W. BLUEMOUND ROAD BROOKFIELD, WI 53005 (262) 754-8888


JOURNEY HOUSE AT CLARKE SQUARE

2331 WEST VIEAU PLACE MILWAUKEE, WI 53204

2/22/2019
2/22/2018
16133

GRADING PLAN

C3.0





architecture · interior design · planning

6515 Grand Teton Plaza, Suite 120 Madison, Wisconsin 53719

p608.829.4444 f608.829.4445 dimensionivmadison.com



15850 W. BLUEMOUND ROAD BROOKFIELD, WI 53005 (262) 754-8888

JOURNEY HOUSE AT CLARKE SQUARE

2331 WEST VIEAU PLACE MILWAUKEE, WI 53204

DATE OF ISSUE:	2/22/201
REVISIONS:	

PROJECT #

UTILITY PLAN

16133

C4.0



EXTERIOR ELEVATIONS GENERAL NOTES AND LEGEND

	LEGEND	
BRICK		MORTAR COLOR
B-1	BROWN BLEND BRICK	ASH GREY
MASON	RY	
CMU	CONCRETE MASONRY UNITS	
CJ	CONTROL JOINT	
PC-S	ARCHITECTURAL PRECAST CONCRETE SILL	
SIDING		COLOR
LPS-1	LAP SIDING	COLOR *
LPS-2	LAP SIDING	COLOR *
PNL-1	PANEL SIDING	COLOR*
rrim		
SWT	SIDING WALL TRIM	WHITE
PRE-FIN	ISHED METAL	
PMC	METAL COPING	WHITE
OSC	SCUPPER	
ARS	ALUMINUM RAILING SYSTEM	WHITE
MG	MECHANICAL GRILL	COLOR *
WINDOW	VS	
NF	WINDOW FRAMES	WHITE
NT.	WINDOW TRIM	WHITE
	GENERAL NOTES	3
Δ.	NOT ALL MASONRY PENETRATIONS SHOWN, COORDINA	

WITH MEP CONTRACTORS.

- REFER TO WINDOW TYPE SHEET FOR ALL WINDOW INFORMATION.
- CONTROL JOINTS CONTINUOUS FROM TOP OF FOUNDATION TO TOP OF WALL.
- COLORS SHOWN ARE FOR REFERENCE ONLY AND MAY NOT REPRESENT ACTUAL COLORS, GENERAL CONTRACTOR TO PROVIDE COLOR SAMPLES TO OWNER FOR FINAL COLOR SELECTION.
- GENERAL CONTRACTOR TO COORDINATE WITH OWNER TO SELECT FINAL COLOR SELECTIONS,
- REFER TO OVERFLOW SCUPPER DETAIL 6 / A8.1
- FABRIC AWNING SEE SPECIFICATIONS, COORDINATE WITH OWNER, SEE DETAIL 11/A8.1 FOR BLOCKING,

* PROVIDE OWNER AND ARCHITECT COLOR SAMPLES FOR FINAL COLOR SELEVATIONS, PER CITY APPROVALS.

DIMENSION

architecture · interior design · planning

6515 Grand Teton Plaza, Suite 120 Madison, Wisconsin 53719 p608.829.4444 f608.829.4445 dimensionivmadison.com

JOURNEY HOUSE AT CLARKE SQUARE

2331 WEST VIEAU PLACE, MILWAUKEE, WI 53204



DATE OF ISSUE: 02/22/2019 REVISIONS: PROJECT # 16133

> **EXTERIOR COLOR ELEVATIONS**

EXTERIOR ELEVATION - SOUTH



EXTERIOR ELEVATIONS GENERAL NOTES AND LEGEND

BRICK
B-1 BROWN BLEND BRICK MASONRY
CMU CONCRETE MASONRY UNITS
CJ CONTROL JOINT
PC-S ARCHITECTURAL PRECAST CONCRETE SILL PNL-1 PANEL SIDING COLOR * TRIM SWT SIDING WALL TRIM PRE-FINISHED METAL
PMC METAL COPING
OSC SCUPPER
ARS ALUMINUM RAILING SYSTEM
MG MECHANICAL GRILL COLOR * GENERAL NOTES

NOT ALL MASONRY PENETRATIONS SHOWN, COORDINATE WITH MEP CONTRACTORS.

REFER TO WINDOW TYPE SHEET FOR ALL WINDOW INFORMATION.

CONTROL JOINTS CONTINUOUS FROM TOP OF FOUNDATION TO TOP OF WALL.

COLORS SHOWN ARE FOR REFERENCE ONLY AND MAY NOT REPRESENT ACTUAL COLORS, GENERAL CONTRACTOR TO PROVIDE COLOR SAMPLES TO OWNER FOR FINAL COLOR SELECTION.

GENERAL CONTRACTOR TO COORDINATE WITH OWNER TO SELECT FINAL COLOR SELECTIONS. REFER TO OVERFLOW SCUPPER DETAIL 6 / AB.1

FABRIC AWNING SEE SPECIFICATIONS, COORDINATE WITH OWNER, SEE DETAIL 11/A8.1 FOR BLOCKING.

* PROVIDE OWNER AND ARCHITECT COLOR SAMPLES FOR FINAL COLOR SELEVATIONS, PER CITY APPROVALS.

DIMENSION

architecture · interior design · planning

6515 Grand Teton Plaza, Suite 120 Madison, Wisconsin 53719

p608.829.4444 f608.829.4445 dimensionivmadison.com

JOURNEY HOUSE AT CLARKE SQUARE


2331 WEST VIEAU PLACE, MILWAUKEE,



DATE OF ISSUE: 02/22/2019 REVISIONS: PROJECT # 16133

> **EXTERIOR COLOR ELEVATIONS**


EXTERIOR ELEVATION - NORTH



PLANT SCHEDULE VIEAU PLACE

SIZE 2" Cal. 2" Cal. BOTANICAL NAME Gymnocladus dioica `Espresso Ostrya virginiana QTY 1 EVERGREEN TREES COMMON NAME Black Hills Spruce BOTANICAL NAME Amelanchier x grand COMMON NAME
'Autumn Bril iance' Serviceberry ORNAMENTAL TREES COMMON NAME Black Chokeberry Dwarf Ninebark <u>SIZE</u> 5 gal. 5 gal. 3 gal. BOTANICAL NAME DECIDUOUS SHRUBS Aronia melanocarpa `Iroquois Beauty` TM Physocarpus opulifolius `Nanus` COMMON NAME lowa Juniper Common Juniper Nest Spruce SIZE 48° Tall 2° Tall & Wide BOTANICAL NAME Juniperus chinensis 'lowa' EVERGREEN SHRUBS 2' Wide 24" Tall QTY 16 20 COMMON NAME Little Bluestem Prairie Dropseed COMMON NAME
Summer Beauty Allium
Sundown Purple Conefl
Hybrid Cranesbill
Pardon Me Daylily SIZE 4.5" Cont. 4.5" Cont. 4.5" Cont. 4.5" Cont. SPACING 16" o.c. 24" o.c. 24" o.c. 24" o.c. PERENNIALS AS2 ES GR HP <u>QTY</u> 11 BOTANICAL NAME
Allium x `Summer Beauty`
Echinacea x `Sundown`
Geranium x `Rozanne` TM QTY COMMON NAME **BOTANICAL NAME** GROUND COVERS 3.273 sf Drought Tolerant Fescue Blend













NOTES:

1. BISTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS.

2. DO NOT SCALE DRAWNING.
3. SPECIFICATIONS SHOWN CAN BE CHANGED ONLY BY THE MANUFACTURER.

4. FOOTHIS WITH TO SEE (BY NOST WIDTH.

5. FENCE SECTION SHOWN CAN BE CHANGED ONLY BY THE MANUFACTURER.

5. FENCE SECTION SHOWN CAN BE CHANGED WILL TOTAL 19 POKETS PER SECTION.

6. COMPLETED SO DICT: FOR PRODUCT AND COMPANY DEFORMATION VISIT WWW.CADDetails.com/r

REFERENCE NUMBER 2812-291.

BARCELONA FENCE
L1.0 3 RAL



architecture · interior design · planning

6515 Grand Teton Plaza, Suite 120 Madison, Wisconsin 53719

p608.829.4444 f608.829.4445 dimensionivmadison.com




15850 W. BLUEMOUND ROAD BROOKFIELD, WI 53005 (262) 754-8888

JOURNEY HOUSE AT CLARKE SQUARE

2331 WEST VIEAU PLACE MILWAUKEE, WI 53204

DATE OF ISSUE:	2/22/2019
REVISIONS:	

WEST VIEAU PLACE LANDSCAPE PLAN




GENERAL PLANTING NOTES

- THE LAYOUT OF ALL PLANTING BEDS AND INDIVIDUAL TREES AND SHRUBS SHALL BE STAKED BY THE CONTRACTOR IN ADVANCE OF INSTALLATION. FLAGGING, STAKES, OR PAINT MAY BE USED TO DELINEATE LOCATIONS AS SCALED FROM THE PLANS. AN APPROVED REPRESENTATIVE WILL REVIEW THESE LOCATIONS WITH THE CONTRACTOR AND MAKE MINOR ADJUSTMENTS AS NECESSARY.
- THE CONTRACTOR IS RESPONSIBLE FOR INDEPENDENTLY DETERMINING THE PLANT MATERIAL QUANTITIES REQUIRED BY THE LANDSCAPE PLANS. REPORT ANY DISCREPANCIES TO THE LANDSCAPE ARCHITECT.
- ALL PLANT MATERIAL SHALL COMPLY WITH STANDARDS DESCRIBED IN AMERICAN STANDARD OF NURSERY STOCK - Z60.1 ANSI. LANDSCAPE ARCHITECT OR OWNERS AUTHORIZED REPRESENTATIVE RESERVES THE RIGHT TO INSPECT AND POTENTIALLY REJECT ANY PLANT MATERIAL DEEMED TO NOT MEET THE REQUIRED STANDARDS.
- 4. NO PLANT MATERIAL OR PLANT SIZE SUBSTITUTIONS WILL BE ACCEPTED UNLESS APPROVAL BY THE LANDSCAPE ARCHITECT. ANY CHANGES SHALL BE SUBMITTED TO THE LANDSCAPE ARCHITECT IN WRITING PRIOR TO
- ALL PLANT MATERIAL SHALL BE PROVIDED FROM A NURSERY (WITHIN 200 MILES) WITH A SIMILAR PLANT HARDINESS ZONE AS PROJECT LOCATION. EXISTING SOIL SHALL BE AMENDED PER SOIL ANALYSIS REPORT TO ENSURE A PROPER GROWING MEDIUM IS ACHIEVED.
- ALL PLANT MATERIAL SHALL BE INSTALLED IN ACCORDANCE WITH PLANTING DETAILS.
- ALL PLANTING BEDS SHALL HAVE A MINIMUM 10" DEPTH OF PREPARED SOIL. WITH APPROVAL, EXISTING SOIL MAY BE UTILIZED PROVIDED THE PROPER SOIL AMENDMENTS ARE TILLED THOROUGHLY INTO THE TOP 10" OF SOIL. REFER TO SOIL PLACEMENT NOTES.
- 8. WHILE PLANTING TREES AND SHRUBS, BACKFILL 3 OF PLANTING HOLE AND WATER THOROUGHLY BEFORE INSTALLING THE REMAINDER OF SOIL MIXTURE. AFTER ALL SOIL HAS BEEN PLACED INTO THE PLANTING HOLE WATER THOROUGHLY AGAIN
- 9. THE CONTRACTOR MUST LABEL ALL TREES WITH THE COMMON AND BOTANICAL NAMES PRIOR TO FINAL
- 10. ALL PLANTING BEDS SHALL BE MULCHED WITH 3" DEEP SHREDDED HARDWOOD MULCH, AND ALL TREES PLANTED IN TURF AREAS SHALL RECEIVE A 3" DEEP SHREDDED HARDWOOD MULCHED RING AS SHOWN IN PLANTING
- 11. ALL PLANTING BEDS AND TREE RINGS SHALL HAVE A 4" DEEP TRENCHED BED EDGE CREATED BY EITHER A FLAT LANDSCAPE SPADE OR MECHANICAL EDGER. BED EDGES ARE TO BE CUT CLEAN AND SMOOTH AS SHOWN ON LANDSCAPE PLANS WITH A CLEAN DEFINITION BETWEEN
- 12. ALL DISTURBED AREAS WITHIN THE PROJECT SHALL BE RESTORED TO ORIGINAL OR BETTER CONDITION.
- 13. ALL DISTURBED AREAS OUTSIDE THE LIMITS OF WORK SHALL BE RESTORED TO ORIGINAL OR BETTER CONDITION AT NO ADDITIONAL COST TO THE OWNER.
- 14. THE CONTRACTOR SHALL VERIFY ALL EXISTING UTILITIES, INCLUDING ANY IRRIGATION LINES, PRIOR TO DIGGING. CONSULT DIGGERS HOTLINE
- 15. THE CONTRACTOR SHALL ENSURE THAT SOIL CONDITIONS AND COMPACTION ARE ADEQUATE TO ALLOW FOR PROPER DRAINAGE AROUND THE CONSTRUCTION SITE. UNDESIRABLE CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT PRIOR TO BEGINNING OF WORK. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ENSURE PROPER SURFACE AND SUBSURFACE DRAINAGE IN ALL AREAS
- 16. THE CONTRACTOR IS RESPONSIBLE FOR ALL PERMITS, FEES, AND LICENSES NECESSARY FOR THE INSTALLATION
- 17. THE CONTRACTOR IS TO REVIEW ALL SITE ENGINEERING DOCUMENTS PRIOR TO INSTALLATION. ANY CONFLICTS MUST BE REPORTED TO THE LANDSCAPE ARCHITECT. THESE LANDSCAPE DRAWINGS ARE FOR THE INSTALLATION OF PLANT MATERIALS ONLY UNLESS OTHERWISE STATED.
- 18. THE CONTRACTOR SHALL PROVIDE WATERING AND MAINTENANCE SERVICES FOR A PERIOD OF 60 DAYS TO ENSURE VEGETATIVE ESTABLISHMENT. UPON COMPLETION OF THE PROJECT, CONTRACTOR SHALL SUPPLY THE OWNER IN WRITING WITH ONGOING WATERING AND MAINTENANCE INSTRUCTIONS
- 19. PLANT MATERIALS SHALL BE GUARANTEED FOR A PERIOD OF ONE (1) YEAR FROM TIME OF OWNER ACCEPTANCE. ONLY ONE REPLACEMENT PER PLANT WILL BE REQUIRED DURING THE WARRANTY PERIOD EXCEPT IN THE EVENT OF FAILURE TO COMPLY WITH THE SPECIFIED REQUIREMENTS.
- 20. THE CONTRACTOR IS RESPONSIBLE TO CONDUCT A FINAL WALK THROUGH WITH THE LANDSCAPE ARCHITECT AND OR OWNERS REPRESENTATIVE TO ANSWER QUESTIONS, PROVIDE INSTRUCTIONS, AND ENSURE THAT PROJECT REQUIREMENTS HAVE BEEN MET.

SOIL PLACEMENT NOTES

- LOOSEN SUBGRADE TO A MINIMUM DEPTH INDICATED IN PLANTING NOTES USING A TILLER OR SIMILAR EQUIPMENT, AND REMOVE STONES MEASURING OVER 1-1/2 INCHES IN ANY DIMENSION, STICKS, RUBBISH AND OTHER EXTRANEOUS MATTER.
- THOROUGHLY BLEND PLANTING SOIL MIX FOR PLANTING BED AREAS. (1 PART EXISTING SOIL, 1 PART TOPSOIL, 1 PART ORGANIC SOIL AMENDMENT, 2.9 POUNDS PER CUBIC YARD OF 4-4-4 ANALYSIS SLOW-RELEASE FERTILIZER)
- TREE AND SHRUB HOLES SHALL BE FILLED WITH A PREPARED PLANTING MIXTURE OF 1 PART TOPSOIL, 2 PARTS PLANTING SOIL MIX.
- 4. SPREAD SOIL AND SOIL AMENDMENTS TO DEPTH INDICATED ON DRAWINGS, BUT NOT LESS THAN REQUIRED TO MEET FINISH GRADES AFTER NATURAL SETTLEMENT. (FINISH GRADE OF PLANTING BEDS SHALL BE 3" BELOW ALL ADJACENT SURFACES.)
- PLACE APPROXIMATELY 1/2 OF TOTAL AMOUNT OF SOIL REQUIRED, WORK INTO TOP OF LOOSENED SUBGRADE TO CREATE A TRANSITION LAYER, THEN PLACE REMAINDER OF THE SOIL. SOIL TRANSITION LAYER SHALL BE TILLED TO A MINIMUM DEPTH OF 6" BELOW THE DEPTH OF NEWLY PLACED SOIL. PARKING LOT ISLANDS SHALL BE CROWNED TO A HEIGHT OF 6" TO PROVIDE PROPER DRAINAGE UNLESS OTHERWISE NOTED.
- DO NOT SPREAD IF PLANTING SOIL OR SUBGRADE IS FROZEN, MUDDY, OR EXCESSIVELY WET.
- 7. FINISH GRADING: GRADE SOIL TO A SMOOTH, UNIFORM SURFACE PLANE WITH A LOOSE, UNIFORMLY FINE
- 8. ROLL AND RAKE, REMOVE RIDGES, AND FILL DEPRESSIONS TO MEET FINISH GRADES.
- 9. RESTORE PLANTING BEDS IF ERODED OR OTHERWISE DISTURBED AFTER FINISH GRADING AND BEFORE




FINISHED GRADE TOP OF MULCH

HAND LOOSEN AND PULL ROOTS OUT OF CONTAINER MATERIAL TO PREVENT PLANT FROM BECOMING

ROOT BOUND

PLANTING MIX

SUBGRADE




REROOT PLANTING NOTES: SOAK ROOTS IN WATER FOR AT LEAST ONE HOUR BUT NOT MORE THAN 24 HOURS PRIOR TO PLANTING.

SCARIFY SIDES AND BOTTOMS OF HOLE.
PROCEED WITH CORRECTIVE PRUNING OF THE TOP AND BOTTOM ROOTS.
TRANSFER PLANT DIRECTLY FROM WATER TO HOLE. SET PLANT SO THE ROOT FLARE IS
APPROXIMATELY AT THE FINISHED SOIL ELEVATION. SPREAD ROOTS OUT EVENLY. PLUMB AND


IMMEDIATELY BACKFILL WITH PLANTING SOIL MIX. WATER THOROUGHLY WITHIN 2 HOURS TO SETTLE PLANTS AND FILL VOIDS.


BACKFILL VOIDS AND WATER SECOND TIME, PLACE MULCH WITHIN 48 HOURS OF THE SECOND WATERING UNLESS SOIL MOISTURE IS EXCESSIVE





(*) = SPECIFIED PLANT SPACING PER PLANTING LIST







architecture · interior design · planning

6515 Grand Teton Plaza, Suite 120 Madison, Wisconsin 53719

p608.829.4444 f608.829.4445 dimensionivmadison.com



15850 W. BLUEMOUND ROAD BROOKFIELD, WI 53005 (262) 754-8888

JOURNEY HOUSE AT CLARKE SQUARE

2331 WEST VIEAU PLACE MILWALIKEE WI 53204

DATE OF ISSUE: 2/22/2019 REVISIONS PROJECT # 16133

LANDSCAPE **DETAILS & NOTES**

