

Date:5/3/2019



Roof Plan



Date:5/3/2019



Vent 'A' as seen on the roof plan. See page (5) for the specifications.



Vent 'B' as seen on the roof plan. See page (6) for the specification. Vent to be painted with 'Rust-Oleum' roof accessory spray paint in 'Carbon Black'.



Date:5/3/2019



South Elevation



Southeast Perspective



Date:5/3/2019



East Elevation





Northeast Perspective

BREAN NuTone


SPECIFICATION SHEET

ROOF CAPS





- 24 GA. CRCQ steel, black electrically-bonded epoxy
- Built-in spring-loaded backdraft damper and bird screen
- For use with High Performance blower system



- black electrically-bonded epoxy finish
- Built-in backdraft damper and bird screen
- For $3\frac{1}{4}$ " x 10" or up to 8" round duct


Model 634M

Same as Model 634 except with 6" round duct collar

- Same as Model 634 except .025 aluminum
- Natural finish

Broan-NuTone LLC, 926 West State Street, Hartford, WI 53027 (1-800-637-1453) NuTone, Inc., 4820 Red Bank Road, Cincinnati, OH 45227 (1-800-543-8687)

Broan-NuTone Canada, Inc., 1140 Tristar Drive, Mississauga, Ontario, L5T 1H9 (1-888-882-7626)



Model 636

- 24 GA. CRCQ steel, black electrically-bonded epoxy finish
- Built-in backdraft damper and bird screen
- For 3" or 4" round duct

Model 636AL

- Same as Model 636 .025 in Aluminum
- Natural finish

Model 443 Flexible Roof Ducting Kit

Includes 8 ft. of 4", flexible, vinyl ducting, 4" diameter metal duct connector, 2 duct clamps, 4" to 3" reducer and Model 636 Roof Cap

Model RVK1A Flexible Roof Ducting Kit

- Includes 8 ft. of 4", flexible, 2-ply metallic laminate ducting, 4" diameter metal duct connector, 2 duct clamps, 4" to 3" reducer and Model 636 Roof Cap
- Duct conforms to UL181 Class 1 air connector requirements
- Not recommended for dryer venting

REFERENCE	QTY.	REMARKS	Project	
			Location	
			Architect	
			Engineer	
			Contractor	
			Submitted by	Date

