




HISTORIC HOMEOWNER'S INCOME TAX CREDIT APPLICATION

PART 1 – EVALUATION OF SIGNIFICANCE

A HI 30220

1.	PROPERTY ADDRESS	Street 2617 N WAHL AVE					
		City_MILWAUKEE	County MILWAUKEE	ZIP 53211			
	-	n the State Register or Nationa	al Register. COMPLETE THIS PAG	E ONLY			
	- CONTRACTOR OF THE CONTRACTOR	Register or National Register h	istoric district. COMPLETE THIS I	PAGE ONLY			
	·	TIFICATION Not listed in State r historic district - COMPLETE	Register or National Register or BOTH PAGES	located in a State Register			
2.	OWNER'S NAME GREC	GORY AND JOAN GNADT					
	Street 2617 N WAHL A	VE		tore more ables a more or a constant of the co			
	City MILWAUKEE	State_Wl ZIP_5321	1Telephone (days) 414	/332-1571			
	Email address jgnadt@\	wi.rr.com	Telephone (days) 414	enangan magapaga ang magamaga manasasasa kan ang ana masa asa asa ang ang ang ang ang ang ang ang ang an			
3.	PROJECT CONTACT_JO/	AN THERESE GNADT					
	Email address jgnadt@v	vi.rr.com	Telephone (days) 41	4 /332-1571			
4.	Email address <u>ignadt@wi.rr.com</u> Telephone (days) 414 / 332-1571 PHOTOGRAPHS Please enclose photographs of the exterior of the building to be rehabilitated. Photos should be in color, at least 4" x 6", commercially printed and clearly show all sides of the building.						
5.	correct and that I own t	the property described above. De subject to criminal sanctions ATOM MARIE Historic State Historic	DATE 9/Preservation Office	· · · · · · · · · · · · · · · · · · ·			
		1/	torical Society – Room 312 et, Madison, WI 53706				
Marie Barre		910 State Stie	et, Madison, Wi 33706				
	the property is listed in the the Historic Homeowner's I	ice has reviewed this application and State Register of Historic Places or N ncome Tax Credit.	WHS PROJECT NO has determined that: ational Register of Historic Places and is National Register historic district and is h	, , , , ,			
	Historic Homeowner's Inco the property appears to me property for purposes of th NON-CERTIFICATION: the p contributing element to a S	me Tax Credit. Let the State Register or National Reg e Historic Homeowner's Income Tax o Property is not listed in the State Regi tate Register historic district or Natio	ister Criteria for Evaluation and, therefo	ore is determined to be historic ter of Historic Places, is not a ot appear to meet the State Register			
	WILL THA	,	26 SK	T2019			
or C	Paina Penkiunas, State Historic	Preservation Officer	Date	**************************************			





Date

		2617 N \//	ΔΗΙ Δ\/F			
1.	PROPERTY ADDRESS	Street_2617 N WA		MILVAVIIVEE	53211	
		City_MILWAUKEE		_County_MILWAUKEE	ZIP_53211	
2.	OWNER'S NAME GREGORY AND JOAN GNADT					
	Street 2617 N WAHL A	VE				
	CityMILWAUKEE	State_W	ZIP 53211	Telephone (days)_	414 /332-1571	
	Email address jgnadt@v	vi.rr.com				
3.	PROJECT CONTACT JOA		DT			
	Email address jgnadt@v	vi.rr.com		Telephone (days)_	114 /332-1571	
	in the application may k	oe subject to crimin 30 days of the date	al sanctions. If e of completion State Historic F Wisconsin Hist	derstand that the falsification urther agree to submit the Roof work or face forfeiture of the falsification of th	Request for Certification of	
The S	the property is historic prop This is a preliminary determ Certification of Completed the the property is historic prop	ice has reviewed this apperty and the rehabilitarination only. Final cert Work has been approve perty and the rehabilitaria preliminary determinations but the completed Work has been appeared.	tion as described m ification can be issued. tion will meet the " ation only. Final ce	nove name property and has determents the "Secretary of the Interior and only after work has been composed only after work has been composed only after this cation can be issued only after the composed only after the compo	's Standards for Rehabilitation." pleted and a Request for ds for Rehabilitation" if the attached	
NON 	project does not meet the "	Secretary of the Interio	or's Standards for R	ehabilitation" for reasons given in	rracter of the property and that the the attached materials.	

For Daina Penkiunas, State Historic Preservation Officer



HISTORIC HOMEOWNER'S INCOME TAX CREDIT APPLICATION

PART 2 – DESCRIPTION OF PROPOSED WORK

5a. TAX CREDIT-ELIGIBLE WORK

Below is a list of common eligible work items. If you have a work item that is not on the list, please add it. Select the work for which you plan to claim the 25% tax credit.

Eligible Work	Specific Type				Estimated Cost	Start Date	Completion Date
□Doors	□Repair	□Replace	□Front/Rear	□Garage	\$	Date	Date
□Chimney	□Repair	□Replace	□Chimney Cap	□Liner/Insert	\$		
□Electrical	□Repair	□Update	□New Service	□Wall Repair	\$		
□Foundation	□Repair	□Rebuild	□Waterproofing	□Drain Tile	\$		
□HVAC	□Boiler	☐ Furnace	☐ Water Heater	□AC	\$		
Masonry	□100%	Partial			\$ 20,000		
Painting	□House	I Trim	□Garage	□Outbuilding	\$ 2,000		
□Plumbing	□Repair	□Update	□New Service	□Wall Repair	\$		
□Porch	□Repair	□Replace	□New	□Steps	\$		
Roof	Repair	□Replace	■Shingles	□Sheathing	\$ 14,000		
	□Gutters	Downspouts	Soffits	□Facia	\$		
□Siding	□Repair	□Replace	☐Remove artificial		\$		
□Structural	□Columns	□Beams	□Joists	□Trusses	\$		
□Utilities	□Solar Panels	□Geo-thermal	□Well/Septic		\$		
□Windows	□Repair	ПReplace	□Storm Windows	□Skylights	\$		
□Other					\$		
□Other					\$		-
	TOTAL COST				\$ 36,000		

5b. INELIGIBLE WORK

Below is a list of common ineligible work items. If you have a work item that is not on the list, please add it. ALL WORK MUST BE REVIEWED REGARDLESS OF ELIGIBLITLY. Include work completed within the last year.

Ineligible Work	Specific Type				Estimated Cost	Start Date	Completion Date
□Driveway	□Repair	□New			\$	Date	Date
□Fixtures	□Lighting	□Plumbing			\$		
□Insulation	□Wall	□Attic			\$		
□Interior	□Refinish	□Plaster Repair	□Paint		\$		
Landscaping	□Patio	Fencing	□Sidewalks		\$ 86,000	9/9/2019	12/15/19(e
□New	☐New Addition				\$	0.0,20,0	12, 10, 10(0
□Remodeling	□Kitchen	□Bath	□Attic	□Basement	\$		
□Other			1	I	\$		
□Other					\$		
□Other					\$		
	TOTAL COST				\$86,000		



HISTORIC HOMEOWNER'S INCOME TAX CREDIT APPLICATION PART 2 — DESCRIPTION OF PROPOSED WORK

7. INSTRUCTIONS Describe each item of your project and the materials and methods you propose GNADT 2617 N WAHL AVE, MILWAUKEE

North Parapet Wall and Northwest Eave Repair

Remove existing slates from along the north parapet wall, and the northwest roof eave, saving sound slates for re-installation.

Remove the existing counter-flashings and step flashings form the south side of the parapet wall.

Remove the felt underlayment form the exposed roof areas and dispose of them.

Replace the damaged tongue-and-groove bead-board as needed from the northwest soffit

Prime and paint new bead-board to match existing paint.

Any rotted structural-framing wood will be replaced.

Install new Grace ice and water shield over the exposed roof areas.

Install new 43 lb. felt underlayment over the exposed roof areas.

The mortar joints on the inside (south facing side) of the parapet walls will be mechanically ground out and bricks will be checked for integrity. Any poor brick will be replaced with matching.

A test patch will be performed to match original color of mortar joints. All the newly tuckpointed joints will match the appearance of the approved test patch.

Tuckpoint mortar joints with type N mortar.

A new 3" copper band strip will be installed over every caulk joint in the parapet cap. This includes a reglet be cut on each side of caulk joint to accept new copper band. Reglets will then be caulked with polyurethane caulking.

Mechanically grind out mortar joints of the north parapet wall limestone caps (12 locations).

Tuckpoint north parapet wall limestone cap joints with type N mortar.

SEND COMPLETED APPLICATIONS TO

State Historic Preservation Office Wisconsin Historical Society – Room 312 816 State Street Madison, WI 53706



HISTORIC HOMEOWNER'S INCOME TAX CREDIT APPLICATION PART 2 — DESCRIPTION OF PROPOSED WORK

7.	INSTRUCTIONS Describe each item of your project and the materials and methods you propose
	GNADT 2617 N WAHL AVENUE, MILWAUKEE

Upon completion of masonry work:

Re-install the original slates along the north parapet wall and northwest eave, with the appropriate length copper nails. Replace additional matching slates as needed.

Install new 16 oz copper step flashings and counter-flashings along the south side of the north parapet wall.

Seal new counter-flashings to masonry with colored urethane sealant.

Install new copper Berger Brother Pro snow guards along the northwest perimeter to limit/prevent avalanching snow.

Mechanically grind out and tuck-point, using type N mortar, all mortar joints on the north facing wall of the north parapet, from directly above the 2nd story windows, up to directly under the parapet wall limestone caps.



September 26, 2019

Gregory and Joan Gnadt 2617 N. Wahl Avenue Milwaukee, WI 53211

Re: Historic Preservation Certification Application

Project Number WI190340

Reviewed: Conditionally Approved

Dear Gregory and Joan Gnadt,

On 2019-09-16, the Division of Historic Preservation received a Historic Preservation Certification Application for your property at 2617 N. Wahl Avenue in Milwaukee. Enclosed is a copy of the signed Part 1 application indicating your house has been determined to be a historic property for purposes of this program.

We have reviewed the Part 2 application and determined the proposed project will meet the "Secretary of the Interior's Standards for Rehabilitation" if the conditions on the following page are met. Enclosed is a copy of the signed Part 2 application.

If questions arise during your project, we have many new articles about maintaining and preserving historic buildings that you may find useful: www.wisconsinhistory.org/preserve-your-building

When all work is completed, the project must be closed out in order to claim/retain tax credits.

- 1. Take photographs of the overall appearance of the house (from all four sides), as well as detailed "after" shots of the specific work that you have carried out. These photos should be printed in color and of a high resolution.
- 2. Send the photos to us along with the Request for Certification of Completed Work (attached).
- 3. A signed Certification of Completed Work will be required by the Department of Revenue to claim the tax credits.

If you have any questions I can be reached by mail at the Wisconsin Historical Society, by telephone at 608/264-6491, by fax at 608/264-6504, or by e-mail at <u>mark.buechel@wisconsinhistory.org</u>.

Please take our 3 minute customer service survey. Your feedback is important to us – http://bit.ly/SHPOsurvey.

Sincerely,

Mark T. Buechel, AIA

Senior Preservation Architect

Collecting, Preserving, and Sharing Stories since 1846 816 State Street Madison, Wisconsin 53706



ASSIGNED PROJECT CONDITIONS

Homeowner Copy

PROPERTY NAME: Catherine and Dr. James A. Bach House PROJECT NUMBER: WI190340 2617 N. Wahl Avenue Milwaukee

In order for your project to be approved for income tax credits the following conditions must be met. A second copy of these conditions are being provided for your contractor's use. It is the homeowner's responsibility that all conditions are met. Failure to meet these conditions results in project denial.

1. All flashing and counter flashing must step in mortar joints. masonry shall not be saw cut at an angle to install flashing or counter flashing. detailed photos showing the flashing and counter flashing step down the wall must be provided with the request for final certification to ensure compliance.

Mark Buechel for Daina Penkiunas, State Historic Preservation Officer

DATE

Collecting, Preserving, and Sharing Stories since 1846 816 State Street Madison, Wisconsin 53706



ASSIGNED PROJECT CONDITIONS

Contractor Copy

PROPERTY NAME: Catherine and Dr. James A. Bach House PROJECT NUMBER: WI190340 2617 N. Wahl Avenue Milwaukee

In order for your project to be approved for income tax credits the following conditions must be met. A second copy of these conditions are being provided for your contractor's use. It is the homeowner's responsibility that all conditions are met. Failure to meet these conditions results in project denial.

1. All flashing and counter flashing must step in mortar joints. masonry shall not be saw cut at an angle to install flashing or counter flashing. detailed photos showing the flashing and counter flashing step down the wall must be provided with the request for final certification to ensure compliance.

Mark Buechel for Daina Penkiunas, State Historic Preservation Officer

DATE

Collecting, Preserving, and Sharing Stories since 1846 816 State Street Madison, Wisconsin 53706