


ABBREVIATIONS

AFF	Above Finished Floor	FG	Fire Code	NIC	Not in Contract	T	Tread
ALUM	Aluminum	FD	Floor Drain	NO	Number	T & G	Tongue & Groove
ARCH	Architect	FDN	Foundation	NONCOM	Noncombustible	TEMP	Temporary
		FG	Fiberglass	NTS	Not to Scale	THK	Thick
BLDG	Building	FIN	Finished	O/	On, Over	TOF	Top of Footing
BLKG	Blocking	FLR	Floor	OC	On Center	TRTD	Treated
BRG	Bearing	FT	Foot or Feet	OPNG	Opening	TV	Television
		FTG	Footing	OPP	Opposite	TYP	Typical
CLG	Ceiling	GYP	Gypsum	OH	Overhead	UL DES	Underwriters
CONG	Concrete	HT	Height	PLY	Plywood	LAB	Laboratory
CONSTR	Construction	HC	Handicap	PROP	Property	DES	Designation
CONT	Continuous	HDR	Header	PT	Point	UNO	Unless Noted
CONTR	Contractor	HR	Hour	PVMT	Pavement	OTH	Otherwise
CTR	Center	HVAC	Heating, Ventilating & Air Conditioning	PHR	Power	VB	Vapor Barrier
				PSF	Pounds per Square Foot	VCT	Vinyl Composite Tile
DP	Deep			PSL	Parallam Structure Lumber	VEN	Veneer
DBL	Double	INCL	Including	PLF	Per linear foot		
DET	Detail	INSUL	Insulation			W	Wide
DIA	Diameter	INT	Interior			W	With
DIM	Dimension			R	Riser	WD	Wood
DN	Down	JST	Joint	RAD	Radius	WIN	Window
DR	Door	KD	Kiln Dried	REF	Refrigerator	W/O	Without
DS	Dowelpost	LAV	Lavatory	REINF	Reinforcing	WP	Weatherproof
DWG	Drawing	LT	Light	REQD	Required	WPF	Welded Wire Fabric
		LVL	Laminated Veneer Lumber	REV	Revision		
				RM	Room		
EA	Each			RO	Rough Opening	&	And
ELEC	Electrical	MAX	Maximum			@	Center Line
ELEV	Elevation	MC	Moisture Content	SECT	Section	Ø	Diameter
EP	Electrical Panel	MECH	Mechanical	SHT	Sheet		
EXT	Exterior	MET	Metal	SHTG	Sheeting	DIA	
		MFR	Manufacturer	SIM	Similar		
		MIN	Minimum	SPEC	Specified		
		MISC	Miscellaneous	STD	Standard		
				STOR	Storage		
				SYP	Southern Yellow Pine		

SYMBOL LEGEND



SCOPE OF DRAWING:

THESE DRAWINGS INDICATE THE GENERAL SCOPE OF THE PROJECT IN TERMS OF ARCHITECTURAL DESIGN INTENT, THE DIMENSIONS OF THE BUILDING, THE MAJOR ARCHITECTURAL ELEMENTS AND THE TYPE OF STRUCTURAL, MECHANICAL AND ELECTRICAL SYSTEMS. THE DRAWINGS DO NOT NECESSARILY INDICATE OR DESCRIBE ALL WORK REQUIRED FOR FULL PERFORMANCE AND COMPLETION OF THE REQUIREMENTS OF THE CONTRACT. ON THE BASIS OF GENERAL SCOPE INDICATED OR DESCRIBED, THE TRADE CONTRACTORS SHALL FURNISH ALL ITEMS REQUIRED FOR THE PROPER EXECUTION AND COMPLETION OF THE WORK INTENDED.

CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS AND THE EXACT LOCATION OF EXISTING PLUMBING, MECHANICAL, AND STRUCTURAL COMPONENTS AND NOTIFY THE ARCHITECT IN WRITING OF ANY DISCREPANCIES.

PLAN NOTES:

- ALTHOUGH EVERY EFFORT HAS BEEN MADE IN PREPARING THESE PLANS AND CHECKING THEM FOR ACCURACY, THE CONTRACTORS MUST REVIEW ALL DETAILS OF THEIR TRADES AND BE RESPONSIBLE FOR THE SAME.
- DO NOT SCALE DIMENSIONS FROM DRAWINGS. CONSULT THE ARCHITECT WITH ANY QUESTIONS.
- ALL INTERIOR WALLS ARE DIMENSIONED STUD-TO-STUD UNLESS NOTED OTHERWISE. (SEE WINDOW TYPES FOR ACTUAL DIMENSIONS)
- PLACEMENT OF BUILDING COMPONENTS, MECHANICAL EQUIP., APPLIANCES AND ELECTRICAL COMPONENTS IS SUBJECT TO FIELD ADJUSTMENT. ACTUAL CONSTRUCTION MAY NOT CONFORM EXACTLY TO THE LOCATIONS INDICATED ON THESE DRAWINGS

GENERAL NOTES:


- THE DESIGNER MAINTAINS NO RESPONSIBILITY FOR THE GENERAL CONTRACTOR, SUBCONTRACTORS, OR THOSE WORKING IN SUCH CAPACITIES, FOR THE METHODS USED, OR LACK THEREOF, IN THE EXECUTION OF THE WORK AND SAFETY PROCEDURES AND PRECAUTIONS TAKEN AT THE PROJECT SITE.
- CONTRACTORS SHALL ASSUME FULL RESPONSIBILITY - UNRELIEVED BY REVIEW OF SHOP DRAWINGS NOR BY SUPERVISION OR PERIODIC OBSERVATION OF CONSTRUCTION FOR COMPLIANCE WITH THE CONTRACT DOCUMENTS - FOR DIMENSIONS TO BE CONFIRMED AND CORRELATED ON THE JOB SITE AND BETWEEN INDIVIDUAL DRAWINGS OR SETS OF DRAWINGS FOR FABRICATION PROCESSES AND CONSTRUCTION TECHNIQUES INCLUDING EXCAVATION, SHORING AND SCAFFOLDING, BRACING, ERECTION, FORM WORK, ETC.; FOR COORDINATION OF THE VARIOUS TRADES; FOR SAFE CONDITIONS ON THE JOB SITE, AND FOR THE PROTECTION OF THE PEOPLE AND PROPERTY AT THE JOB SITE.
- THE INFORMATION CONTAINED ON THE DRAWINGS IS IN ITSELF INCOMPLETE, AND VOID UNLESS USED IN CONJUNCTION WITH ALL THE SPECIFICATIONS, TRADE PRACTICES, OR APPLICABLE STANDARDS, CODES, ETC., INCORPORATED THEREIN BY REFERENCE, OF WHICH THE CONTRACTOR CERTIFIES KNOWLEDGE BY SIGNING THE CONTRACT.
- UNLESS NOTED OTHERWISE, ALL DETAILS, SECTIONS, AND NOTES ON THE DRAWINGS ARE INTENDED TO BE TYPICAL FOR SIMILAR SITUATIONS ELSEWHERE.
- UNLESS OTHERWISE SHOWN OR NOTED, THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE LOCATION AND THE PLACEMENT OF ANY INSERTS, HANGARS, PIPE SLEEVES, HOLES OR ANCHOR BOLTS THAT ARE REQUIRED BY THE MECHANICAL OR ELECTRICAL EQUIPMENT.
- THE CONTRACTOR SHALL COMPLY WITH THE LATEST OCCUPATIONAL SAFETY HEALTH ACT REQUIREMENTS.
- ALL STATE OF WISCONSIN, LOCAL AND O.S.H.A. SAFETY CODES SHALL BE A PART OF THESE PLANS, AND IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO SEE THAT ALL PARTIES THAT WORK AT OR VISIT THE JOB SITE COMPLY WITH SAME.

SITE & BUILDING DATA :

USE AND OCCUPANCY CLASSIFICATION; (chapter-3)	PARTIALLY SEPARATED MIXED-USE BUILDING; ('A-2' IS SEPARATED FROM ADJACENT 'A-2', AND 'M') EXISTING BASEMENTS = 'S-2' LOW-HAZARD STORAGE OCCUPANCY FIRST FLOOR RESTAURANT SPACES = 'A-2' RESTAURANT OCCUPANCY FIRST FLOOR STORE SPACE = 'M' MERCANTILE OCCUPANCY SECOND FLOOR OFFICE SPACES = 'B' BUSINESS OCCUPANCIES SECOND FLOOR APARTMENT SPACES = 'R-2' RESIDENTIAL OCCUP.	2015 IBC CODE 2015 IBC CODE
REQUIRED FIRE SEPARATION; (TABLE 508.4)	'A' TO 'R' = 2 HOUR SEPARATION REQUIRED 'A' TO 'B' = 2 HOUR SEPARATION REQUIRED 'R' TO 'B' = 2 HOUR SEPARATION REQUIRED 'A' TO 'M' = 2 HOUR SEPARATION REQUIRED	
DWELLING UNIT SEPARATION (IBC 420.2) CORRIDOR FIRE RATING (TABLE 1020.1) STAIR SHAFT FIRE RATING (TABLE 1020.1)	'R' TO 'R' = 1 HOUR FIRE PARTITION REQUIRED = 1 HOUR FIRE PARTITION REQUIRED = 1 HOUR FIRE BARRIER REQUIRED (OR MATCH PENETRATED HORIZ. ASSEMBLY RATING)	
ALLOWABLE AREA AND HEIGHT; (Tables-504.4, 506.2)	'A-2' (V-B) ONE STORY - 6,000 sq. ft. 'S-2' (V-B) TWO STORIES - 13,500 sq. ft. 'M' (V-B) ONE STORY - 9,000 sq. ft. 'B' (V-B) TWO STORIES - 9,000 sq. ft. 'R-2' (V-B) TWO STORIES - 7,000 sq. ft.	
ACTUAL AREA;	EXISTING BASEMENT FLOOR AREA: 5,608 sq. ft. REMODELED FIRST FLOOR AREA: 3,942 sq. ft. REMODELED SECOND FLOOR AREA: 5,363 sq. ft. REMODELED 'R-2' TENANT AREAS: 2,687 sq. ft. REMODELED 'B' TENANT AREA: 1,337 sq. ft. COMMON AREAS (CORRIDORS): 1,339 sq. ft.	
SPRINKLERS; CONSTRUCTION TYPE; (Table-601)	NONE 'V-B'	
FIRE RATINGS (per table 601 & 602)	STRUCTURAL FRAME; 0 - HR. RATING BEARING WALLS EXTERIOR; 0 - HR. RATING BEARING WALLS INTERIOR; 0 - HR. RATING NON-BEARING WALLS EXTERIOR; 0 - HR. RATING NON-BEARING WALLS INTERIOR; 0 - HR. RATING FLOOR CONSTRUCTION; 0 - HR. RATING ROOF CONSTRUCTION; 0 - HR. RATING	
EXIT TRAVEL DISTANCE; (table 1017.2)	200 feet	
COMMON PATH OF TRAVEL; (per 1006.2.1)	75 FEET IN 'A', 'B', AREAS 100 FEET IN 'S' AREAS W/ < 100 OCCUPANTS 'R' = 50' EXIT ACCESS TRAVEL DIST. TO UNIT DOOR, W/ 1 HR. PROTECTION (PER IBC 805.3.1, EXCEPTION #5)	
TOTAL OCCUPANCY LOADING (per TABLE 1004.1.2) (SEE OCCUPANCY PLAN)	TENANT TOTAL LOAD (FIRST FLOOR): TOTAL KITCHEN AREA = 879 SQ. FT. / 200 TOTAL WAITING AREA = 76 SQ. FT. / 5 TOTAL BUSINESS AREA = 97 SQ. FT. / 100 TOTAL DINING AREA = (PER LAYOUT) TENANT TOTAL LOAD (SECOND FLOOR): TOTAL BUSINESS AREA = 1,337 SQ. FT. / 100 TOTAL APARTMENT AREA = 5,226 SQ. FT. / 200	98 TOTAL OCCUPANTS 5 OCCUPANTS 16 OCCUPANTS 1 OCCUPANTS 76 OCCUPANTS 41 TOTAL OCCUPANTS 14 OCCUPANTS 27 OCCUPANTS
PLUMBING FIXTURE REQUIREMENTS; (per TABLE 2902.1)	WATER CLOSETS 'A-2 ASSEMBLY (RESTAURANT)' MALE (1 PER 75) = 1 REQUIRED FEMALE (1 PER 75) = 1 REQUIRED LAVATORIES (1 PER 200) = 1 REQUIRED WATER CLOSETS 'B BUSINESS' (2ND FLOOR OFFICE) MALE (1 PER 25) = 7/25 = .28 REQUIRED FEMALE (1 PER 25) = 7/25 = .28 REQUIRED LAVATORIES (1 PER 40) = 1/40 = .35 REQUIRED WATER CLOSETS 'R-2 RESIDENTIAL' (2ND FLOOR APARTMENTS) MALE (1 PER UNIT) = 1 REQUIRED FEMALE (1 PER UNIT) = 1 REQUIRED LAVATORIES (1 PER UNIT) = 1 REQUIRED	6 PROPOSED 4 PROPOSED 2 PROPOSED 1 UNISEX PROPOSED (PER IBC 2902.2 EXC. #2) 1 PROPOSED 1 PER UNIT PROPOSED 1 PER UNIT PROPOSED

SHEET INDEX:

SHEET T-1	LOCATION PLAN, PROJECT INFORMATION, & GENERAL NOTES	SHEET A-2	PROPOSED FIRST FLOOR PLAN, HALL TYPES, & ENLARGED RESTROOM PLANS
SHEET A-0	STANDARD MOUNTING HEIGHTS & GENERIC ACCESSIBILITY STANDARDS	SHEET A-3	PROPOSED SECOND FLOOR PLAN & HALL TYPES
SHEET EX-1	EXISTING/DEMO BASEMENT PLAN	SHEET A-4	PROPOSED FIRST & SECOND FLOOR EGRESS/OCCUPANCY PLANS
SHEET EX-2	EXISTING/DEMO FIRST & SECOND FLOOR PLANS	SHEET A-5	PROPOSED FIRST & SECOND FLOOR FIRE RATING PLANS
SHEET EX-3	EXISTING/DEMO ELEVATIONS	SHEET A-6	PROPOSED DOOR SCHEDULE, FRAME & DOOR TYPES
SHEET A-1	PROPOSED BASEMENT PLAN		




LOCATION PLAN

MITCHELL STREET REMODEL

701-709 W MITCHELL ST
MILWAUKEE, WI

SHEET TITLE:

SITE PLAN & PROJECT INFORMATION



PATERA LLC
Excellence in Architecture

2601 S. Sunny Slope Rd. • New Berlin, WI 53151

262-786-6776 FAX 262-786-7036

REVISIONS:


2/11/18: PRELIM #1
3/22/19: PRELIM #2
8/7/19: CD'S ISSUED

-
-
-
-

DATE: FEB. 11, 2019

PROJECT NUMBER: 19-104

T-1



MITCHELL STREET REMODEL

701-709 W MITCHELL ST
MILWAUKEE, WI


SHEET TITLE:

EXISTING/DEMO BASEMENT FLOOR PLAN

EX-1

DATE: FEB. 11, 2019

PROJECT NUMBER: 19-104



PATERA LLC

Excellence in Architecture

2601 S. Sunny Slope Rd. • New Berlin, WI 53151


262-786-6776 FAX 262-786-7036

REVISIONS:


2/11/18: PRELIM #1

3/22/19: PRELIM #2

8/7/19: CD'S ISSUED




EXISTING/DEMO FIRST FLOOR PLAN
3/16" = 1'-0"



EXISTING/DEMO SECOND FLOOR PLAN
3/16" = 1'-0"

WALL KEY:	
	= EXIST. WALL TO REMAIN
	= EXIST. WALL TO BE REMOVED
	= NEW STUD WALL





EXIST. / DEMO NORTH (MITCHELL ST.) ELEVATION
3/16" = 1'-0"



EXIST. / DEMO EAST (7TH ST.) ELEVATION
3/16" = 1'-0"



PATERA LLC

Excellence in Architecture

2601 S. Sunny Slope Rd. • New Berlin, WI 53151

262-786-6776 FAX 262-786-7036

REVISIONS:

2/11/18: PRELIM #1

3/22/19: PRELIM #2

8/7/19: CD'S ISSUED

MITCHELL STREET REMODEL

701-709 W MITCHELL ST
MILWAUKEE, WI

SHEET TITLE:
EXISTING/DEMO ELEVATIONS



EX-3




DATE: FEB. 11, 2019


PROJECT NUMBER: 19-104

WALL KEY:

	= EXIST. WALL TO REMAIN
	= EXIST. WALL TO BE REMOVED
	= NEW STUD WALL
	= 1 HOUR RATED FIRE BARRIER
	= 1 HOUR RATED FIRE PARTITION
	= 2 HOUR RATED FIRE BARRIER









LIGHT/VENT COMPLIANCE:					
ROOM NAME	NET FLR AREA	REQUIRED NAT. LIGHT (0% MIN)	ACTUAL NAT. LIGHT	REQUIRED NAT. VENT (4% MIN)	ACTUAL NAT. VENT
SOUTH REMODELED BED #1	118 SQ. FT.	9.44 SQ. FT.	33 SQ. FT.	4.15 SQ. FT.	17 SQ. FT.
SOUTH REMODELED BED #2	99 SQ. FT.	7.92 SQ. FT.	19.2 SQ. FT.	3.41 SQ. FT.	22.5 SQ. FT.
EAST PROPOSED BED #1	144 SQ. FT.	11.52 SQ. FT.	36 SQ. FT.	5.04 SQ. FT.	4.8 SQ. FT.
EAST PROPOSED BED #2	124 SQ. FT.	9.92 SQ. FT.	36 SQ. FT.	4.94 SQ. FT.	4.8 SQ. FT.
WEST PROPOSED BED #1	145 SQ. FT.	11.6 SQ. FT.	25.2 SQ. FT.	5.00 SQ. FT.	13.4 SQ. FT.
WEST PROPOSED BED #2	114 SQ. FT.	9.12 SQ. FT.	11.7 SQ. FT.	3.99 SQ. FT.	6.2 SQ. FT.
WEST PROPOSED BED #3	114 SQ. FT.	9.52 SQ. FT.	10.8 SQ. FT.	4.11 SQ. FT.	5.8 SQ. FT.

CONTRACTOR TO FIELD VERIFY ALL
DIMENSIONS AND THE EXACT
LOCATION OF EXISTING PLUMBING,
MECHANICAL, AND STRUCTURAL
COMPONENTS AND ADJUST THE
PLANS AS NECESSARY TO
ACCOMMODATE.

-  = EXIST. WALL TO REMAIN
 = EXIST. WALL TO BE REMOVED
 = NEW STUD WALL
 = 1 HOUR RATED FIRE BARRIER
 = 1 HOUR RATED FIRE PARTITION
 = 2 HOUR RATED FIRE BARRIER



-
-
-



MITCHELL STREET REMODEL

701-709 W MITCHELL ST
MILWAUKEE, WI

SHEET TITLE:


PROPOSED FIRST & SECOND FLOOR EGRESS/OCCUPANCY PLAN

A-4

DATE: FEB. 11, 2019

PROJECT NUMBER: 19-104

REVISIONS:
2/11/18: PRELIM #1
3/22/19: PRELIM #2
8/7/19: CD'S ISSUED




PATERA LLC


Excellence in Architecture

2601 S. Sunny Slope Rd. • New Berlin, WI 53151

262-786-6776 FAX 262-786-7036



PROPOSED SECOND FLOOR FIRE RATING PLAN
3/16" = 1'-0"



PROPOSED FIRST FLOOR FIRE RATING PLAN
3/16" = 1'-0"

CONTRACTOR TO FIELD VERIFY ALL
DIMENSIONS AND THE EXACT
LOCATION OF EXISTING PLUMBING,
MECHANICAL, AND STRUCTURAL
COMPONENTS AND ADJUST THE
PLANS AS NECESSARY TO
ACCOMMODATE.

WALL KEY:

- = EXIST. WALL TO REMAIN
- = EXIST. WALL TO BE REMOVED
- = NEW STUD WALL
- = 1 HOUR RATED FIRE BARRIER
- = 1 HOUR RATED FIRE PARTITION
- = 2 HOUR RATED FIRE BARRIER

MITCHELL STREET REMODEL

701-709 W MITCHELL ST
MILWAUKEE, WI

SHEET TITLE:

PROPOSED FIRST & SECOND FLOOR FIRE RATING PLAN


A-5

DATE: FEB. 11, 2019

PROJECT NUMBER: 19-104

REVISIONS:


- 2/11/18: PRELIM #1
- 3/22/19: PRELIM #2
- 8/7/19: CD'S ISSUED



PATERA LLC
Excellence in Architecture

2601 S. Sunny Slope Rd. • New Berlin, WI 53151

262-786-6776 FAX 262-786-7036



HARDWARE SETS			
HARDWARE SET #1	HARDWARE SET #2	HARDWARE SET #3	HARDWARE SET #4
1-1/2 PR. HINGES 1 KEY LOCK SET (LEVER TYPE) 1 STOP	1-1/2 PR. HINGES 1 PUSH / FULL CLOSER 1 STOP 2 TOE GUARDS	1-1/2 PR. HINGES 1 PUSH / FULL PANIC HARDWARE 1 KEY LOCK SET 1 CLOSER 1 STOP 1 WEATHER STRIPING 1 THRESHOLD	1-1/2 PR. HINGES 1 KEY LOCK SET (LEVER TYPE) 1 CLOSER 1 STOP
HARDWARE SET #5			
1-1/2 PR. HINGES 1 PUSH / FULL 1 STOP 1 CLOSER 2 TOE GUARDS			


FINISH KEY					
C-*	CARPET-COLOR	PWB	PREFINISHED WOOD BASE	AT-1	VINYL FILM ACOUSTICAL TILE 2x2
CT-*	CERAMIC TILE-COLOR	S&V	STAIN & VARNISH	AT-2	ACOUSTICAL TILE 2x2
VCT-*	VINYL COATED TILE-COLOR	P-*	PAINT-COLOR	AT-4	ACOUSTICAL TILE 2x4
V-*	SHEET VINYL-COLOR	LAM.	FLOATING WOOD LAMINATE PARQUET FLOOR	GP-*	GYPSUM PAINTED-COLOR
SC	(EPOXY) SEALED CONCRETE	GL	GLASS	SGP-*	SUSPENDED GYPSUM PAINTED-COLOR
VB	VINYL BASE	WD	WOOD	ES	EXPOSED STRUCTURE
CB-*	CERAMIC TILE 6"b. BASE-COLOR	HM	HOLLOW METAL	ESP-*	EXPOSED STRUCTURE PAINTED-COLOR
WB	WOOD BASE	ALUM	ALUMINUM		
QT.	QUARRY TILE	CONC.	EXPOSED CONCRETE		
QB.	6" HIGH QUARRY TILE BASE	EP	EPOXY PAINT		
FRP	FIBERGLASS REINFORCED PANELS	SS	STAINLESS STEEL PANEL		

DOOR SCHEDULE			ALL DOORS TO HAVE LEVER HARDWARE UNLESS NOTED OTHERWISE										
	ROOM NAME	DOOR SIZE	DOOR			FRAME							
MARK		W / H	TYPE	MAT'L	FINISH	TYPE	MAT'L	FINISH	HEAD	JAMB	SILL	HDW	REMARKS
D103a	DINING	3'-0"x 7'-0"	B	AL	ANOD.	FI	AL	ANOD.	-	-	-	3	-
D103b	DINING (HALLWAY)	1'-8"x 7'-0"	B	WD	S&V	FI	HM	P	-	-	-	1	-
D104	MENS RESTROOM	3'-0"x 7'-0"	B	WD	S&V	FI	HM	P	-	-	-	2	-
D105	WOMENS RESTROOM	3'-0"x 7'-0"	B	WD	S&V	FI	HM	P	-	-	-	2	-
D106A	KITCHEN	3'-0"x 7'-0"	A	AL	ANOD	FI	AL	ANOD.	-	-	-	5	-
D106B	KITCHEN	3'-0"x 7'-0"	A	AL	ANOD	FI	AL	ANOD.	-	-	-	5	-
D108a	STAIRS	3'-0"x 7'-0"	B	WD	S&V	FI	WD	S&V	-	-	-	5	1 HOUR FIRE RATED DOOR
D108b	STAIRS	3'-0"x 7'-0"	B	HM	P	FI	HM	P	-	-	-	3	-
D108c	STAIRS	3'-0"x 7'-0"	B	WD	S&V	FI	WD	S&V	-	-	-	5	1 HOUR FIRE RATED DOOR
D201	TENANT #1	3'-0"x 7'-0"	A	WD	S&V	FI	WD	S&V	-	-	-	4	1 HOUR FIRE RATED DOOR
D202A	COMMERCIAL TENANT	3'-0"x 7'-0"	A	WD	S&V	FI	WD	S&V	-	-	-	4	1 HOUR FIRE RATED DOOR
D202B	COMMERCIAL TENANT	3'-0"x 7'-0"	A	WD	S&V	FI	WD	S&V	-	-	-	4	1 HOUR FIRE RATED DOOR
D203A	TENANT #2	3'-0"x 7'-0"	A	WD	S&V	FI	WD	S&V	-	-	-	4	1 HOUR FIRE RATED DOOR
D203B	TENANT #2	2'-10"x 7'-0"	A	WD	S&V	FI	WD	S&V	-	-	-	4	1 HOUR FIRE RATED DOOR
D204A	TENANT #3	3'-0"x 7'-0"	A	WD	S&V	FI	WD	S&V	-	-	-	4	1 HOUR FIRE RATED DOOR
D204B	TENANT #3	2'-10"x 7'-0"	A	WD	S&V	FI	WD	S&V	-	-	-	4	1 HOUR FIRE RATED DOOR


1 DOOR SCHEDULE
N.T.S

ROOM FINISH SCHEDULE										
NO.	ROOM NAME	FLOOR	BASE	WALLS				CEILING		REMARKS
				NORTH	EAST	SOUTH	WEST	MAT'L	HEIGHT	
FIRST FLOOR										
100	PROPOSED WAITING	LVT	VB	P	P	P	P	GYP	EXIST.	-
101	PROPOSED CASHIER	LVT	VB	P	P	P	P	GYP	EXIST.	-
102	PROPOSED BUFFET RM.	LVT	VB	P	P	P	P	AT-2	9'-0"	-
103	PROPOSED DINING	LVT	VB	P	P	P	P	GYP	EXIST.	-
104	PROPOSED MENS REST.	LVT	VB	CT/P	CT/P	CT/P	CT/P	AT-1	9'-0"	CT WALLS 48" A.F.F.
105	PROPOSED WOMEN'S REST.	LVT	VB	CT/P	CT/P	CT/P	CT/P	AT-1	9'-0"	CT WALLS 48" A.F.F.
106	PROPOSED KITCHEN	QT	QB	FRP	FRP	FRP	FRP	AT-1	9'-0"	-
107	PROPOSED DISHWASH	QT	QB	FRP	FRP	FRP	FRP	AT-1	9'-0"	-
108	STAIRS	QT	QB	FRP	FRP	FRP	FRP	AT-2	9'-0"	RUBBER STAIR COMPONENTS

2 ROOM FINISH SCHEDULE
N.T.S



DOOR TYPES



FRAME TYPES

MITCHELL STREET REMODEL

701-709 W MITCHELL ST
MILWAUKEE, WI

SHEET TITLE:

DOOR TYPES, FRAME TYPES, & DOOR & ROOM SCHEDULES

A-6

DATE: FEB. 11, 2019

PROJECT NUMBER: 19-104



PATERA LLC

Excellence in Architecture

2601 S. Sunny Slope Rd. • New Berlin, WI 53151

262-786-6776 FAX 262-786-7036

REVISIONS:

2/11/18: PRELIM #1

3/22/19: PRELIM #2

8/7/19: CD'S ISSUED

-

-

-