



IMPORTANT NOTICE: A \$25 FILING FEE MUST ACCOMPANY THIS APPEAL, WITHIN THE DEADLINE REFERENCED BY THE BILL.

Checks should be made payable to: City of Milwaukee and a copy of the bill should be included with your appeal

IMPORTANT NOTICE FOR CUSTOMERS PAYING BY CHECK

When you provide a check as payment, you authorize us either to use information from your check to make a one-time electronic fund transfer from your account, or to process the payment as a check transaction.

IF THE CHARGES HAVE ALREADY APPEARED ON YOUR TAX BILL, THIS APPEAL CANNOT BE FILED

PLEASE READ CAREFULLY:

This Board may only determine if the City Department followed proper administrative procedures. It cannot hear appeals as to whether a Building Order is valid or not (those must be appealed to the Standards and Appeals Commission).

TO: Administrative Review Appeals Board
City Hall, Rm. 205
200 E. Wells St.
Milwaukee, WI 53202
(414) 286-2231

DATE: 2/20/20 **RE:** 903 E. Lincoln Ave
(Address of property in question)

Under ch. 68, Wis. Stats., s. 320-11 of the Milwaukee Code of Ordinances, this is a written petition for appeal and hearing.


I am appealing the administrative procedure followed by Public Works
(Name of City Department)

Amount of the charges \$ 50

Charge relative to: Sidewalk Ice

I feel the City's procedure was improper due to the following reasons and I have attached any supporting evidence, including city employee's names/dates which I spoke to regarding this issue and copies of any city orders received:

I received a citation regarding ice on my sidewalk. The vast majority of sidewalk was clear of any ice. Ice that was there was salted. Please see photos from this morning (2/20). Note the wet spots from melted ice and clear surrounding area. I promise to continue to maintain a clean and safe sidewalk area. Please accept my appeal.
Thank you!


Signature

Kyle Weise
Name (please print)

903 E. Lincoln Ave Milwaukee WI 53207 414-552-2152
Mailing address and zip code Daytime phone number