



7 WINDOWS IN QUESTION

SHEET NOTES -
EXTERIOR ELEVATIONS

1. SEE SHEET <XXXX> FOR EXTERIOR FRAME TYPES AND DIMENSIONS.
2. PROVIDE CONTINUOUS SEALANT AND BACKER ROD AT ALL PRECAST CONCRETE JOINTS.
3. ALL INSIDE AND OUTSIDE CORNERS OF PRECAST TRIM TO NOT BE MITERED.
4. EXTERIOR SIGNAGE ON BUILDING TO BE COORDINATED AND VERIFIED WITH ARCHITECT, OWNER AND SIGNAGE VENDOR.
5. ALL VERTICAL INSIDE CORNERS TO HAVE 1/2" MOVEMENT JOINT.
6. MJ = INDICATES MOVEMENT JOINT - 1/2" GAP.
7. PJ = INDICATES METAL PANEL JOINT - 1/2" GAP.

KEYNOTES PER SHEET

GLAZING SCHEDULE

IG-6TL	INSULATING GLASS, TINTED, LOW-E, LAMINATED, CLEAR INTERLAYER, FULLY TEMPERED, 1" THICK
S-1Ta	FLOAT GLASS, CLEAR, FULLY TEMPERED, 1/4" THICK
S-4F	FIRE RATED SAFETY GLASS, FIRELITE PLUS, CATEGORY 2 IMPACT SAFETY RESISTANCE, 5/16" THICK



milwaukee 333 East Chicago Street
Milwaukee, Wisconsin 53202
414.271.5350

madison 309 West Johnson Street, Suite 202
Madison, Wisconsin 53703
608.442.5350

denver 1899 Wynkoop Street, Suite 300
Denver, Colorado 80202
303.595.4500

PROJECT INFORMATION

SEEDS OF HEALTH -
HIGH SCHOOL

918 VEL R. PHILLIPS
AVE
MILWAUKEE, WI
53203

ISSUANCE AND REVISIONS

DATE	DESCRIPTION
------	-------------

SHEET INFORMATION

PROJECT MANAGER TW

PROJECT NUMBER 319396-01

EXTERIOR
ELEVATIONS

A200

© 2020 Eppstein Uhen Architects, Inc.