OPTION 2

APPROVED

By Tim Askin - Milwaukee HPC at 3:05 pm, Sep 09, 2021





13569-<u>01] PEPPER-KINN-CH-01</u>

3/8" = 1' - 0" Scale

COLOR SCHEDULE: BRANDING AGENCY TO PROVIDE **EXACT COLOR FOR THIS**

MAP Satin Finish, Painted to Match "kinn" gold

MAP Satin Dark Bronze Painted Finish

GUESTHOUSE

FRONT DETAIL 3/4" = 1' - 0" Scale

3" Deep, (shoebox-formed), Alum Dimensional Letters centered to top of existing canopy fascia

> 1.0" OD Alum Pipe x .125" wall, welded to Alum Letters

3/8" x 6" Long Hex Head Wood Screws secure Alum Plate to Blocking

4" x 48"Long x 1/2" Thk Alum Plate

SEALTITE TO BE PROVEDED FOR LV CONNECTION AT NORTH Top of Fascia AREA FOR SIGN AND LIGHT BAR. DRIVER BOX ACCESSIBLE IN VESTIBULE (24FT WHIP REQ'D) ACCESS PANEL TO BE 12" X 12"

Clear Acrylic or Polycarbonate 44.3" backer to support floating "k" within frame - applied to back 17.0" of box 9.0" 9.0" 20.

48.0"

PEPPER TO SHARE METAL FLASHING

SAMPLE TO SIGN EFFECTZ TO

COORDINATE MATCHING COLOR

Custom Fabricated LED Light Bar (details shown below)

5.5"h x 1/2" Thk Routed FCO Acrylic Letters, flush-mounted w/ studs to front of existing fascia, secured w/ clear silicone adhesive (mounted w/ install pattern) 53.8"

VETTER RECOMMENDS THAT THIS BE INCREASED TO 5.5" TO ALLOW FOR BETTER VISIBILITY. ALLOW LENGTH TO GO BEYOND LENGTH OF KINN SIGN ABOVE. OWNER/ BRANDING AGENCY TO PROVIDE FINAL APPROVAL

BRANDING WAS PROVIDED 6/28/21. **BRANDING AGENCY TO APPROVE**

Top of Fascia

" SignEffectz[™]

1827 W. Glendale Ave. Milwaukee, WI 53209

414.264.5504

414.262.5564

www.signeffectz.com

THIS IS AN ORIGINAL DESIGN CREATED BY SIGN EFFECTZ. THE SUBMITTED DESIGN PROTECTED UNDER COPYRIGHT LAWS OF THE UNITED STATES COVOUR AGREE NOT TO COPY PHOTOGRAPH MODIFY OR SHARE DIRECTLY OR INDIRECTLY ANY OF THE FOREGOING HELD BY YOU WITH ANY OTHER PARTNOR WILL YOU PERMIT ANY THIRD PARTY TO DO ANY OF THE FOREGOING WITHOUT THE WRITTEN CONSENT OF SIGN EFFECTZ.

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NEC AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

Pepper Construction KINN -Broadway - Exterior

[13569-01] PEPPER-KINN-CH-01 Fab/ install:

- (1) set 1'-10.2"h, non-lit dimensional letters reading, "KINN"w/ closed backs, mounted to top of existing canopy.
- (1) set 5.5"h acrylic FCO letters flushmounted w/ studs to face of existing canopy reading, "GUESTHOUSE".

[13569-02] PEPPER-KINN-LIGHTING-01:

Fab/ install (1) custom 48"w light bar for mounting in front of dimensional letters. Light bar to mount to the top of existing canopy. Will require remote power supply box & location. Final electrical connection by others.

[13569-03] PEPPER-KINN-SURVEY:

Perform survey of site for int & ext signs.

Project Address:

KINN

600 N Broadway Milwaukee, WI 53202


Billing Address (if different):

Pepper Construction 220 E Buffalo St #300, Milwaukee, WI 53202

Rev.	Description	Date	Init
01	"inn" reduc'd to 15", "k" proportionally	06/01/21	AE
02	replace logo w/ new, tube chg to 1°dia	06/30/21	AE
03	fco 5.5" tall, kinn sign 22.2"tall per code	08/16/21	AE
04			
05			
06			
07			
08			
09			
10			

- 1. Branding Agenct to Provide Colors for letters and fascia (for mounting to match).
- Pepper to share metal flashing sample to Sign Effectz to coordinate matching color

AAE	JCB	JD	PERMIT	SURVEY	ENG
DRAWN BY:	MGR:	CHK BY:	COMPLE	TED:	
DATE: 04	/20/21	SCALE:	AS N	OTED	
В	30220909		P_	01	03
SIZE.	ZE. PROJECT NO		IO: SHEET NO:		REV
PRODUCTI	ON RELEASE	NO: 01	VER	SION:	05
13	3990		13569	- 01	/02
ESTIM	ATE NO:	WOF	K ORDER	NO.	ITEM



□ SignEffectz

1827 W. Glendale Ave. Milwaukee, WI 53209

414.264.5504

414.262.5564

www.signeffectz.com

THIS IS AN ORIGINAL DESIGN CREATED BY SIGN EFFECTZ. THE SUBMITTED DESIGN PROTECTED UNDER COPYRIGHT LAWS OF THE UNITED STATES CODE YOU AGREE NOTTO COPY PHOTOGRAPH MODIFY OR SHARE DIRECTLY OR INDIRECTLY ANY OF THE FOREGOING HELD BY YOU WITH ANY OTHER PARTY, NOR WILL YOU PERINT ANY THIRD PARTY TO DO ANY OF THE FOREGOING WITHOUT THE WRITTEN CONSENT OF SIGN EFFECTZ.

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NEC AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

Pepper Construction KINN -Broadway - Exterior

[13569-01] PEPPER-KINN-CH-01

- (1) set 1'-10.2"h, non-lit dimensional letters reading, "KINN"w/ closed backs, mounted to
- top of existing canopy.
 (1) set 5.5"h acrylic FCO letters flushmounted w/ studs to face of existing canopy reading, "GUESTHOUSE".

[13569-02] PEPPER-KINN-LIGHTING-01:

Fab/ install (1) custom 48"w light bar for mounting in front of dimensional letters. Light bar to mount to the top of existing canopy. Will require remote power supply box & location. Final electrical connection by

[13569-03] PEPPER-KINN-SURVEY:

Perform survey of site for int & ext signs.

Project Address:

600 N Broadway

Milwaukee, WI 53202

Billing Address (if different):

Pepper Construction


220 E Buffalo St #300, Milwaukee, WI 53202

kev. Description		Date	Init
01 "inn" reduc'd to 15", "	k" proportionally	06/01/21	AE
02 replace logo w/ new,	tube chg to 1°dia	06/30/21	AE
03 updated on elevation	to size requested	08/16/21	AE
04			
05			
06			
07			
08			
09			
10			

Project Notes:

- Branding Agenct to Provide Colors for letters and fascia (for mounting to match).
 Pepper to share metal flashing sample to Sign Effectz to coordinate matching color

AAE	JCB	JD	PERMIT S	USTOMER APPROVAL V	
DRAWN BY:	MGR:	CHK BY:	COMPLETED:		
DATE: 04/20/21 SCALE: 3/8" = 1' - 0"					
B 3022		20909	P_02	03	
SIZE.	PROJECT	NO:	SHEET NO	: REV	
PRODUCTION RELEASE NO: 01 VERSION: 05					
13	3990		13569 -	- 01	
ESTIM	IATE NO:	WOF	RK ORDER NO.	ITEM /	



" SignEffectz[™]

@ 1827 W. Glendale Ave. Milwaukee, WI 53209 414.264.5504

414.262.5564

www.signeffectz.com

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NEC AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE

Pepper Construction KINN -Broadway - Exterior

[13569-01] PEPPER-KINN-CH-01 Fab/ install:

- (1) set 1'-10.2"h, non-lit dimensional letters reading, "KINN"w/ closed backs, mounted to top of existing canopy.
- (1) set 5.5"h acrylic FCO letters flushmounted w/ studs to face of existing canopy reading, "GUESTHOUSE".

[13569-02] PEPPER-KINN-LIGHTING-01:

Fab/ install (1) custom 48"w light bar for mounting in front of dimensional letters. Light bar to mount to the top of existing canopy. Will require remote power supply box & location. Final electrical connection by others.

[13569-03] PEPPER-KINN-SURVEY:

Perform survey of site for int & ext signs. Project Address:

KINN

600 N Broadway Milwaukee, WI 53202

Billing Address (if different):

Pepper Construction 220 E Buffalo St #300, Milwaukee, WI 53202


Rev.	Description	Date	Init
01	"inn" reduc'd to 15", "k" proportionally	06/01/21	AE
02	replace logo w/ new, tube chg to 1"dia	06/30/21	AE
03			
04			
05			
06			
07			
08			
09	·		
10			

Project Notes:

- 1. Branding Agenct to Provide Colors for letters
- and fascia (for mounting to match).

 2. Pepper to share metal flashing sample to Sign Effectz to coordinate matching color

AAE DRAWN BY:	JCB MGR:	JD снк ву:	SRFR PERMIT COMPLE	CUSTOME SURVEY	R APPROVAL ENG
DATE: 04	1/20/21	SCALE:	1-1/2	2" = 1'	- O"
B 3022		20909	P_	03	02
SIZE.	PROJECT N	10:	SHEE	T NO:	REV
PRODUCTI	ON RELEASE N	_{IO:} 01	VER	SION:	03
	3990 IATE NO:		13569 K ORDER		01





1827 W. Glendale Ave. Milwaukee, WI 53209

414.264.5504

414.262.5564

www.signeffectz.com

THIS IS AN ORIGINAL DESIGN CREATED BY SIGN EFFECTZ. THE SUBMITTED DESIGN PROTECTED UNDER COPYRIGHT LAWS OF THE UNITED STATES CODE YOU AGREE NOTTO COPY PHOTOGRAPH MODIFY OR SHARE DIRECTLY OR INDIRECTLY ANY OF THE FOREGOING HELD BY YOU WITH ANY OTHER PARTY, NOR WILL YOU PERMIT ANY THIRD PARTY TO DO ANY OF THE FOREGOING WITHOUT THE WRITTEN CONSENT OF SIGN EFFECTZ.

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NEC AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

Pepper Construction KINN -Broadway - Exterior

[13569-01] PEPPER-KINN-CH-01

- (1) set 1'-10.2"h, non-lit dimensional letters reading, "KINN"w/ closed backs, mounted to top of existing canopy.
- (1) set 5.5"h acrylic FCO letters flushmounted w/ studs to face of existing canopy reading, "GUESTHOUSE".

[13569-02] PEPPER-KINN-LIGHTING-01:

Fab/ install (1) custom 48"w light bar for mounting in front of dimensional letters. Light bar to mount to the top of existing canopy. Will require remote power supply box & location. Final electrical connection by

[13569-03] PEPPER-KINN-SURVEY:

Perform survey of site for int & ext signs.

Project Address:

600 N Broadway Milwaukee, WI 53202

Billing Address (if different):

Pepper Construction 220 E Buffalo St #300,

Rev.	Description	Date	Init
01	"inn" reduc'd to 15", "k" proportionally	06/01/21	AE
02	replace logo w/ new, tube chg to 1°dia	06/30/21	AE
03	add vestibule access panel to pwr sup	08/16/21	AE
04			
05			
06			
07			
08			
09			
10			

Project Notes:

• North side of Sign - G.C will give us Sealtite size for North side connection.

• Driver Box in Vestibule - Access Panel to be 12" x

• Need approx 24ft whip to access canopy sign/ LED

- 17 5				<u> </u>	
AAE DRAWN BY:	JCB MGR:	JD CHK BY:	SRFR PERMIT COMPLE	SURVEY	R APPROVAL
DATE: 04	/20/21	SCALE:	1-1/2	!" = 1'	- 0"
В	302	20909	P_	04	03
SIZE.	PROJECT I	NO:	SHEE	T NO:	REV
PRODUCTION RELEASE NO: 01 VERSION: 05					05
1;	3990		13569	_	01
ESTIM	IATE NO:	WOR	K ORDER	NO	ITEM

OPTION 2

CONNECT LOW VOLTAGE WIRING FROM DRIVER BOX TO BE LOCATED IN VESTIBULE CEILING, ACCESSIBLE THRU 12" X 12" SERVICE ACCESS PANEL. SEALTITE SET BY OTHERS - VERIFY SEALTITE SPEC FOR FINAL CONNECTION Adjustable **CLEAR ACRYLIC** LENS .125" THK FORMED 2.737 **ALUM HOUSING CLOSED SIDES** ADJUSTABLE ADJUSTABLE MOUNTING SYSTEM **FABRICATED FROM** .125" THK ALUM ANCHORS TO SUIT **EXTERIOR FASCIA** (SEAL ALL PENETRATIONS) 3.50"

P_05 / SCALE: 1:2

"SignEffectz

a 1827 W. Glendale Ave. Milwaukee, WI 53209

414.264.5504

414.262.5564

www.signeffectz.com

Disclaimer:

THIS IS AN ORIGINAL DESIGN CREATED BY SIGN EFFECTZ. THE SUBMITTED DESIGN PROTECTED UNDER COPYRIGHT LAWS OF THE LINITED STATES CODE YOU AGREE NOTTO COPY PHOTOGRAPH MODIFY OR SHARE DIRECTLY OR INDIRECTLY ANY OF THE FOREGOING HELD BY YOU WITH ANY OTHER PARTY, NOR WILL YOU PERMIT ANY THIRD PARTY TO DO ALVY OF THE FOREGOING WITHOUT THE WRITTEN CONSENT OF SIGN DEFREYOF THE FOREGOING WITHOUT THE WRITTEN CONSENT OF SIGN EFFECTZ.

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NEC AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

Pepper Construction KINN -Broadway - Exterior

[13569-01] PEPPER-KINN-CH-01 Fab/ install:

- (1) set 1'-10.2"h, non-lit dimensional letters reading, "KINN"w/ closed backs, mounted to top of existing canopy.
- (1) set 5.5"h acrylic FCO letters flushmounted w/ studs to face of existing canopy reading, "GUESTHOUSE".

[13569-02] PEPPER-KINN-LIGHTING-01:

Fab/ install (1) custom 48"w light bar for mounting in front of dimensional letters.
Light bar to mount to the top of existing canopy. Will require remote power supply box & location. Final electrical connection by others.

[13569-03] PEPPER-KINN-SURVEY:

Perform survey of site for int & ext signs.

Project Address:

KINN

600 N Broadway

Milwaukee, WI 53202

Billing Address (if different):

Pepper Construction 220 E Buffalo St #300, Milwaukee, WI 53202

 Rev. Description
 Date
 Init

 01 "inn" reduc'd to 15", "k" proportionally
 06/01/21
 AE

 02 replace logo w/ new, tube chg to 1"dia
 06/30/21
 AE

 03
 04

 05
 06

 07
 08

 09
 10

Project Notes

• North side of Sign - G.C will give us Sealtite size for North side connection.

- Driver Box in Vestibule Access Panel to be 12" x 12"
- Need approx 24ft whip to access canopy sign/ LED fixture.

Copyright © 2021 Sign Effectz Inc. All Rights Reserved

AAE DRAWN BY:	JCB MGR:	JD CHK BY:	SRFR PERMIT COMPLE	CUSTOME SURVEY TED:	R APPROVAL
DATE: 04/20/21		SCALE:	1:2		
В	3022	20909	P_	05	00
SIZE.	PROJECT N	IO:	SHEE	T NO:	REV
PRODUCTI	ON RELEASE N	_{IO:} 01	VER	SION:	05
13	3990	1	3569	_	01
ESTIM	IATE NO:	WOR	K ORDER	NO.	ITEM
					٠.

3

LINEAR LED FIXTURE

