



Legislation Details (With Text)

**File #:** 170182      **Version:** 2  
**Type:** Ordinance      **Status:** Passed  
**File created:** 5/9/2017      **In control:** COMMON COUNCIL  
**On agenda:**      **Final action:** 7/11/2017

**Effective date:**

**Title:** A substitute ordinance relating to requirements for bicycle parking spaces.

**Sponsors:** ALD. KOVAC

**Indexes:** CYCLING, PARKING REGULATIONS, ZONING

**Attachments:** 1. Proposed Substitute A, 2. City Plan Commission Letter, 3. Zoning Code Technical Committee Letter, 4. SUPPORT-City of Milwaukee Bicycle & Pedestrian Task Force, 5. DCD Presentation, 6. Hearing Notice List, 7. Notice Published 6-9-17 and 6-16-17, 8. Notice Published on 7-27-17

Date	Ver.	Action By	Action	Result	Tally
5/9/2017	0	COMMON COUNCIL	ASSIGNED TO		
5/10/2017	0	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	REFERRED TO		
5/10/2017	0	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	REFERRED TO		
5/26/2017	1	CITY CLERK	DRAFT SUBMITTED		
5/30/2017	1	ZONING CODE TECHNICAL COMMITTEE	HEARING NOTICES SENT		
6/9/2017	1	CITY CLERK	PUBLISHED		
6/26/2017	1	CITY PLAN COMMISSION	RECOMMENDED FOR PASSAGE AND ASSIGNED	Pass	5:0
6/29/2017	1	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	HEARING NOTICES SENT		
6/29/2017	1	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	HEARING NOTICES SENT		
6/29/2017	1	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	HEARING NOTICES SENT		
7/6/2017	2	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	RECOMMENDED FOR PASSAGE	Pass	5:0
7/6/2017	1	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	SUBSTITUTED		4:0
7/11/2017	2	COMMON COUNCIL	PASSED	Pass	15:0
7/20/2017	2	MAYOR	SIGNED		
7/27/2017	2	CITY CLERK	PUBLISHED		

170182  
SUBSTITUTE 2

ALD. KOVAC  
A substitute ordinance relating to requirements for bicycle parking spaces.  
200-26-1-c-4-i      am

295-201-58	cr
295-201-58.5	cr
295-201-433	ra
295-201-435	am
295-403-0	am
295-403-2-a	am
295-403-2-c	rp
295-403-2-d	rn
295-403-2-d-0	am
295-403-2-d-1	am
295-403-2-e	rn
295-403-3-c	rp
295-403-3-d	rn
295-403-3-e	rn
295-403-3-f	rn
295-404	cr
295-404-1 (table)	cr
295-907-2-b-1-i	am
295-907-2-c-1-i	am
295-907-3-h	am

This ordinance defines the terms “long-term bicycle parking space” and “short-term bicycle parking space,” with the distinguishing factor being whether the space is intended to be used for 3 hours or more (long-term) or less than 3 hours (short-term). It also specifies the number of each type of bicycle parking space required for each land use listed in the zoning code. Compliance with these bicycle parking space requirements shall be required for any of the following:

1. Construction of a new building.
2. Construction of an addition to an existing building.
3. Substantial improvement of an existing building.
4. A change in the occupancy classification of any portion of an existing building, as evidenced by an application for a certificate of occupancy.
5. Reconstruction or reconfiguration of an existing parking lot that serves a use for which bicycle parking spaces are required.

This ordinance also specifies standards for bicycle parking in the areas of:

1. Location of bicycle parking spaces.
2. Adjustments to the number of spaces required.
3. Design of bicycle parking spaces, areas and facilities.
4. Positioning of outdoor bicycle parking.
5. Indoor bicycle parking.

The Mayor and Common Council of the City of Milwaukee do ordain as follows:

Part 1. Section 200-26-1-c-4-i of the code is amended to read:

**200-26. Application for Permits.**

**1. APPLICATION.**

c-4. Scale drawings of the parcel of land showing:

c-4-i. ~~[[Indicate space]]~~ >>Space<< set aside for >>bicycle parking,<< parking of motor vehicles, utility easements, proposed street widening and relation of creeks and drainage ditches.

Part 2. Section 295-201-58 and 58.5 of the code is created to read:

**295-201. Definitions.**

**58.** BICYCLE PARKING SPACE, LONG-TERM means an area set aside, designated and of sufficient size for the parking of one bicycle by an employee, resident, student, commuter or other person expected to park his or her bicycle for approximately 3 hours or more.

**58.5.** BICYCLE PARKING SPACE, SHORT-TERM means an area set aside, designated and of sufficient size for the parking of one bicycle by a customer, patron, client, visitor, messenger or other person expected to park his or her bicycle for less than approximately 3 hours.

Part 3. Section 295-201-433 of the code is renumbered 295-201-386 and amended to read:

**386.** >>MOTOR VEHICLE<< PARKING SPACE means an area set aside, designated and of sufficient size for the parking of one automobile, van, sport-utility vehicle or truck with a cargo capacity of 1.5 tons or less, but does not include a designated motorcycle parking space.

Part 4. Section 295-201-435 of the code is amended to read:

**435.** PARKING SPACE, OFF-STREET means any >>motor vehicle<< parking space that is located on the same premises as the use it serves and is not located on public right-of-way.

Part 5. Section 295-403-0 of the code is amended to read:

**295-403. >>Motor Vehicle<< Parking.**

Part 6. Section 295-403-2-a of the code is amended to read:

**2. NUMBER OF SPACES.**

a. Number Required. The number of off-street >>motor vehicle<< parking spaces required for a particular use shall be as specified in table 295-403-2-a. Except for within the C9A district, no off-street >>motor vehicle<< parking spaces shall be required for uses located in downtown zoning districts. Furthermore, no off-street >>motor vehicle<< parking spaces shall be required for uses located in a RED redevelopment district. Prior to issuance of any occupancy or construction permit,

documentation that the required >>off-street motor vehicle<< parking spaces exist shall be provided to the commissioner. For a use where the number of required spaces is “as required by the board for special use approval,” the board shall not be bound to require parking spaces, but if any parking spaces are to be required, such requirement shall be specified by the board at the time of special use approval. >>A planned development shall comply with the minimum parking standards set forth by this code unless otherwise specified in the planned development documents. In addition, all uses shall comply with the applicable bicycle parking requirements of s. 295-404.<<

Part 7. Section 295-403-2-c of the code is repealed.

Part 8. Section 295-403-2-d and e of the code is renumbered 295-403-2-c and d.

Part 9. Section 295-403-2-d-0 and 1 of the code is amended to read:

d. Exception to Exceed Maximum Number of >>Off-Street<< Parking Spaces.

d-1. The number of >>off-street<< parking spaces provided for a general retail establishment, or for any land use for which the >>off-street<< parking space requirement for a general retail establishment is cross-referenced in table 295-403-2-a, may exceed the maximum specified in table 295-403-2-a if the commissioner finds one or more of the following to be true:

Part 10. Section 295-403-3-c of the code is repealed.

Part 11. Section 295-403-3-d to f of the code is renumbered 295-403-2-c to e.

Part 12. Section 295-404 of the code is created to read:

**295-404. Bicycle Parking. 1. NUMBER OF SPACES. a. Number Required.** The number of bicycle parking spaces required for a particular use shall be as specified in table 295-404-1. Bicycle parking spaces shall be required in all zoning districts, including RED redevelopment districts. Prior to issuance of any occupancy permit, documentation that the required bicycle parking spaces exist shall be provided to the commissioner of neighborhood services. A planned development shall comply with the minimum bicycle parking standards set forth by this code unless otherwise specified in the planned development documents.

b. Compliance; When Required. Compliance with the bicycle parking space requirements of table 295-403-2-a shall be required for any of the following:

b-1. Construction of a new building.

b-2. Construction of an addition to an existing building.

b-3. Substantial improvement of an existing building.

b-4. A change in the use classification of an occupancy of any portion of an existing building, as evidenced by an application for a certificate of occupancy.

b-5. Reconstruction or reconfiguration of an existing parking lot that serves a use for which short-term bicycle parking spaces are required. Long-term bicycle parking space requirements shall not be

applicable.

c. Minimum Required. c-1. Where table 295-404-1 specifies a minimum number of bicycle parking spaces, this number is the minimum number of spaces required. A greater number of bicycle parking spaces may be provided.

c--2. The minimum number of bicycle parking spaces required apply to each use on a lot.

d. Calculation of Number Required. d-1. Square Footage Basis. The minimum number of bicycle parking spaces required shall be based on the gross square footage of each occupancy, unless information is presented to the commissioner of building inspection that shows actual net habitable or occupied space is a lesser amount. Basement, preparation and mechanical areas shall not be included in the gross square footage used to calculate the number of spaces required.

d-2. Multiple Uses. In a building with multiple uses, the minimum number of bicycle parking spaces required shall be calculated by adding the required number of spaces for each proposed use within the building, based on the square footage associated with each use.

d-3. Multiple Occupancies; Retail and Office Uses. In a building with multiple retail or office occupancies, the minimum number of bicycle parking spaces required shall be calculated by adding the minimum number of spaces required for each occupancy.

d-4. Multiple Buildings. For a property with multiple buildings, the minimum number of bicycle parking spaces required, as well as the locational requirements for those spaces, shall be determined and enforced on a building-by-building basis.

e. Spaces Required for a Special Use. For any use classified as a special use, the number of bicycle parking spaces required shall be determined by the board, regardless of the number required by table 295-404-1. The board shall not be bound to require bicycle parking spaces, but if any parking spaces are to be required, such requirement shall be specified by the board at the time of special use approval.

**2. LOCATION OF SPACES.** a. Location of Long-Term Spaces. a-1. All required long-term bicycle parking spaces serving an office or retail use greater than 12,000 square feet shall be located indoors, except as provided in subd. 4.

a-2. All required long-term bicycle parking spaces serving a residential use containing 4 or more dwelling units shall be located indoors, except as provided in subd. 4.

a-3. Indoor bicycle parking spaces may be provided in a bicycle storage room, an integral structured parking area, or other dedicated area located to provide direct access to an entrance a bicyclist may use. If the spaces are on a floor other than the ground floor, an elevator that is sufficiently large to accommodate bicycles, or other reasonable means, shall be provided to access the bicycle parking area.

a-4. Long-term bicycle parking may be provided in an approved outdoor structure if the structure meets the accessory-structure placement standards for the district in which it is located or if approved within a detailed plan development or approved by the commissioner of neighborhood services. Long-term spaces for educational uses may be located outdoors provided they meet the location

standards for short-term spaces.

a-5. A bicycle rack in an indoor bicycle storage room or located in a parking garage shall meet the design and security standards for short-term bicycle storage racks specified in par. b.

a-6. A bicycle storage rack may have an upper tier for additional bicycles. However, required bicycle parking spaces shall be provided in bicycle-rack spaces at floor-surface level.

a-7. If required long-term bicycle parking spaces are provided in an integral or accessory parking structure, bicycle parking spaces may be distributed throughout the garage, but at least 50 percent of the required spaces shall be on the same level as the vehicular entrance to the structure, or the level closest to entry level in a mixed-occupancy garage, and be not more than 100 feet from that entrance. In addition, bicycle parking areas shall be clearly marked as such and shall be separated from motor vehicle parking by some form of barrier to minimize the possibility of a parked bicycle being hit by a motor vehicle. Furthermore, all required bicycle parking spaces shall be located inside the structure or in areas protected from the weather.

b. Location of Short-Term Spaces. b-1. For convenient access by visitors and patrons, short-term bicycle parking spaces shall be located outdoors and, except as provided in subds. 2 and 3, within 50 feet of the main entrance of the occupancy served. Short-term bicycle parking spaces shall be readily visible to visitors and patrons, and located to allow maximum visibility for security of bicycles. The location of the bicycle parking spaces shall be sufficiently lit and not obstructed in a way that creates difficulty in accessing or locking bicycles.

b-2. Exception for Bicycle Corral. A location for the short-term parking of multiple bicycles, such as a bicycle corral, that does not comply with the 50-foot requirement of subd. 1 may be provided, as long as the first 2 spaces are located within 50 feet of the main entrance of the occupancy served. The bicycle corral shall be located within 100 feet of the path between the entrance to the site and the building entrance, shall not be in a location which discourages its use, such as behind a building or at the far end of the parking lot, and shall meet the design standards of sub. 4-d. A bicycle corral may be located within the public right-of-way subject to approval of the department of public works.

b-3. Spaces to be Provided On-Site Whenever Possible. If space near the entrance of the occupancy served, and visible from that entrance, is available on the lot on which the occupancy is located, the required short-term bicycle parking spaces shall be located on-site. If site layout and building placement do not allow for the required spaces to be located on-site within 50 feet of the entrance of the occupancy served, the required spaces may be located within the public right-of-way, subject to the approval of the department of public works. All required short-term bicycle parking spaces provided in the public right-of-way shall be located within 50 feet of the entrance of the occupancy served, shall allow for safe storage of bicycles, and shall not, in the determination of the department of public works, obstruct pedestrian traffic on the sidewalk.

b-4. Visibility and Signage. Whenever short-term bicycle parking spaces are not visible from the primary street frontage of the occupancy they serve, signage shall be used to direct cyclists safely to the parking spaces.

**3. ADJUSTMENT TO NUMBER OF SPACES REQUIRED.** a. Long-Term Bicycle Parking. a-1. For an office or manufacturing use, or a use for which one of these uses is cross-referenced in table 295-404-1, the required number of long-term bicycle parking spaces may be reduced by one-half for any

portion of the occupancy above 240,000 square feet.

a-2. For a retail use, or a use for which a retail use is cross-referenced in table 295-404-1, the required number of long-term bicycle parking spaces may be reduced by one-half for any portion of the occupancy above 36,000 square feet.

a-3. For any individual retail occupancy, not more than 10 long-term bicycle parking spaces shall be required. However, this maximum does not eliminate the requirement to provide a minimum number of bicycle parking spaces for other occupancies on the lot.

a-4. In elderly multi-family housing, bicycle parking spaces shall be required only for independent living units.

b. Short-Term Bicycle Parking. b-1. For an office or manufacturing use, or a use for which one of these uses is cross-referenced in table 295-404-1, the required number of short-term bicycle parking spaces may be reduced by one-half for any portion of the occupancy above 240,000 square feet.

b-2. For a retail use, or a use for which a retail use is cross-referenced in table 295-404-1, the required number of short-term bicycle parking spaces may be reduced by one-half for any portion of the occupancy above 36,000 square feet.

b-3. For any individual retail occupancy, not more than 20 short-term bicycle parking spaces shall be required. However, this maximum does not eliminate the requirement to provide a minimum number of bicycle parking spaces for other occupancies on the lot.

**4. STANDARDS OF DESIGN.** a. Bicycle Parking Space. A bicycle parking space provided to comply with the requirements of this section shall be a minimum of 2 feet in width and 6 feet in length, with a vertical clearance of at least 7 feet, and allow for both wheels to be at or near the floor or ground surface. If located outdoors, the space shall be hard-surfaced, well-drained and illuminated. A properly-positioned inverted, U-shaped rack, commonly referred to as a bike staple, shall be considered 2 bicycle parking spaces.

b. Bicycle Rack. b-1. General Design. A bicycle rack used to comply with the requirements of this section shall be a stationary device of steel tubing or stock, not less than one inch in diameter nor more than 3 inches in diameter, or 2.25 inches square, which provides bicycle-locking points between one and 3 feet off the ground and a gap near the bottom for pedal clearance, such that a person can lock a bicycle frame and one bicycle wheel to the tubing with a standard, 4-inch-by-8-inch or larger, U-shaped bicycle lock. A bicycle rack shall be securely anchored to the ground or adjacent structure.

b-2. Securing of Bicycles. The rack shall be designed such that there are 2 or more contact points between a bicycle and the rack. A rack which only allows securing of a wheel, such as a low-profile rack, grid rack or comb rack, may not be used to meet the requirements of this section.

b-3. Wave Rack. An existing rack of the type known as a wave rack may be used to comply with the requirements of this section; however, new racks may not use wave racks for provision of new bicycle parking spaces.

b-4. Decorative Rack. A decorative or custom rack that meets all of the requirements of this subdivision shall be permitted.

b-5. Proximity to Ground or Floor. A rack used to meet the requirements of this section shall allow a bicycle to have both wheels on or near the ground or floor surface to ensure the rider does not have difficulty with parking and securing the bicycle. Additional racks providing more than the required number of bicycle parking spaces may be provided in alternative designs, such as wall-hung, vertically-stored or placed on a second, raised tier of storage.

b-6. Townhouses. In townhouse-style dwelling units with private garages, bicycle parking may be accommodated within the garage space. A wall-hung rack is acceptable.

c. Outdoor Enhanced Facilities; Long-Term Bicycle Parking Spaces. An outdoor enhanced facility for long-term bicycle parking spaces shall be coordinated with the overall site layout of the property and follow any placement and setback requirements applicable to an accessory structure. The facility may consist of individual bicycle lockers or a locked common area that accommodates multiple bicycles, provided the facility provides protection from rain or snow and is located on a hard, well-drained surface. For a multiple-bicycle facility, any bike rack used for securing bicycles shall meet the standards of pars. a and b and allow securing of individual bikes. Access aisles, minimum vertical clearance and other standards for bicycle parking spaces shall be met.

d. Bicycle Corral. A bicycle corral shall meet the positioning and spacing standards for bike racks set forth in sub. 5-d. The corral shall be protected from motor vehicles with appropriate guarding as needed for the specific installation.

**5. OUTDOOR BICYCLE PARKING POSITIONING.** a. Part of Overall Site Layout and Design. Bicycle parking shall be an integral part of the overall site layout and landscape design, and be placed to minimize visual clutter. No bike rack shall be placed in landscaping or in a position that damages adjacent landscaping.

b. Preservation of Pedestrian Circulation. Bicycle parking spaces shall be placed such that they do not interfere with pedestrian circulation on the site, including required pedestrian paths from the street to building entrances and site circulation between entrances. Nor shall bicycle parking spaces obstruct any fire access routes or facilities, access from parking areas, or Americans with Disabilities Act-required circulation features.

c. Protection of Bicycles from Damage. Bicycle parking and motor vehicle parking shall be located in a manner that protects bicycles from damage. To this end, each bicycle parking space shall meet the design standards of sub. 4-a and allow reasonable movement when securing or removing a bicycle.

d. Positioning and Spacing of Racks. Every bicycle rack shall comply with the following standards:

d-1. The rack shall be properly positioned to allow sufficient space to properly lock the frame of a bicycle to the rack.

d-2. Sufficient space shall be provided to allow for access to the rack and for bicycle wheels to extend beyond the rack.

d-3. The positioning of the rack shall not result in bicycles blocking a walkway or conflicting with adjacent site elements, such as parked motor vehicles.

d-4. If the rack is parallel to a walkway, it shall not be placed closer than 18 inches from the edge of the walkway, to avoid blocking the walkway.

d-5. If the rack is an inverted U-type rack placed parallel or perpendicular to a wall or similar obstruction, a minimum distance of 30 inches shall be maintained between the rack and the wall, to ensure a bicycle will fit at proper contact points with the rack.

d-6. When a bicycle rack is positioned parallel to a curb in a parking lot, the rack shall be located not less than 30 inches from the curb. If motor vehicles are parked parallel or perpendicular to the curb, additional space may be required to protect both bicycles and motor vehicles from damage. If a bicycle rack is located on a public sidewalk, the rack shall be placed such that at least 5 feet of pedestrian clearance is maintained and the rack is at least 30 inches from the curb.

d-7. Where inverted U-type racks are positioned parallel to each other or a mounted in a series in one row, a minimum distance of 3 feet shall be provided between the racks.

d-8. In a location with multiple rows of bicycle racks, the bicycle parking area shall have access aisles at least 4 feet wide between all rows.

d-9. The rack shall be positioned so that no bicycle parking space is closer than 4 feet from any driveway, crosswalk, egress route, emergency equipment or other object deemed by the commissioner of neighborhood services as needing setback from the rack.

e. Maintenance of Bicycle Parking Facilities. All racks and other facilities associated with the parking of bicycles shall be properly maintained. Proper bolting of racks to the surface shall be required, and corroded or rusted racks which prevent or limit the proper securing of bicycles shall be replaced. In addition, racks shall be kept free of abandoned bicycles to prevent obstructions to short-term users.

**6. INDOOR BICYCLE PARKING.** A bicycle storage room or other indoor bicycle parking area shall:

a. Meet all applicable standards of sub. 5, including the design and security standards for short-term bicycle racks.

b. Be clearly marked or signed at the location, as well as along access routes if not readily apparent.

c. Shall be appropriately illuminated to allow for safe nighttime use. This requirement shall apply to both the bicycle parking spaces and all access routes leading to them.

**7. APPLICABILITY OF RACK DESIGN AND PLACEMENT STANDARDS.** The standards of subs. 4 -a and 5-a, b and d shall apply to bicycle racks placed in situations where no bicycle parking spaces are required:

Part 13. Table 295-404-1 of the code is created to read:

<b>Table 295-404-1 NUMBER OF BICYCLE PARKING SPACES REQUIRED, BY USE</b>
--

Use	Long-Term Bicycle Parking Spaces Required	Short-Term Bicycle Parking Spaces Required
<b>RESIDENTIAL USES</b>		
Single-family dwelling	none	None
Two-family dwelling	none	None
Multi-family dwelling	one for every 4 dwelling units	one for every 30 dwelling units; min. of 2 spaces
Permanent supportive housing	none	None
Transitional housing	none	None
Attached single-family dwelling	none	None
Live-work unit	none	none
Mobile home	none	none
Watchman/service quarters	none	none
Family day care home	none	none
<b>GROUP RESIDENTIAL USES</b>		
Rooming house	one for every 4 beds	one for every 30 beds; min. of 2 spaces
Convent, rectory or monastery	none	none
Dormitory	one for every 4 beds	one for every 30 beds; min. of 2 spaces
Fraternity or sorority	one for every 4 beds	one for every 30 beds; min. of 2 spaces
Adult family home	none	none
<i>Foster Homes</i>		
Foster family home	none	none
Small foster home	none	none
Group home or group foster home	none	none
<i>Shelter Care Facilities</i>		
Family shelter care facility	none	none
Small group shelter care facility	none	none
Large group shelter care facility	none	none
Community living arrangement	none	none
<b>EDUCATIONAL USES</b>		
Day care center	none	none
School, elementary or secondary	one per classroom	one per classroom
College	one per classroom	one per classroom
School, personal instruction	one per classroom	one per classroom

<b>COMMUNITY-SERVING USES</b>		
Library	see general office	see general retail establishment
Cultural institution	see general office	see general retail establishment
Community center	see general office	see general retail establishment
Religious assembly	none	one for every 30 seats in the assembly hall; min. of 2 spaces
Cemetery or other place of interment	none	none
Public safety facility	none	none
Correctional facility	none	none
<b>COMMERCIAL AND OFFICE USES</b>		
General office	for an occupancy larger than 12,000 sq. ft., one for every 6,000 sq. ft. of gross floor area; min. of 2 spaces	one for every 24,000 sq. ft. of gross floor area; min. of 2 spaces
Government office	see general office	see general office
Bank or other financial institution	see general office	see general office
Currency exchange, payday loan or title loan agency	see general retail establishment	see general retail establishment
Installment loan agency	see general retail establishment	see general retail establishment
Cash-for-gold business	see general retail establishment	see general retail establishment
Pawn shop	see general retail establishment	see general retail establishment
Retail establishment, general	for an occupancy larger than 12,000 sq. ft., one for every 6,000 sq. ft. of gross floor area; min. of 2 spaces	one for every 3,000 sq. ft. of gross floor area; min. of 2 spaces
Garden supply or landscaping center	see general retail establishment	see general retail establishment

Home improvement center	see general retail establishment	see general retail establishment
Secondhand store	see general retail establishment	see general retail establishment
Outdoor merchandise sales	none	see general retail establishment
Artist studio	none	none
Adult retail establishment	see general retail establishment	see general retail establishment
<b>HEALTH CARE AND SOCIAL ASSISTANCE USES</b>		
Medical office	see general office	see general office
Health clinic	see general office	see general office
Hospital	see general office	See general office
Medical research laboratory	see general office	see general office
Medical service facility	see general office	see general office
Social service facility	see general office	see general office
Emergency residential shelter	as required by the board for special use approval	as required by the board for special use approval
Nursing home	see general office	see general office
<b>GENERAL SERVICE USES</b>		
Personal service establishment	see general retail establishment	see general retail establishment
Business service	see general office	see general office
Building maintenance service	see general office	see general office
Catering service	see general office	see general office
Funeral home	see general office	see general office
Laundromat	see general retail establishment	see general retail establishment
Dry cleaning establishment	see general retail establishment	see general retail establishment

Furniture and appliance rental and leasing	see general retail establishment	see general retail establishment
Household maintenance and repair service	see general retail establishment	see general retail establishment
Tool/equipment rental facility	see general retail establishment	see general retail establishment
<i>Animal Services</i>		
Animal hospital/clinic	see general retail establishment	see general retail establishment
Animal boarding facility	see general retail establishment	see general retail establishment
Animal grooming or training facility	see general retail establishment	see general retail establishment
<b>MOTOR VEHICLE USES</b>		
<i>Light Motor Vehicle</i>		
Sales facility	none	none
Rental facility	none	none
Repair facility	none	none
Body shop	none	one
Outdoor storage	none	none
Wholesale facility	none	none
<i>Heavy Motor Vehicle</i>		
Sales facility	none	none
Rental facility	none	none
Repair facility	none	none
Body shop	none	none
Outdoor storage	none	none
<i>General Motor Vehicle</i>		
Filling station	see general retail establishment	see general retail establishment
Car wash	none	none
Drive-through facility	none	none
<i>Parking</i>		
Parking lot, principal use	none	none
Parking lot, accessory use	none	none
Parking structure, principal use	none	one space for every 50 motor vehicle spaces
Parking structure, accessory use	none	none

Heavy motor vehicle parking lot, principal use	none	none
Heavy motor vehicle parking lot, accessory use	none	none
<b>ACCOMMODATION AND FOOD SERVICE USES</b>		
Bed and breakfast	none	none
Hotel, commercial	see general retail establishment, with number of spaces required based on aggregate floor area devoted to restaurant, tavern and retail space accessory to hotel	see general retail establishment, with number of spaces required based on aggregate floor area devoted to restaurant, tavern and retail space accessory to hotel
Hotel, residential	one for every 4 beds	one for every 30 beds; min. of 2 spaces
Tavern	see general retail establishment	see general retail establishment
Brewpub	see general retail establishment	see general retail establishment
Assembly hall	none	one for every 30 seats in the assembly hall; min. of 2 spaces
Restaurant, sit-down	see general retail establishment	see general retail establishment
Restaurant, fast-food/carry-out	see general retail establishment	see general retail establishment
<b>ENTERTAINMENT AND RECREATION USES</b>		
Park or playground	none	none
Festival grounds	none	none
Recreation facility, indoor	see general retail establishment	see general retail establishment
Recreation facility, outdoor	none	none
Health club	see general retail establishment	see general retail establishment
Sports facility	none	one
Gaming facility	none	none
Theater	one per screen	4 per screen
Convention and exposition center	none	none
Marina	none	none

Outdoor racing facility	none	none
<b>STORAGE, RECYCLING AND WHOLESALE TRADE USES</b>		
Recycling collection facility	none	none
Mixed-waste processing facility	none	none
Material reclamation facility	none	none
Salvage operation, indoor	none	none
Salvage operation, outdoor	none	none
Wholesale and distribution facility, indoor	none	none
Wholesale and distribution facility, outdoor	none	none
<i>Storage Facilities</i>	none	none
Indoor	none	none
Outdoor	none	none
Hazardous materials	none	none
<b>TRANSPORTATION USES</b>		
Ambulance service	see general office	see general office
Ground transportation service	see general office	see general office
Passenger terminal	none	none
Helicopter landing facility	none	none
Airport	none	none
Ship terminal or docking facility	none	none
Truck freight terminal	none	none
Railroad switching, classification yard or freight terminal	none	none
<b>INDUSTRIAL USES</b>		
Alcohol beverage facility, micro	for office space, see general office; no requirement for non-office areas	one for every 24,000 sq. ft. of gross floor area; min. of 2 spaces
Alcohol beverage facility, large	for office space, see general office; no requirement for non-office areas	one for every 24,000 sq. ft. of gross floor area; min. of 2 spaces
Food processing	for office space, see general office; no requirement for non-office	one for every 24,000 sq. ft. of gross floor area; min. of 2 spaces

	areas	
Manufacturing, light	for office space, see general office; no requirement for non-office areas	one for every 24,000 sq. ft. of gross floor area; min. of 2 spaces
Manufacturing, heavy	for office space, see general office; no requirement for non-office areas	one for every 24,000 sq. ft. of gross floor area; min. of 2 spaces
Manufacturing, intense	for office space, see general office; no requirement for non-office areas	one for every 24,000 sq. ft. of gross floor area; min. of 2 spaces
Research and development	see general office	see general office
Processing or recycling of mined materials	none	none
Contractor's shop	none	none
Contractor's yard	none	none
<b>AGRICULTURAL USES</b>		
Plant nursery or greenhouse	none	none
Raising of livestock	none	none
Community garden	none	none
Commercial farming enterprise	none	none
<b>UTILITY AND PUBLIC SERVICE USES</b>		
Broadcasting or recording studio	see general office	see general office
Transmission tower	none	none
Water treatment plant	none	none
Sewage treatment plant	none	none
Power generation plant	none	none
Small wind energy system	none	none
Solar farm	none	none
Substation/distribution equipment, indoor	none	none
Substation/distribution equipment, outdoor	none	none
<b>TEMPORARY USES</b>		
Seasonal market	none	see general retail establishment
Temporary real estate sales office	none	see general retail establishment
Temporary concrete/batch plant	none	none
Live entertainment special event	none	none

Part 14. Section 295-907-2-b-1-i and c-1-i of the code is amended to read:

**295-907. Planned Development District (PD/DPD).**

**2. PROCEDURES.**

b. Application Requirements; General Plan.

b-1-i. ~~[[Parking]]~~ >>Motor vehicle and bicycle parking<< spaces provided, whether surface or in structures, and ratio per unit if residential, or per thousand square feet of building area if non-residential.

c. Application Requirements; Detailed Plan.

c-1-i. ~~[[Parking]]~~ >>Motor vehicle and bicycle parking<< spaces provided, whether surface or in structures, and ratio per unit if residential, or per thousand square feet of building area if non-residential.

Part 15. Section 295-907-3-h of the code is amended to read:

**3. STANDARDS.**

h. Circulation, Parking and Loading. Traffic circulation facilities shall be planned and installed consistent with the comprehensive plan. Adequate access for pedestrians and public and private vehicles shall be provided. Parking and loading facilities shall be located near the uses they support and shall be adequately screened and landscaped in a manner which meets or exceeds the requirements of this chapter. Private streets shall be constructed to comparable public street standards. >>Bicycle parking shall be in compliance with the requirements of s. 295-403 unless specifically altered by the detailed plan submittal.<<

APPROVED AS TO FORM

\_\_\_\_\_  
Legislative Reference Bureau

Date: \_\_\_\_\_

IT IS OUR OPINION THAT THE ORDINANCE  
IS LEGAL AND ENFORCEABLE

\_\_\_\_\_  
Office of the City Attorney

Date: \_\_\_\_\_

LRB152667-4  
Jeff Osterman  
07/05/2017