

# City of Milwaukee

200 E. Wells Street Milwaukee, Wisconsin 53202

# Legislation Text

File #: 020676, Version: 2

020676 SUBSTITUTE 2 991763

THE CHAIR

A substitute ordinance relating to revisions of various provisions of the zoning code and correction of the City's zoning map.

119-11-6-a	am
244-3-1	am
295-109-3	am
295-201-437	am
295-201-461	am
295-201-473	am
295-201-515	am
295-201-517	am
295-201-573	am
295-201-664	cr
295-201-664.5	cr
295-203-1-v	cr
295-203-7-r	am
295-203-10-d	am
295-203-10-е	am
295-203-13-b	am
295-311-3-b	am
295-403-2-a (table)	am
295-405-1-c (table)	am
295-407-2-b-1-b	am
295-407-3-b	am
295-407-4-d	am
295-407-5-b-2	am
295-407-8-b-11	rp
295-503-1 (table)	am
295-503-2-b-2	am
295-503-2-i	rp
295-503-2-j-1	am
295-503-2-0-1	am
295-505-2 (table)	am
295-505-2-c-1	rc
295-505-2-d-1	am
295-505-2-m	cr
295-505-4-b-8	rn
295-505-4-b-8	cr
295-505-4-b-9	rn
295-505-4-c-2	am
295-505-5-c-1	am
295-505-5-c-2-b	am

```
295-505-5-i
                       cr
295-603-1 (table)
                       am
295-605-2 (table)
                       am
295-605-4-f
295-605-4-f
                       cr
295-605-4-a
                       rn
295-605-4-h
295-605-5 (table)
                       am
295-605-5-d-1
                       am
295-703-1 (table)
                       am
295-703-2-L
                       am
295-703-2-m
                       rn
295-703-2-m
                       cr
295-703-2-n
                       rn
295-703-2-0
                       rn
295-703-2-p
                       rn
295-703-2-q
                       rn
295-703-2-r
295-703-2-s
                       rn
295-705-1 (table)
                       am
295-705-7-b-8-c
                       cr
295-803-1 (table)
                       am
295-805-2-b
                       rc
295-805-2 (table)
                       am
295-805-5 (table)
295-903-2-a (table)
                       am
295-905-2-a (table)
                       am
295-1017-2-f-6
                       cr
```

This ordinance corrects errors and clarifies language in the new zoning code that became effective October 1, 2002. It also makes a number of minor substantive changes to the zoning code, including:

- 1. Parking spaces that are integrated into larger structures housing permitted or board of zoning appeals-approved uses shall be classified as accessory-use parking structures.
- 2. The message on an automatic changeable message sign may be changed as frequently as once every 60 seconds, rather than a maximum frequency of once every 12 hours.
- 3. Accessory-use parking structures are classified as a limited use in all downtown zoning districts, with the limited use standards being that:
- a. The parking spaces shall be integrated into a larger structure that houses one or more principal uses of the premises that are permitted uses or have been approved by the board.
- b. If the structure is in the C9C, C9E, C9F or C9G district, at least 50% of the street frontage shall be devoted to permitted uses or uses approved by the board.
- 4. The height of freestanding signs under a master sign program overlay zone shall not exceed 150% of the maximum height permitted in the base zoning district.

This ordinance also corrects various errors on the official City of Milwaukee zoning map by replacing that map with a new official City of Milwaukee zoning map.

The Mayor and Common Council of the City of Milwaukee do ordain as follows:

Part 1. Section 119-11-6-a of the code is amended to read:

#### 119-11. Principles of Design.

- **6.** LOTS. a. Size. The size, shape and orientation of lots shall conform to the requirements of the zoning code and shall be appropriate for the location of the proposed subdivision and for the type of development contemplated [[, except that no residential lot shall be less than 3,600 square feet in area and have a width of not less than 30 feet at the required building setback line, and except that for the purpose of conveying individual lots in attached single-family or other common wall or row type housing developments, lesser widths and areas may be permitted as provided by applicable zoning regulations]].
- Part 2. Section 244-3-1 of the code is amended to read:

#### 244-3. Maintenance, Abandonment and Removal.

- 1. MAINTENANCE STANDARDS. All signs and billboards, including those exempt from permit requirements and other regulations by s.[[244-01-2]], >>244-2-1-c<< shall be maintained in good structural condition at all times. Maintenance of signs and billboards shall include, but not be limited to, the replacement of defective parts, removal of graffiti-type markings or drawings, painting or repainting as necessary, and periodic cleaning.
- Part 3. Section 295-109-3 of the code is amended to read:

#### 295-109. Zoning Map.

- 3. COMBINING >> OR DIVIDING << PROPERTY. To insure that the zoning of property reflects its suitability for specific uses, the combination >> or division << of lots will only be permitted if the lot or lots created meet the requirements of this chapter and [[are]] >> each lot is << located wholly within one >> base << zoning district.
- Part 4. Section 295-201-437 of the code is amended to read:
- **437.** PARKING STRUCTURE, ACCESSORY USE means parking spaces and adjacent access drives, aisles and ramps that are located in a structure with 2 or more levels, where the parking structure is not the principal use of the premises. [[ $\frac{This}{term does not include commercial parking operations, which are a principal use.]] This term does not include private one-story garages for single-, 2- or multifamily dwellings [[<math>\frac{Or}{T}$ ]] >> but does include<< parking spaces that are integrated into a larger structure that houses the principal use of the premises.
- Part 5. Section 295-201-461 of the code is amended to read:
- 461. PREMISES means one or more lots or portions of lots, including any

- Part 6. Section 295-201-473 of the code is amended to read:
- 473. RAISING OF CROPS OR LIVESTOCK means the growing of crops, including any farm, orchard or other establishment used for the growing of crops, or the use of land or buildings for [[animal or poultry husbandry]] >> the keeping of fowl, cows, cattle, horses, sheep, swine, goats, chickens, ducks, turkeys, geese or any other domesticated livestock<< if permitted by the health department under the provisions of ch. 78.
- Part 7. Section 295-201-515 of the code is amended to read:
- 515. SALVAGE OPERATION, INDOOR means an establishment providing the storage of any equipment, goods, junk, material, merchandise or [[commercial]] >> inoperable motor << vehicles within a building for more than 48 hours. Such establishment typically performs the dismantling of items for the salvage of useable parts. This term does not include a recycling collection facility, mixed-waste processing facility, material reclamation facility, wholesale and distribution facility or hazardous materials storage.
- Part 8. Section 295-201-517 of the code is amended to read:
- 517. SALVAGE OPERATION, OUTDOOR means an establishment providing the storage of any equipment, goods, junk, material, merchandise or [[commercial]] >> inoperable motor << vehicles in the open for more than 48 hours. Such establishment typically performs the dismantling of items for the salvage of useable parts. This term does not include a recycling collection facility, mixed-waste processing facility, material reclamation facility, wholesale and distribution facility or hazardous materials storage.
- Part 9. Section 295-201-573 of the code is amended to read:
- **573.** SIGN, HOOD means a sign attached to, painted on or suspended from a hood. >>This term includes signs commonly referred to as "marquee signs."<<
- Part 10. Section 295-201-664 of the code is created to read:
- **664.** TOW TRUCK means a motor vehicle that is equipped with mechanical or hydraulic lifting devices or winches capable of, and used for, the recovery and transport or both of wrecked, disabled, abandoned, used or replacement vehicles.
- Part 11. Section 295-201-664.5 of the code is created to read:
- 664.5. TRANSITIONAL LIVING FACILITY means a premises, other than a community living arrangement of an adult family home, in which 3 or more adult residents are provided with personal care, treatment or services above the level of room and board but less than nursing care, including but not limited to supervision, monitoring, counseling, transportation or ongoing assistance with personal finances or medications, by a person who provides any of these services under a contractual arrangement.

Part 12. Section 295-203-1-v of the code is created to read:

#### 295-203. Use Definitions.

- 1. RESIDENTIAL USES.
- v. "Transitional living facility" means a premises, other than a community living arrangement of an adult family home, in which 3 or more adult residents are provided with personal care, treatment or services above the level of room and board but less than nursing care, including but not limited to supervision, monitoring, counseling, transportation or ongoing assistance with personal finances or medications, by a person who provides any of these services under a contractual arrangement.
- Part 13. Section 295-203-7-r of the code is amended to read:
- 7. MOTOR VEHICLE USES.
- r. "Parking structure, accessory use" means parking spaces and adjacent access drives, aisles and ramps that are located in a structure with 2 or more levels, where the parking structure is not the principal use of the premises. [[This term does not include commercial parking operations, which are a principal use.]] This term does not include private one-story garages for single-, 2- or multifamily dwellings [[Or]] >> but does include << parking spaces that are integrated into a larger structure that houses the principal use of the premises.
- Part 14. Section 295-203-10-d and e of the code is amended to read:
- 10. STORAGE, RECYCLING AND WHOLESALE TRADE USES.
- d. "Salvage operation, indoor" means an establishment providing the storage of any equipment, goods, junk, material, merchandise or [[commercial]] >> inoperable motor << vehicles within a building for more than 48 hours. Such establishment typically performs the dismantling of items for the salvage of useable parts. This term does not include a recycling collection facility, mixed-waste processing facility, material reclamation facility, wholesale and distribution facility or hazardous materials storage.
- e. "Salvage operation, outdoor" means an establishment providing the storage of any equipment, goods, junk, material, merchandise or [[commercial]] >> inoperable motor << vehicles in the open for more than 48 hours. Such establishment typically performs the dismantling of items for the salvage of useable parts. This term does not include a recycling collection facility, mixed-waste processing facility, material reclamation facility, wholesale and distribution facility or hazardous materials storage.
- Part 15. Section 295-203-13-b of the code is amended to read:
- 13. AGRICULTURAL USES.
- b. "Raising of crops or livestock" means the growing of crops, including any farm, orchard or other establishment used for the growing of crops, or the use of

land or buildings for [[animal or poultry husbandry]] >>the keeping of fowl, cows, cattle, horses, sheep, swine, goats, chickens, ducks, turkeys, geese or any other domesticated livestock << if permitted by the health department under the provisions of ch. 78.

Section 295-311-3-b of the code is amended to read: Part 16.

#### 295-311. Appeals.

Single-family dwelling

#### VARIANCES.

Public Hearing. Prior to making a determination with respect to a variance request, the board shall hold a public hearing and provide, by mail, written notice of the hearing to the petitioner, at the address provided on the variance application, and to owners of property immediately surrounding and within at least 150 feet thereof, inclusive of streets and alleys, as listed in the office of the city assessor. Such notice shall state that the board will be considering and conducting a public hearing on a request for a variance, and shall otherwise be in accordance with s. 19.84, Wis. Stats. >>In the case of a fence variance, written notice of the hearing need only be provided to owners of abutting properties, to the owner of the property determined by the department to be directly across the street from the premises, and to owners of properties on each corner opposite the premises if the property to which the variance would apply is a corner lot.<<

Part 17. Table 295-403-2-a of the code is amended to read:

min. of one space; max. of 4 spaces Two-family dwelling min. of one space per dwelling unit; max. of 4 spaces on the premises

#### Table 295-403-2-a NUMBER OF PARKING SPACES REQUIRED, BY USE Uses No. of Parking Spaces Required RESIDENTIAL USES

Multi-family dwelling: Zoning Districts Min. ratio of parking spaces to dwelling units\* RM1, RM2, RM3, RM4, RO1, NS1, LB1, RB1 RT4, RM5, RM6, RM7, RO2, NS2, LB2, RB2, CS, C9A, IM C9A and IM districts, a private elderly housing project shall have one parking space for every 2 dwelling units; in other zoning districts, a private elderly housing project shall have 2 parking spaces for every 3 dwelling units. Public housing for low-income families and public or federallyassisted low-income elderly housing projects shall provide one parking space for every 2 dwelling Attached single-family dwelling min. of one space; max. of 4 spaces Live-work unit one for each live/work unit in the building Mobile home N.A. Watchman/service quarters none Family day care home see requirement for dwelling unit type Group Residential Rooming house one for every 2 rooms Convent, rectory or monastery one per facility Dormitory one for every 15 beds or fraction thereof Fraternity or sorority one for every 2 rooms Adult family home one Foster Homes Foster family home one Small foster home one Group home or group foster home Shelter Care Facilities Family shelter care facility one Small group shelter care facility one

2:3 \* Note: In RM6, RM7,

```
Large group shelter care facility
Community living arrangement
>>Transitional living facility
                                  one per dwelling unit<<
EDUCATIONAL USES
Day care center
                    none
School, elementary or secondary none
College
          none
School, specialty or personal instruction
                                               none
COMMUNITY-SERVING USES
Library
             none
Cultural institution
                           none
Community center as required by the board for special use approval
Religious assembly one for every 6 seats in the assembly hall
Cemetery or other place of interment
                                        none
Public safety facility
                           none
Correctional facility
                           none
COMMERCIAL AND OFFICE USES
                   one for each 250 sq. ft. of the first 2,000 sq. ft. of gross floor area; one
General office
for each 1,000 sq. ft. of gross floor area in excess of 2,000 sq. ft.
Government office see general office
Bank or other financial institution
                                         see general office
Currency exchange, payday loan or title loan agency see general retail establishment
Retail establishment, general one for each 500 sq. ft. of gross floor area on the first floor;
one for each 1,000 sq. ft. of gross floor area on the 2^{\rm nd} floor and above
Garden supply or landscaping center see general retail establishment
Home improvement center see general retail establishment
Secondhand store see general retail establishment
Outdoor merchandise sales one for each 500 sq. ft. of outdoor or indoor space devoted to the
display of goods for sale
Artist studio none
Adult retail establishment see general retail establishment
 HEALTH CARE AND SOCIAL ASSISTANCE USES
Medical office see general office
Health clinic see general office
Hospital one for every 4 beds
Medical research laboratory
                                  see general office
Medical service facility see general office
Social service facility see general office
Emergency residential shelter
                                 as required by the board for special use approval
Nursing home one for every 4 beds
 GENERAL SERVICE USES
Personal service establishment
                                  see general office
Business service see general office
Building maintenance service
                                  see general office
Catering service see general office
Funeral home one for each 100 square feet of floor area of a chapel, parlor or other room used for
funeral services, but not less than 4 spaces
Laundromat see general retail establishment
Dry cleaning establishment see general retail establishment
Furniture and appliance rental and leasing see general retail establishment Household maintenance and repair service see general retail establishment
Tool/equipment rental facility
                                 see general retail establishment
Animal Services
   Animal hospital/clinic see general retail establishment
   Animal boarding facility see general retail establishment
   Animal grooming or training facility see general retail establishment
 MOTOR VEHICLE USES
Light Motor Vehicle
   Sales facility none (permitted use) or as required by the board (special use) Rental facility none (permitted or limited use) or as required by the board (special use)
   Repair facility as required by the board for special use approval
   Body shop none (permitted use) or as required by the board (special use)
   Outdoor storage none (permitted use) or as required by the board (special use)
   Limited wholesale facility
```

```
Heavy Motor Vehicle
   Sales facility none (permitted use) or as required by the board (special use)
  Rental facility none (permitted use) or as required by the board (special use)
  Repair facility none (permitted use) or as required by the board (special use)
  Body shop none (permitted use) or as required by the board (special use)
  Outdoor storage none (permitted use) or as required by the board (special use)
General Motor Vehicle
  Filling station as required by the board for special use approval
   Car wash none
   Drive-through facility none
Parking
  Parking lot, principal use
  Parking lot, accessory use
                                N.A.
  Parking structure, principal use
  Parking structure, accessory use
  Heavy motor vehicle parking lot, principal N.A.
  Heavy motor vehicle parking lot, accessory N.A.
ACCOMODATION AND FOOD SERVICE USES
Bed and breakfast one for each sleeping room, plus one additional space
Hotel, commercial one for every 1,000 square feet, or fraction thereof, of gross floor area on
the ground floor or above
Hotel, residential one for every 2 sleeping rooms
Tavern see general retail establishment
Assembly hallone for every 1,000 square feet of gross floor area or fraction thereof
Restaurant, sit-down see general retail establishment
Restaurant, fast-food/carry-out see general retail establishment
ENTERTAINMENT AND RECREATION USES
Park or playground none
Festival grounds
                   none
Recreation facility, indoor
                                see general retail establishment
Recreation facility, outdoor
                               as required by the board for special use approval
Health club see general retail establishment
Sports facility
                as required by the board for special use approval
Gaming facility
                   N.A.
        one for every 100 square feet of floor area in the theater auditorium
Theater
Convention and exposition center as required by the board for special use approval
Marina none
Outdoor racing facility as required by the board for special use approval
Adult entertainment establishment see general retail establishment
STORAGE, RECYCLING AND WHOLESALE TRADE USES
Recycling collection facility none
Mixed-waste processing facility none
Material reclamation facility
                                none
Salvage operation, indoor none
Salvage operation, outdoor none
Wholesale and distribution facility, indoor
Wholesale and distribution facility, outdoor none
Storage Facilities
           none
  Indoor
  Outdoor
           none
  Hazardous materials
                          none
TRANSPORTATION USES
Ambulance service see general office
Ground transportation service see general office
Passenger terminal none
Helicopter landing facility
                               none
            none
Ship terminal or docking facility none
Truck freight terminal
                         none
Railroad switching, classification yard or freight terminal none
INDUSTRIAL USES
Manufacturing, light
                          none
Manufacturing, heavy
                          none
Manufacturing, intense
                          none
```

Research and development none Processing or recycling of mined materials none Contractor's shop see general office Contractor's yard none AGRICULTURAL USES Plant nursery or greenhouse none Raising of crops or livestock none UTILITY AND PUBLIC SERVICE USES Broadcasting or recording studio see general office Transmission tower see general office Water treatment plant see general office Sewerage treatment plant see general office Power generation plant see general office see general office Substation/distribution equipment, indoor Substation/distribution equipment, outdoor see general office

TEMPORARY USES

Seasonal market none
Temporary real estate sales office none
Temporary concrete/batch plant none

Live entertainment special event none

#### Part 18. Table 295-405-1-c of the code is amended to read:

#### Table 295-405-1-c FENCE/WALL AND LANDSCAPING REQUIREMENTS FOR LANDSCAPING TYPES

Type A Landscaping Type B Landscaping Type C Landscaping Type D Landscaping Type F Landscaping Type G Landscaping Type H Landscaping Type E Landscaping Required Fence/Wall Fence or wall required? optional yes yes yes if located in LB2 yes yes optional yes fence optional; see below 3 ft. min.; 6 ft. max. 6 ft. if Fence/wall height requirements provided, 3 ft. min.; 6 ft. max. 6 ft. min.; 9 ft. max. 6 ft. min.; 9 ft. max. to top of object plus one foot (min.); 9 ft. max. 6 ft.; shall be reduced to 5 ft. when adjacent to a residential front yard Fence/wall materials required fence not required masonry or decorative metal combination masonry/ decorative metal if LB2, masonry or decorative metal; other districts, fences are optional any opaque fence type any opaque fence type any opaque fence type any opaque fence type Fence/wall opacity fence not required no opacity standard standard 100% 100% 100% 100% solid in lower 3 ft. no opacity Fence/wall location in landscaped area if provided, adjacent to parking anywhere within landscaped area anywhere within landscaped area anywhere within landscaped area behind landscaping behind landscaping between object being screened and area of visibility adjacent to residential property line

Allowable fence/wall Masonry wall up to 4 ft. high up to 4 ft. high up to 9 ft. high up to 6 ft. high up to 6 ft. high up to 6 ft. high; lowest 3 ft. shall be solid wall up to 6 ft. high not permitted not permitted allowed, but a second row of shrubs shall be required up to 9 ft. high

Wood fence, open up to 4 ft. high not permitted not permitted not permitted wood fence, opaque up to 4 ft. high not permitted not permitted not permitted not permitted not permitted if not in LB2, up to 3.5 ft. high up to 9 ft. high optional if fence has slats; up to 6 ft. high not permitted with or without slats

Trees and Shrubs Required & Allowed Minimum landscaped area width 5 ft. 5 ft. sufficient for wall, trees and optional shrubs 5 ft. 15 ft. 5 ft.; 15 ft. if a chain-link fence is present sufficient to accommodate required plantings; 15 ft. if a chain-link fence is present sufficient to accommodate fence/wall and optional trees/shrubs

Deciduous street-type trees  $\,$  minimum  $\,$  every 25 ft.  $\,$  minimum1every 25 ft.  $\,$  minimum1  $\,$  every 25 ft. minimum 1  $\,$  every 25 ft. minimum 1  $\,$  every 25 ft. allowed but not required unless a loading dock is  $\,$  present 1 every 25 feet or where required by  $\,$  s.  $\,$  295-405-1-b-8

Ornamental tree option minimum 1 every 20 ft. if landscaped area is at least 10 ft. wide minimum 1

every 20 ft. if landscaped area is at least 10 ft. wide optional minimum 1 every 20 ft. if landscaped area is at least 10 ft. wide minimum 1 every 20 ft. if landscaped area is at least 10 ft. wide minimum 1 every 20 ft. if landscaped area is at least 10 ft. wide minimum 1 every 20 ft. if landscaped area is at 1 every 20 feet if landscaped area is at least 10 ft. wide least 10 ft. wide Shrub spacing requirement 2 staggered rows with plants a max. of 4 ft. on center in each row; if a 4 -ft. opaque fence is provided, only one row shall be planted, max. 3 ft. on center 2 staggered rows with plants a max. of 4 ft. on center in each row; if a 4-ft. opaque fence is provided, only one row shall be planted, max. one row with plants a max. of 3 ft. on center; if a masonry wall is provided, shrubs are 3 ft. on center if light motor vehicle parking: one row with plants a max. of 3 ft. on center; if heavy motor vehicle parking, 2 staggered rows with plants a max. of 4 ft. on center in each row one row with plants a max. of 3 ft. on center; if chain-link fence is provided, 2 staggered rows with plants a max. of 4 ft. on center in each row one row with plants a max. of 3 ft. on center; if chain-link fence is provided, 2 staggered rows with plants a max. of 4 ft. on center in each row 2 staggered rows, with plants a maximum of 4 ft. on center in each row; if a 4-ft. opaque fence is provided, only one row shall be planted, max. of 3 ft. on center option or, where required by s. 295-405-1-b-8, one row with plants a max. of 8 ft. on center Shrub size, min. (at time of planting) 2 ft. in diameter 2 ft. in diameter diameter if light motor vehicle parking, 1.5 ft. in diameter; if heavy motor vehicle parking, 2 ft. in 2 ft. in diameter 2 ft. in diameter 2 ft. in diameter 2 ft. in diameter diameter Shrub height, min. (at time of planting)  $[[\frac{3}{2}]] >> 2 << ft.$ [[3]] >>2<<  $[[\frac{3}{3}]] >> 2 << ft.$ if light motor vehicle parking, 2 ft.; if heavy motor vehicle parking, 3 ft. 6 ft. 6 ft. 6 ft. [[3]] >> 2 << ft.Shrub height, max. (at maturity) 3.5 ft. 3.5 ft. 3.5 ft. if light motor vehicle parking, 3.5. ft.; if heavy motor vehicle parking, 4.5 ft. no limit no limit no limit

Part 19. Section 295-407-2-b-1-b of the code is amended to read:

#### 295-407. Signs.

- ON-PREMISE SIGNS.
- b. Sign Types.
- b-1. Freestanding Signs.

b-1-b. Type B Freestanding Signs. A type B freestanding sign is one with a display area that has an internally-illuminated overall background. This type of sign is typically a plastic-panel-faced box sign. Other types of freestanding signs which do not have the characteristics of a type A sign are included in this category. This type may be mounted on one or multiple poles, or may have a monument-type bases. [[If a monument-type base is provided and the sign does not exceed 8 feet in height, the maximum display area shall be 10 square feet more than the maximum display area specified in a district sign standards table.]]

Part 20. Section 295-407-3-b of the code is amended to read:

- 3. SPECIAL SIGN TYPES.
- b. Automatic Changeable Message Signs. Automatic changeable message signs shall be permitted provided messages, other than time or temperature displays, are not changed more frequently than once every [[12 hours]] >> 60 seconds <<. The display area of changeable message signs shall be included in the calculation of the total display area of the applicable sign type.
- Part 21. Section 295-407-4-d of the code is amended to read:
- 4. EXCEPTIONS.
- d. Political signs, provided [[they are removed within 10 days after the

 $\frac{\text{election}}{\text{sign is removed within 30 days of the end of the election campaign period, as defined in s. 12.04(1)(a), Wis. Stats<< .$ 

Part 22. Section 295-407-5-b-2 of the code is amended to read:

- 5. PROHIBITED SIGNS.
- b. Automatic changeable message signs, except:
- b-2. Signs with messages that change not more than once every  $[[\frac{12 \text{ hours}}{2}]] >> \underline{60}$  seconds<<.
- Part 23. Section 295-407-8-b-11 of the code is repealed. (Note: The provision being repealed reads as follows:
- 8. OFF-PREMISE SIGNS.
- b. Standards.
- b-11. Signs on Parking Lots Prohibited. No off-premise sign shall be placed upon any premises used for commercial parking purposes.)
- Part 24. Table 295-503-1 of the code is amended to read:

#### Table 295-503-1 RESIDENTIAL DISTRICTS USE TABLE

Y = Permitted Use L = Lin	se	N = Pr	ohibite	d Use	Zoning Districts					
Uses RS1-RS5 RS6 R	RT1-RT3	RT4	RM1-	RM2	RM3-	RM7	RO1	RO2		
RESIDENTIAL USES										
Single-family dwelling Y	Y Y	Y	Y	Y	Y	Y	Y			
Two-family dwelling L I	Y	Y	Y	Y	Y	Y				
Multi-family dwelling N	I N	L	L	Y	Y	Y	Y			
Attached single-family dwell	ling N	N	L	L	Y	Y	Y	Y		
Live-work unit N N	_	L	L	L	Y	Y				
Mobile home N N N	I N	N	N	N	N					
Watchman/service quarters N	I N	N	N	N	N	N	N			
Family day care home I		L	L	L	L	L	L			
Group Residential										
Rooming house N N	I N	S	S	S	S	S				
Convent, rectory or monas	stery Y	Y	Y	Y	Y	Y	Y	Y		
Dormitory N N N	I S	S	S	S	S					
Fraternity or sorority N	I N	N	S	S	S	S	S			
Adult family home L L	L	L	L	L	L	L				
Foster Homes										
Foster family home Y	Y Y	Y	Y	Y	Y	Y	Y			
Small foster home I	L	L	L	L	L	L	L			
Group home or group foste	er home	L	L	L	L	L	L	L	L	
Shelter Care Facilities										
Family shelter care facil	lity Y	Y	Y	Y	Y	Y	Y	Y		
Small group shelter care	facility	L	L	L	L	L	L	L	L	
Large group shelter care	facility	N	N	N	S	S	S	S	S	
Community living arrangement	t L	L	L	L	L	L	L	L		
>>Transitional living facility	ity N	N	<u>s</u>	<u>s</u>	<u>s</u>	<u>s</u>	N	N<<		
EDUCATIONAL USES		_	_	_	_	_	_	_		
Day care center S S	S S	S	S	S	S	S				
School, elementary or second	dary Y	Y	Y	Y	Y	Y	Y	Y		
College N S N	I S	S	S	Y	Y					
School, specialty or persona	al instruct	cion	N	L	N	L	N	L	Y	Y

COMMUNITY-SERVING USES											
	Y	Y	Y	Y	Y	Y					
2		L		L		L	т	т.			
Cultural institution	N		N		L		L	L			
Community center N	S	N	S	S	S	S	S				
Religious assembly Y	Y	Y	Y	Y	Y	Y	Y				
Cemetery or other place of			N	N	N	N	N	N	N	N	
Public safety facility	Y	Y	Y	Y	Y	Y	Y	Y			
Correctional facility	N	N	N	N	N	N	N	N			
COMMERCIAL AND OFFICE USES											
General office N	L	N	L	N	L	Y	Y				
Government office N	L .	. N	L	N	L	Y	Y				
Bank or other financial in			N	L	N	L	N	L	Y	Y	
Currency exchange, payday	loan o	r title	loan a	igency	N	N	N	N	N	N	N
N											
Retail establishment, gene		N	L	N	L	N	L	L	L		
Garden supply or landscapi	_	ter	N	N	N	N	N	N	N	N	
Home improvement center	N	N	N	N	N	N	N	N			
Secondhand store N	N	N	N	N	N	S	S				
Outdoor merchandise sales	N	N	N	N	N	N	N	N			
Artist studioN L	N	L	N	L	Y	Y					
Adult retail establishment	N	N	N	N	N	N	N	N			
HEALTH CARE AND SOCIAL ASS	ISTANC	E USES									
Medical office N	L	N	L	N	L	Y	Y				
Health clinic N N	N	N	N	S	S	S					
Hospital N N	N	N	N	N	N	N					
Medical research laborator	У	N	N	N	N	N	N	N	N		
Medical service facility	N	N	N	N	N	N	N	N			
Social service facility	N	N	N	N	N	S	S	S			
Emergency residential shel	ter	N	N	N	N	S	S	S	S		
Nursing home N S	N	S	S	S	S	S					
GENERAL SERVICE USES											
Personal service N	L	N	L	N	L	Y	Y				
Business service N	S	N	S	N	S	L	L				
Building maintenance servi	ce	N	N	N	N	N	N	N	N		
Catering service N	L	N	L	N	L	L	L				
Funeral home N L	N	L	N	L	Y	Y					
Laundromat N N	N	N	N	N	L	L					
Dry cleaning establishment	N	L	N	L	N	L	L	L			
Furniture and appliance re	ntal a	nd leas	ing	N	N	N	N	N	N	N	N
Household maintenance and	repair	servic	е	N	N	N	N	N	N	N	N
Tool/equipment rental faci	lity	N	N	N	N	N	N	N	N		
Animal Services											
Animal hospital/clinic		N	N	N	N	N	N	N			
Animal boarding facilit		N	N	N	N	N	N	N	N		
Animal grooming or trai	ning f	acility	N	N	N	N	N	N	N	N	
MOTOR VEHICLE USES											
Light Motor Vehicle											
Sales facility N	N	N	N	N	N	N	N				
Rental facility N	N	N	N	N	N	N	N				
Repair facility N	N	N	N	N	N	N	N				
Body shop N N	N	N	N	N	N	N					
Outdoor storage N	N	N	N	N	N	N	N				
Limited wholesale facil	ity	N	N	N	N	N	N	N	N		
Heavy Motor Vehicle											
Sales facility N	N	N	N	N	N	N	N				
Rental facility N	N	N	N	N	N	N	N				
Repair facility N	N	N	N	N	N	N	N				
Body shop N N	N	N	N	N	N	N					
Outdoor storage N	N	N	N	N	N	N	N				
General Motor Vehicle											
Filling station N	N	N	N	N	N	N	N				

File #: 020676, Version: 2										
Car wash N N N	N	N	N	N	N	27	2.7			
Drive-through facility N Parking	N	N	N	N	N	N	N			
Parking lot, principal use	. N	S	N	S	S	S	S	S		
Parking lot, accessory use		L	Y	L	Y	L	Y	L		
Parking structure, princip		N	N	N	N	N	S	S	S	
Parking structure, accesso		N	N	N	N	Y	Y	Y	L	
Heavy motor vehicle parking	g lot,	principal	l N	N	N	N	N	N	N	N
Heavy motor vehicle parking	g lot,	accessory	y N	N	N	N	N	N	N	N
ACCOMMODATION AND FOOD SERVICE	E USES									
Bed and breakfast S L	L	L	L	L	Y	Y				
Hotel, commercial N N	N	N	N	N	N	S				
Hotel, residential N N	N	N	N	N	N	Y				
Tavern N L N L	N	L	N	S	~					
Assembly hall N N N	N	N	N	N	S	37	37			
Restaurant, sit-down N	L ut N	N L	L N	N L	L N	Y L	Y L	L		
Restaurant, fast-food/carry-c ENTERTAINMENT AND RECREATION		ш	IN	П	IN	П	П	ь		
Park or playground Y Y	У	Y	Y	Y	Y	Y				
Festival grounds N N	N	N	N	N	N	N				
Recreation facility, indoor	N	N	N	N	N	N	S	S		
Recreation facility, outdoor	N	N	N	N	N	N	N	N		
Health club N N N	N	N	N	Y	Y					
Sports facility N N	N	N	N	N	N	N				
Gaming facility N N	N	N	N	N	N	N				
Theater N N N	N	N	N	L	L					
Convention and exposition cen		N	N	N	N	N	N	N		
Marina N N N	N	N	N	N	2.7	27				
Outdoor racing facility N	N	N	N	N	N	N	N	2.7		
Adult entertainment establish STORAGE, RECYCLING AND WHOLES		N ADE HEES	N	N	N	N	N	N		
Recycling collection facility		N	N	N	N	N	S	S		
Mixed-waste processing facili		N	N	N	N	N	N	N		
Material reclamation facility		N	N	N	N	N	N	N		
Salvage operation, indoor N	N	N	N	N	N	N	N			
Salvage operation, outdoor N	N	N	N	N	N	N	N			
Wholesale and distribution fa	cility	, indoor	N	N	N	N	N	N	N	N
Wholesale and distribution fa	cility	, outdoor	N	N	N	N	N	N	N	N
Storage Facilities										
Indoor N N N	N	N	N	N	N					
Outdoor N N N	N	N	N	N	N					
Hazardous materials N	N	N	N	N	N	N	N			
TRANSPORTATION USES										
Ambulance service N N	N	N	N	N	N	N				
Ground transportation service	· N	N	N	N	N	N	N	N		
Passenger terminal N N	N	N	N	N	N	N				
Helicopter landing facility	N	N	N	N	N	N	N	N		
Airport N N N	N	N	N	N	N					
Ship terminal or docking faci	_	N	N	N	N	N	N	N		
Truck freight terminal N	N	N	N noight	N	N	N	N	NT	NT	NT
Railroad switching, classific N N	acion :	yard or II	reignt	cerminai	IN	N	N	N	N	N
INDUSTRIAL USES										
Manufacturing, light N	N	N	N	N	N	N	N			
Manufacturing, heavy N	N	N	N	N	N	N	N			
Manufacturing, intense N	N	N	N	N	N	N	N			
Research and development N	N	N	N	N	N	N	N			
Processing or recycling of mi	ned mat	terials	N	N	N	N	N	N	N	N
Contractor's shop N N	N	N	N	N	N	N				
COULTECTOR 2 2010h M	IN	IN	IA	TA	TA	IN				

- 1 11C #1. 020070, VC131011. 2										
Contractor's yard N N AGRICULTURAL USES	N	N	N	N	N	N				
Plant nursery or greenhouse	Y	Y	Y	Y	Y	Y	Y	Y		
Raising of crops or livestock	Y	Y	Y	Y	Y	Y	Y	Y		
UTILITY AND PUBLIC SERVICE USES	3									
Broadcasting or recording studi	0 N	N	N	N	N	N	N	N		
Transmission tower L L	L	L	L	L	L	L				
Water treatment plant S	S	S	S	S	S	S	S			
Sewage treatment plant N	N	N	N	N	N	N	N			
Power generation plant N	N	N	N	N	N	N	N			
Substation/distribution equipme	ent, ir	ndoor	S	S	S	S	S	S	S	S
Substation/distribution equipme	ent, ou	ıtdoor	L	L	L	L	L	L	L	L
TEMPORARY USES										
Seasonal market L L	L	L	L	L	L	L				
Temporary real estate sales off	ice	L	L	L	L	L	L	L	L	

L

L

Part 25. Section 295-503-2-b-2 of the code is amended to read:

L

L

#### 295-503. Uses.

File #: 020676. Version: 2

2. LIMITED USE STANDARDS.

Concrete/batch plant, temporary L

Live entertainment special event L

- b. Multi-Family Dwelling.
- b-2. In the RT4 district, not more than 4 dwelling units shall be permitted [[ $\frac{1}{2}$  a single lot]] >>  $\frac{1}{2}$  in a single building <<. If this standard is not met, a multifamily dwelling is a prohibited use.
- Part 26. Section 295-503-2-i of the code is repealed. (Note: The provisions being repealed read as follows:
- i. Day Care Center. i-1. The use is located in a building containing an elementary or secondary school, college or religious assembly as a principal use.
- i-2. The use shall not operate between the hours of 10 p.m. and 6 a.m.)
- Part 27. Section 295-503-2-j-1 of the code is amended to read:
- j. Specialty or Personal Instruction School, General Office, Government Office, Bank or Other Financial Institution, General Retail Establishment, Artist Studio, Medical Office, Personal Service, Business Service, Catering Service, Funeral Home, Laundromat, Dry Cleaning Establishment, Sit-down Restaurant or Fast-food/Carry-out Restaurant. j-1. In the >>RS6,<< RT4 and RM3 to RM7 districts, the structure to be occupied was constructed prior to October 1, 2002, was originally designed and intended to be occupied in whole or in part by a non-residential use, and has been continuously occupied by such non-residential use. Any enlargement of the structure or area devoted to the non-residential use shall require special use approval by the board.
- Part 28. Section 295-503-2-o-1 of the code is amended to read:
- o. Tavern. o-1. In the >>RS6,<< RT4 and RM3 to RM7 districts, the structure to

be occupied was constructed prior to October 1, 2002, was originally designed and intended to be occupied in whole or in part by a non-residential use, and has been continuously occupied by such non-residential use. Any enlargement of the structure or area devoted to the non-residential use shall require special use approval by the board.

Part 29. Table 295-505-2 of the code is amended to read:

#### Table 295-505-2 PRINCIPAL BUILDING DESIGN STANDARDS

	Single-family Di	istricts	Two-far	mily Di	stricts	S					
	RS1 RS2 RS		RS5	RS6	RT1	RT2	RT3	RT4			
Lot	Lot area, minimum (sq.										
20,000	12,000 9,000 7,200 6,0					2,400					
	Lot area, minimum (sq.				-		licable				1,800
	Lot area, maximum (sq.	it.)	none	none	none	none	none	none	none	none	
none	none Lot width, minimum (ft	\ do+a	ahad ha	.a.'na	100	100	75	60	50	30	
60	40 30 24	.) detai	illea liot	ising	100	100	/5	60	50	30	
00	Lot width, minimum (ft	) attac	shed how	ısina	not ann	olicable	30	25	18	18	
	Lot width, maximum (ft		none	none	none	none	none	none	none	none	none
Densit							110110	110110	110110	110110	110110
none	none none none nor	_	•		1,800	•					
	Lot coverage, minimum		or lot		none	none	none	none	15%	none	
none	15& 20%										
	Lot coverage, maximum	interio	r lot	15%	15%	30%	30%	30%	60%	30%	
30%	50% 70%										
	Lot coverage, minimum	corner	lot	none	none	none	none	none	15%	none	
none	15% 20%		_								
	Lot coverage, maximum	corner l	lot	15%	15%	30%	30%	40%	70%	40%	
40%	60% 85%	, , ,		,							
1 500	Floor area, minimum			_							
1,500	1,500 1,300 1,200 900		none	none	none	none					
1 000	Floor area, minimum 1,900 1,700 1,450 1,2		none	none	none	none					
	Height, minimum (ft.)	none	none	none	none	none	20	none	none	20	20
11019110	Height, maximum (ft.)		45	45	45	45	45	45	45	45	60
	neight, maximum (ie.)	45	10	10	10	10	10	13	10	10	00
	RS1 RS2 RS.	3 RS4	RS5	RS6	RT1	RT2	RT3	RT4			
Primar	RS1 RS2 RS v Frontage Front set		RS5	RS6	RT1	RT2	RT3	RT4			
	y Frontage Front set	back, mini	mum (ft	.) >	>> (see	s. 295-	505-2-k				
		back, minin erage average	mum (ft e average	.) >	>> <u>(see :</u> average	s. 295- average	505-2-k				
	y Frontage Front set average average average aver Front setback, maximum	back, minin erage average	mum (ft eaverage >> <u>(see s</u>	.) > average s. 295-	>> <u>(see :</u> average :505-2-k	s. 295- average o)<<	505-2-b	<u>)</u> <<	0 ft.		
average none	y Frontage Front set average average average ave Front setback, maximum none none none ave Side street setback, m	back, mining the stage average (ft.) are stage average inimum	mum (ft e average >> <u>(see se</u> e none (ft.)	.) > average s. 295-none 20% of	>> <u>(see a</u> average 505-2-k average lot wid	s. 295- average b)<< but new th but n	ser more	than 2	15 ft.		
none width	y Frontage Front set average average average ave Front setback, maximum none none none ave Side street setback, m out never more than 15 ft.	back, mining back, mining back, mining cape average average inimum 10% of	mum (ft e average >> <u>(see s</u> e none (ft.) lot widt	.) > average s. 295- none 20% of th but n	>> (see average solution of so	s. 295- average o) << but new th but new re than	ser more	than 2	15 ft.		
none width	y Frontage Front set average average a	back, mining the state of the s	mum (ft e average >> (see s e none (ft.) lot widt never mon	averages. 295- none 20% of th but notes than	>> (see average solution of so	s. 295- average b)<< but new th but n	ser more	than 2	15 ft.		
none width l	y Frontage Front set average average a	back, mining the state of the s	mum (ft e average >> (see s e none (ft.) lot widt never mon	averages. 295- none 20% of th but notes than	>> (see average solution of so	s. 295- average o) << but new th but new re than	ser more	than 2	15 ft.		
none width l more tl	y Frontage Front set average a	back, mining the stage average (ft.) control to the stage average in imum 10% of width but raximum	mum (ft e average >> (see s e none (ft.) lot widt never mon (ft.)	average s. 295- none 20% of th but re than none	>> (see average 505-2-L average lot wid never mo 6 ft. none	s. 295- e average b)<< e but new th but n re than 3 none	ver more never more fet.	than 20 cthan 20% of	15 ft. lot widtnone	th but n	
none width l more th none Side S	y Frontage Front set average a	back, mining trage average (ft.) Serage average inimum 10% of width but raximum ide setback	mum (ft e average >> (see s e none (ft.) lot widt never mon (ft.)	average s. 295- none 20% of th but re than none	>> (see average 505-2-L average lot wid never mo 6 ft. none	s. 295- e average o) << e but new th but now the than 3	ver more sever more 6 ft.	than 20 re than 20% of	15 ft. lot wid	th but n	
none width l more tl	y Frontage Front set average a	back, mining trage average (ft.) > cerage average inimum 10% of width but raximum ide setback	mum (ft e average >> (see s e none (ft.) lot widt never mon (ft.)	average s. 295- none 20% of th but re than none nimum	e average 505-2-k average lot wid never mon 6 ft. none (ft.)	s. 295- e average o) < e but new th but new th but n re than 3 none	ver more never more for ft.	than 20 re than 20% of none	15 ft. lot widt none	none	
none width I more th none Side S 1.5	y Frontage Front set average a	back, mining trage average (ft.) > cerage average inimum 10% of width but raximum ide setback	mum (ft e average >> (see s e none (ft.) lot widt never mon (ft.)	average s. 295- none 20% of th but re than none nimum	>> (see average 505-2-L average lot wid never mo 6 ft. none	s. 295- e average b)<< e but new th but n re than 3 none	ver more never more fet.	than 20 cthan 20% of	15 ft. lot widtnone	th but n	
none width l more th none Side S	y Frontage Front set average a	back, mining trage average (ft.) > cerage average inimum 10% of width but raximum ide setback back, mi	mum (ft e average >> (see s e none (ft.) lot widt never mon (ft.)  in, mi	average s. 295- none 20% of th but re than none nimum (ft.)	>> (see see average 505-2-k average lot wide ever mose 6 ft. none (ft.)	s. 295- e average o) << e but never the but never than 3 none 3	ver more never mone 6 ft. none	than 20 re than 20% of none	15 ft. lot widt none 3	none 3 3.5	ever
none width I more th none Side S 1.5	y Frontage Front set average a	back, mining trage average (ft.) > cerage average inimum 10% of width but raximum ide setback back, mi	mum (ft e average >> (see s e none (ft.) lot widt never mon (ft.)  in, mi	average s. 295- none 20% of th but re than none nimum (ft.)	e average 505-2-k average lot wid never mon 6 ft. none (ft.)	s. 295- e average o) < e but new th but new th but n re than 3 none	ver more never more for ft.	than 20 re than 20% of none	15 ft. lot widt none	none	
none width I more th none Side S 1.5	y Frontage Front set average a	back, mining erage average (ft.) > erage average inimum 10% of width but raximum ide setback back, minimum	mum (ft e average >> (see se none (ft.) lot widt never mon (ft.) mi inimum (ft.)	averages. 295- none 20% of th but re than none nimum (ft.)	>> (see e average 505-2-k average lot wide never mode 6 ft. none (ft.) 6	s. 295- e average c) < e but never the but never than 3 none  3	ver more never more for ft.  none  3  6  12	than 20 re than 20% of none  3 6	15 ft. lot widt none 3 6	none 3 3.5	ever
none width I more th none Side S 1.5 6	y Frontage Front set average a	back, mining arage average average inimum 10% of width but raximum ide setback back, minimuming with	mum (ft e average s) (see s e none (ft.) lot widt never mon (ft.) mi inimum (ft.) and (ft.) nout sic	averages. 295- none 20% of th but re than none nimum (ft.)	>> (see e average 505-2-k average lot wide never mode 6 ft. none (ft.) 6	s. 295- e average o) << e but never the but never than 3 none 3	ver more never more for ft.  none  3  6  12	than 20 re than 20% of none	15 ft. lot widt none 3	none 3 3.5	ever
none width I more th none Side S 1.5	y Frontage Front set average a	back, mining with solutions with set set back, minimum solutions with solutions w	mum (ft e average >> (see se none (ft.) lot widt never mon (ft.) in inimum (ft.) nout sic 75	averages. 295- none 20% of th but re than none nimum (ft.)  de setb	>> (see e average 505-2-k average lot wide never mode 6 ft. none (ft.) 6 12 ack	s. 295- e average b) << bb but never the but never than 3 none  3 6 12 adjustn	ver more never more for fit.  none  1  12  ment	than 20 re than 20% of none 3 6 12 50	15 ft. lot widt none 3 6 12 50	none 3 3.5	ever
none width I more th none Side S 1.5 6	y Frontage Front set average a	back, mining with solutions with set set back, minimum solutions with solutions w	mum (ft e average s) (see s e none (ft.) lot widt never mon (ft.) mi inimum (ft.) and (ft.) nout sic	averages. 295- none 20% of th but re than none nimum (ft.)  de setb	>> (see e average 505-2-k average lot wide never mode 6 ft. none (ft.) 6 12 ack	s. 295- e average b) << bb but never the but never than 3 none  3 6 12 adjustn	ver more never more for fit.  none  1  12  ment	than 20 re than 20% of none 3 6 12 50	15 ft. lot widt none 3 6	none 3 3.5 5	ever
none width inone Side S 1.5 6 12 50 3	y Frontage Front set average a	back, mining with thouse the set back, minimum so back, minimum so back, minimum so back, minimum so back, so b	mum (ft e average >> (see se none (ft.) lot widt never mon (ft.) in imum (ft.) mout side or reside or resi	averages. 295- none 20% of th but re than none nimum (ft.)  de setb	e average 505-2-k average lot wid never mo 6 ft. none (ft.) 6 12 ack tback	s. 295- e average b) << bb but never the but never than 3 none  3 6 12 adjustn	ver more never more for fit.  none  1  12  ment	than 20 re than 20% of none 3 6 12 50	15 ft. lot widt none 3 6 12 50	none 3 3.5 5	ever
none width inone Side S 1.5 6 12 50 3	y Frontage Front set average a	back, mining with thouse the set back, minimum so the set back, minimum so the set back, minimum so the set back, so thout si	mum (ft e average >> (see se none (ft.) lot widt never mon (ft.) in imum (ft.) mout side or reside or resi	averages. 295- none 20% of th but re than none nimum (ft.) de setb 100 rear se	e average 505-2-k average lot wid never mo 6 ft. none (ft.) 6 12 ack tback	s. 295- e average b) << e but never the but never than 3 none  3 6 12 adjustmanding	ver more never more for ft.  none  1  12  ment stment	than 20 re than 20% of none  3 6 12 50	15 ft. lot widt none 3 6 12 50	none 3 3.5 5	ever
none width inone Side S 1.5 6 12 50 3 Rear S	y Frontage Front set average a	back, mining with thout sing with the wi	mum (ft e average >> (see se none (ft.) lot widt never mon (ft.) in imum (ft.) mout side or reside or resi	averages. 295- none 20% of th but re than none nimum (ft.)  de setb 100 rear se	e average 505-2-k average lot wid never mo 6 ft. none (ft.) 6 12 ack tback	s. 295- e average b) << e but never the but never than 3 none  3 6 12 adjustmanding	ver more never more for ft.  none  1  12  ment stment	than 20 re than 20% of none  3 6 12 50	15 ft. lot widt none 3 6 12 50	none 3 3.5 5	ever
none width inone Side S 1.5 6 12 50 3 Rear S	y Frontage Front set average a	back, mining with thout sinimum (ft.)	mum (ft e average >> (see se none (ft.) lot widt never mon (ft.) inimum (ft.) nout side or record in the correct of the correc	averages. 295- none 20% of th but re than none .nimum (ft.)  de setb 100 rear se	>> (see see average 505-2-k average lot wide ever mose 6 ft. none (ft.)  12 ack tback lot  125	s. 295- average b)< abut never the but never than 3 none 3 6 12 adjustment adjustment 25 25	ver more never more for ft.  none  1  12  ment  stment  25	than 20 re than 20% of none 3 6 12 50 2 25 15	15 ft. lot widt none 3 6 12 50 2	none 3 3.5 5	ever
none width lemore the side selection of the selection of	y Frontage Front set average a	back, mining with thout sinimum (ft.)  crage average inimum 10% of width but raximum ide setback in minimum ing with 50 thout sinimum (ft. continimum	mum (ft e average >> (see se none (ft.) lot widt never mon (ft.) inimum (ft.) nout side or representation of the contract of (ft.)	averages. 295- none 20% of th but re than none .nimum (ft.)  de setb 100 rear se aterior t >>> (see	e average 505-2-k average lot wid never mo: 6 ft. none (ft.) 6 12 ack tback lot 25 s. 295-	s. 295- average b) < a but never the but never than 3 none 3 6 12 adjustment adjustm	505-2-k  ver more lever more 6 ft.  none 3 6 12 ment stment 25 25 -2-e)	than 20 re than 20% of none 3 6 12 50 2 25 15	15 ft. lot widt none 3 6 12 50 2	none 3 3.5 5	ever
none width lemore the side selection of the selection of	y Frontage Front set average a	back, minimerage average (ft.)  perage average inimum  10% of width but raximum  ide setback back, minimum  ing with  50  thout sinimum (ft.)  (ft. coninimum  erage average	mum (ft e average >> (see se none (ft.) lot widt never mon (ft.) inimum (ft.) nout side or representation of the contract of (ft.)	averages. 295- none 20% of th but re than none .nimum (ft.)  de setb 100 rear se aterior t >>> (see	e average 505-2-k average lot wid never mo: 6 ft. none (ft.) 6 12 ack tback lot 25 s. 295-	s. 295- average b) < a but never the but never than 3 none 3 6 12 adjustment adjustm	505-2-k  ver more lever more 6 ft.  none 3 6 12 ment stment 25 25 -2-e)	than 20 re than 20% of none 3 6 12 50 2 25 15	15 ft. lot widt none 3 6 12 50 2	none 3 3.5 5	ever

none	none	none	none							
Multi	ple pri	ncipal	reside	ential	buildings	permitted?	no	no	no	no
no	yes	no	no	yes	yes					

	Table 295-505-2 PRINCIPAL BUILDING DES	IGN STANDA	RDS		
	Multi-family Districts Residence & O	ffice			
	RM1 RM2 RM3 RM4 RM5 RM6	RM7 RO1	RO2		
Lot	Lot area, minimum (sq. ft.) detached housing	a			
3,600	3,600 3,000 2,400 2,400 2,400 2,400 3,600	-			
•	Lot area, minimum (sq. ft.) attached housing	·			
3,000	3,000 1,800 1,800 1,800 1,800 1,800 3,000	1,800			
		none none	none none	none	none none
	Lot width, minimum (ft.) detached housing	40 40	30 24	24	24 24
30	24				
	Lot width, minimum (ft.) attached housing	25 25	18 18	18	18 18
25	18				
	Lot width, maximum (ft.) none none none	none none	none none	none	none
Densit	y Lot area per dwelling unit, minimum (	sa. ft.)	2,400 1,20	O 2,400 ea.	(3 or more); 3,600
	<u> </u>	400	, ,		
	Lot coverage, minimum interior lot 15%	15% 20%	20% 20%	20%	20% 15%
20%					
	Lot coverage, maximum interior lot 30%	50% 50%	70% 70%	70%	85% 30%
none					
	Lot coverage, minimum corner lot 15%	15% 20%	20% 20%	20%	20% 15%
20%					
	Lot coverage, maximum corner lot 40%	60% 60%	85% 85%	85%	85% 40%
none					
	Floor area, minimum (sq. ft.) one-story s	structure	none		
none	none none none none none none				
	Floor area, minimum (sq. ft.) split-level	l or taller	none		
none	none none none none none none				
Height	Height, minimum (ft.) none none 20	20 2020	20 none	20	Height,
maximu	m (ft.) 45 45 45 60 60	85 85; no	limit if flo	or area ra	tio is less

RM1 RM2 RM3 RM4 RM5 RM6 RM7 RO1	RO2		
Primary Frontage Front setback, minimum (ft.) >> (see s. 295-5	505-2-b)<<		
average average average average average average average average			
Front setback, maximum (ft.) >> (see s. 295-505-2-b) <<	none none	average b	out never more
than 20 ft. average but never more than 15 ft. none 15 ft.			
Side street setback, minimum (ft.) 10% of lot width but no	ot more than 15	ft. 3	
3 3 3 same as RM1-RM2 none			
Side street setback, maximum (ft.) none none 15	15 15	15 15	5
none none			
	3 1.5	1.5 1.	.5
1.5 1.5 3 none			
	3.5 3.5	3.5 3.	.5
3.5 6 none			
	5 5	5 5	5
12 none			
Maximum depth of building without side setback adjustm	ent 50	50	
75 100 100 100 100 50 none			
Max. no. of stories without side or rear setback adjus	tment 2	2 3	4
6 8 8 2 8			
	25 20	15 15	5
15 10 20 none			
	10 10	10 10	0
10 10 none	0 1		
Rear street setback, minimum (ft.) >> (see s. 295-505-	<u>2-e)</u> <<		
average average average average average average average			
• • • • • • • • • • • • • • • • • • • •	none none	none no	one
none none			

Multiple principal residential buildings permitted? no no no yes yes yes yes yes

Part 30. Section 295-505-2-c-1 of the code is repealed and recreated to read:

#### 295-505. Design Standards.

- 2. PRINCIPAL BUILDING STANDARDS.
- c. Side Setback Standards. c-1. Minimum Setback for Property Adjacent to Developed Parcels or Alleys. c-1-a. A new principal building on a property that is adjacent to another property containing an existing principal building located closer than 1.5 feet from the shared property line shall maintain a minimum dimension of 3 feet from such existing structure, even when table 295-505-2 allows the new structure to be less than 3 feet from the property line.
- c-1-b. Where a side property line abuts an alley, the minimum setback shall be the lesser of the 2 required side setbacks.
- Part 31. Section 295-505-2-d-1 of the code is amended to read:
- d. Side Street Setback Standards. d-1. Build-to Line. Where a maximum side
  street setback is specified, at least 30% of the side street façade shall [[meet
  that requirement]] >>be located between the minimum and maximum required setbacks
  << .</pre>
- Part 32. Section 295-505-2-m of the code is created to read:
- m. Garage Door Setback. Garage doors shall be set back a minimum of 4 feet from alley lot lines.
- Part 33. Section 295-505-4-b-8 and 9 of the code is renumbered 295-505-4-b-9 and 10.
- Part 34. Section 295-505-4-b-8 of the code is created to read:
- 4. SITE STANDARDS.
- b. Parking Spaces.
- b-8. Tow Trucks. No tow truck may be parked on a lot in a single-family, 2-family or multi-family zoning district unless the tow truck is parked inside a building.
- Part 35. Section 295-505-4-c-2 of the code is amended to read:
- c. Access Drives.
- c-2. Configuration. An access drive shall generally traverse the front [[ setback]] >>property line<< at a right angle. The commissioner of public works shall approve the location and design of the curb cut and driveway apron for the access drive.
- Part 36. Section 295-505-5-c-1 of the code is amended to read:

- 5. SIGNS.
- c. Elementary and Secondary Schools, Colleges and Religious Assembly.
- c-1. Changeable Message Signs. Automatic changeable message signs shall not be permitted. A manual changeable message sign shall be permitted only if it uses reverse copy (white letters on black background) >> or if all internal illumination is turned off between the hours of 10 p.m. and 7 a.m<< .
- Part 37. Section 295-505-5-c-2-b of the code is amended to read:
- c-2-b. The premises shall have at least 240 feet of >> continuous << street frontage.
- Part 38. Section 295-505-5-i of the code is created to read:
- i. Vision Triangles. All signs in residential districts shall comply with the vision triangle regulations of s. 295-405-3.
- Part 39. Table 295-603-1 of the code is amended to read:

Table 295-603-1 COMMERCIA	L DISTR	RICTS U	SE TABI	Æ						
Y = Permitted Use			mited U		Specia	al Use			N = I	Prohibited Use
Zoning Districts					-					
Uses NS1 NS2 LB1	LB2	RB1	RB2	CS						
RESIDENTIAL USES										
Single-family dwelling	Y	Y	Y	Y	Y	Y	Y			
Two-family dwelling Y	Y	Y	Y	Y	Y	Y				
Multi-family dwelling	Y	Y	Y	Y	Y	Y	Y			
Attached single-family dwe	elling	Y	Y	Y	Y	Y	Y	Y		
Live-work unit Y	Y	Y	Y	Y	Y	Y				
Mobile home N N	N	N	N	N	N					
Watchman/service quarters	N	N	N	N	N	N	N			
Family day care home	Y	Y	Y	Y	Y	Y	Y			
Group Residential										
Rooming house S	S	S	S	S	S	S				
Convent, rectory or mor	nastery	7 Y	Y	Y	Y	Y	Y	Y		
Dormitory Y Y	Y	Y	S	N	N					
Fraternity or sorority	S	S	S	S	N	S	N			
Adult family home L	L	L	L	L	L	L				
Foster Homes										
Foster family home	Y	Y	Y	Y	Y	Y	Y			
Small foster home	L	L	L	L	L	L	L			
Group home or group for	ster ho	me	L	L	L	L	L	L	L	
Shelter Care Facilities										
Family shelter care fa	cility	Y	Y	Y	Y	Y	Y	Y		
Small group shelter ca:	re faci	lity	L	L	L	L	L	L	L	
Large group shelter ca:	re faci	lity	S	S	S	S	S	S	S	
Community living arrangeme	ent	L	L	L	L	L	L	L		
>>Transitional living fac	ility	<u>S</u>	<u>s</u>	<u>s</u>	<u>S</u>	<u>s</u>	<u>s</u>	$\overline{N}{<<}$		
EDUCATIONAL USES										
Day care center L	L	L	L	L	L	L				
School, elementary or sec	ondary	Y	Y	Y	Y	Y	Y	Y		
College Y Y	Y	Y	Y	Y	Y					
School, specialty or pers	onal in	struct	ion	Y	Y	Y	Y	Y	Y	Y
COMMUNITY-SERVING USES										
Library Y Y	Y	Y	Y	Y	Y					
Cultural institution	Y	Y	Y	Y	Y	Y	Y			
Community center S	S	S	S	S	S	S				

File #: 020676. <b>V</b>	ersion:	2
--------------------------	---------	---

Poligious assembly S	S	S	S	Y	Y	Y					
Religious assembly S Cemetery or other place of			N	N	N	N	N	N	N		
Public safety facility		Y Y	Y	Y	Y	Y	Y	IA	IV		
Correctional facility		N	N	N	N	N	N				
COMMERCIAL AND OFFICE USES						11					
General office Y		Y	Y	Y	Y	Y					
Government office Y		Y	Y	Y	Y	Y					
Bank or other financial in	nstituti	on	Y	Y	Y	Y	Y	Y	Y		
Currency exchange, payday			loan	agency	S	S	S	S	S	S	S
Retail establishment, gene		L	L	L	L	L	L	L			
Garden supply or landscap		er	N	N	Y	Y	Y	Y	Y		
Home improvement center		N	S	S	Y	Y	Y				
Secondhand store S	S	S	S	S	S	S					
Outdoor merchandise sales	S	S	S	S	S	S	S				
Artist studio Y Y	Y	Y	Y	Y	Y						
Adult retail establishment	t N	N	N	N	S	S	N				
HEALTH CARE AND SOCIAL ASS	SISTANCE	USES									
Medical office Y		Y	Y	Y	Y	Y					
Health clinicS S		S	S	S	S						
Hospital N N	-	S	S	S	S						
Medical research laborator	-	N	N	S	S	S	S	Y			
Medical service facility		N	S	S	S	S	S				
Social service facility		S	S	S	S	S	S				
Emergency residential shell		S	S	S	S	S	S	S			
Nursing home Y S	Y	Y	Y	Y	Y						
GENERAL SERVICE USES	-	-	_	-	-	-					
Personal service L		L	L	L	L	L					
Business service Y		Y	Y	Y	Y	Y	3.7	3.7			
Building maintenance servi		N Y	N	S Y	S Y	Y	Y	Y			
Catering service Y Funeral home Y Y		Y Y	Y Y	Y Y	Y Y	Y					
Laundromat Y Y		Y	Y	Y	Y						
Dry cleaning establishment	_	Y	Y	Y	Y	Y	Y				
Furniture and appliance re			_	S	S	Y	Y	Y	Y	Y	
Household maintenance and				Y	Y	Y	Y	Y	Y	Y	
Tool/equipment rental fact		361 V 1С( Ү	Y	Y	Y	Y	Y	Y	1	1	
Animal Services	LIICY	-	-	-	-	-	-	-			
Animal hospital/clinic	L	L	L	L	L	L	L				
Animal boarding facilit		L	L	L	L	L	L	L			
Animal grooming or train	_		L	L	L	L	L	L	L		
MOTOR VEHICLE USES	,	_									
Light Motor Vehicle											
Sales facility N	N	S	S	Y	Y	S					
Rental facility L	L	L	L	Y	Y	Y					
Repair facility N	N	S	S	S	S	S					
Body shop N N	S	S	S	S	S						
Outdoor storage N	N	S	S	S	S	S					
Limited wholesale facil	lity	Y	Y	Y	Y	Y	Y	Y			
Heavy Motor Vehicle											
Sales facility N	N	S	S	S	S	S					
Rental facility N	N	S	S	S	S	S					
Repair facility N	N	N	N	S	S	N					
Body shop N N	N	N	S	S	N						
Outdoor storage N	N	N	N	S	S	N					
General Motor Vehicle											
Filling station N		S	S	S	S	S					
Car wash N N		L	L	L	L						
Drive-through facility	L	L	L	L	L	L	L				
Parking		-	-		-		-	_			
Parking lot, principal		L	L	Y	L	Y	L	L			
Parking lot, accessory		Y	L	Y	L	Y	Y	Y	<b>T</b>		
Parking structure, prin			S	S	L	L	L	L	L		
Parking structure, acce			Y	L	Y	L	Y	Y	Y	C	C
Heavy motor vehicle par	rkTild To.	ı, prii	истрат	use	N	N	S	S	S	S	S

File #: 020676. Vers
----------------------

Heavy motor vehicle pa	rking lot	. accessor	W 1186	S	S	S	S	S	S	S
ACCOMMODATION AND FOOD SE	_		у изс	5	D	S	S	S	S	5
Bed and breakfast Y		Y Y	Y	Y	Y					
Hotel, commercial Y	Y		Y	Y	Y					
Hotel, residential Y	Y		Y	Y	Y					
Tavern L L Y	Y		Y	1	1					
Assembly hallS S	S S		S	S						
-	y y		S Y	S Y	Y	V				
Restaurant, sit-down						Y	т.			
Restaurant, fast-food/car	-	L L	L	L	L	L	L			
ENTERTAINMENT AND RECREAT										
Park or playground Y	Y 5		Y	Y	Y					
Festival grounds N	N I		N	N	N					
Recreation facility, indo			Y	Y	Y	Y	Y			
Recreation facility, outd			S	S	S	S	S			
Health club Y Y	Y Y		Y	Y						
Sports facility N	N S	S S	S	S	S					
Gaming facility N	N I	1 N	N	N	N					
Theater L L	Y Y	Y Y	Y	Y						
Convention and exposition	center N	I N	S	S	S	S	S			
Marina Y Y Y	Y Y	Y Y	Y							
Outdoor racing facility	N 1	J N	N	N	N	N				
Adult entertainment estab	lishment N	l N	N	N	S	S	N			
STORAGE, RECYCLING AND WH										
Recycling collection faci		S S	S	S	S	S	S			
Mixed-waste processing fa	_		N	N	N	N	N			
Material reclamation faci			N	N	N	N	N			
Salvage operation, indoor	_		N	N	N	S	IN			
			N	N	N	N				
Salvage operation, outdoo							т.	т.	37	
Wholesale and distributio			S	S	L	L	L	L	Y	
Wholesale and distributio	n facilit	y, outdoor	N	N	S	S	S	S	S	
Storage Facilities		_								
Indoor S S	L I		L	Y						
Outdoor N N	S S		S	S						
Hazardous materials	N 1	1 N	N	N	N	N				
TRANSPORTATION USES										
Ambulance service N	N S	S S	Y	Y	S					
Ground transportation ser	vice N	l N	S	S	S	S	L			
Passenger terminal N	N Z	Y Y	Y	Y	Y					
Helicopter landing facili	ty 1	J N	S	S	S	S	S			
Airport N N	N 1	J N	N	N						
Ship terminal or docking	facility	J N	N	N	N	N	N			
Truck freight terminal	N 1		N	N	N	N				
Railroad switching, class						N	N	N	N	N
N		1414 01 1		001111110	,					
INDUSTRIAL USES										
Manufacturing, light	N 1	I L	L	L	L	L				
Manufacturing, heavy	N I		N	N	N	N				
Manufacturing, intense	N I		N	N	N	N				
٠.	N I		S	S	S	S				
Research and development		_					NT	NT.	NT.	
Processing or recycling o			N	N	N	N	N	N	N	
Contractor's shop N	N I		L	L	L					
Contractor's yard N	N S	S S	S	S	S					
AGRICULTURAL USES										
Plant nursery or greenhou			N	N	N	N	N			
Raising of crops or lives		1 N	N	N	N	N	N			
UTILITY AND PUBLIC SERVIC										
Broadcasting or recording	studio N	J N	Y	Y	Y	Y	Y			
Transmission tower L	L I	L	L	L	L					
Water treatment plant	S S	S Y	Y	Y	Y	Y				
Sewage treatment plant	N 1	l N	N	N	N	N				
Power generation plant	N 1		N	N	N	N				
Substation/distribution e		= :	S	S	S	S	S	S	S	
Substation/distribution e			L	L	L	L	L	L	L	
TEMPORARY USES	aurbineiic,	JULUUUI							<u></u>	
I I I I I I I I I I I I I I I I I I I										

#### Table 295-605-2 PRINCIPAL BUILDING DESIGN STANDARDS

Design Standards for Non-residential and Multi-family Principal Buildings LB2 NS1 NS2 LB1 RB1 RB2 Primary Street Front setback, minimum (ft.) >> (see s. 295-505-2-b) << average none average none average none >> (see s. 295-505-2-b) << Front setback, maximum (ft.) 50 70 average 70 average none average Secondary Street Side street setback, min. (ft.) none none none none none none none Side street setback, max. (ft.) 15 25 5 70 none Rear street setback, minimum (ft.) none none none none none none none Rear street setback, maximum (ft.) none none none none none Side setback, minimum (ft.) none none none none none Side setback, maximum (ft.) none none none none none none Rear setback, minimum (ft.) none none none none none none none Rear setback, maximum (ft.) none none none none none none none (sq. ft.) 1,200 800 Lot area per dwelling unit, minimum 2,400 1,200 1,200 800 1,200 Lot coverage, minimum (interior lot) 15% 30% 15% 30% 15% 15% none 40% 20% Lot coverage, minimum (corner lot) 20% 40% 20% none 20% Height, minimum (ft.) none 18 18 24 none none none Height, maximum (ft.) 45 60 45 60 85 85 60 40% 60% 20% 30% 10% Minimum glazed area, primary street frontage 60% 30% 15% 5% Minimum glazed area, secondary street frontage 10% 10% 15% 10% 15% Multiple principal buildings permitted? yes yes yes yes yes yes yes Design Standards for Single-family and Two-family Dwellings LB2 LB1 RB1 RB2

Part 41. Section 295-605-4-f to h of the code is renumbered 295-605-4-g to i.

5 for this residential district

Part 42. Section 295-605-4-f of the code is created to read:

#### 295-605. Design Standards.

Refer to design standards in subch.

RM5

RM2

RM5

RM2

#### 4. SITE STANDARDS.

f. Loading Docks. Where loading for more than 2 truck bays is in a yard facing and visible from a public street or a non-industrial district, the loading docks shall be screened with type "G" landscaping, as described in s. 295-405. These standards may be waived in whole or in part, or compliance with them may be delayed, if visibility of the loading docks is limited by changes of grade, natural features, elevated roadways, existing buildings or similar obstructions.

Part 43. Table 295-605-5 of the code is amended to read:

#### Table 295-605-5 COMMERCIAL DISTRICT SIGN STANDARDS

Zoning District
NS1 NS2 LB1 LB2 RB1

NS1 NS2 LB1 LB2 RB1 RB2 CS Freestanding Signs permitted permitted permitted permitted

permitted permitted permitted

RM4

```
Maximum number 1 per site 1 per site 1 per street frontage
                                                               1 per site
                                                                            1 per street
frontage 1 per street frontage 1 per site
                            "B" display area
  Total type "A" and type
                                                permitted (sq. ft.)
                                                                      60
          60
               150 100
                             60
  Type "B" max. display
                         area (sq. ft.) 30
                                               20
                                                    50
                                                          30
                                                                75
                                                                      50
                                                                            30
  Maximum height 10
                      6
                           14
                                 14
                                        20
                                               20
                                                    14
          permitted permitted
Wall Signs
                                permitted
                                              permitted
                                                          permitted
                                                                      permitted
permitted
                             "B" display area
  Total type "A" and type
                                                 permitted per 25
                                                                      lineal feet (sq.
ft.) 40 40 60 40 60 40
  Type "B" max. display
                         area per 25 lineal
                                                feet (sq. ft.) 25
                                                                      25
                                                                            30
   30
          30
                25
                           permitted permitted permitted
Projecting Signs permitted
permitted
         permitted permitted
  Maximum number 1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft.
     1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft.
  Total type "A" and type "B" display area permitted (sq. ft.)
                                                                     50
                 100 60 50
           50
  Type "B" max. display
                        area (sq. ft.) 25
                                             25
                                                    30
                                                          25
                                                                50
                                                                      30
Awning Signs type "A" permitted only type "A" permitted only type "A" permitted only
"A" permitted only type "A" permitted only type "A" permitted only type "A" permitted only
  Maximum number 1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft.
     1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft.
  Total type "A"
                       display area
                                       permitted (sq. ft.) 20 10
                                                                     20
                                                                           10
                                                                                  20
    20
10
                     permitted
Canopy and Hood Signs
                                 permitted
                                              permitted
         permitted permitted permitted
  Maximum number 1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft.
     1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft.
  Total type "A" and type "B" display area
                                              permitted (sq. ft.)
                                                                      50
                           50
          50
                100 60
  Type "B" max. display
                         area (sq. ft.) 25
                                               25
                                                   30
                                                         25
                                                                50
                                                                      30
                                                                            25
Roof Signs not permitted not permitted permitted
                                              type "A" permitted only
         permitted type "A" permitted only
permitted
  Maximum number NA
                       NA
                            1 per building
                                              1 per building
                                                               1 per building
                                                                                  1 per
building 1 per building
                            "B" display area
  Total type "A" and type
                                             permitted (sq. ft.)
                                                                      NA
         100 100 100
   100
                           50
NA
  Type "B" max. display area (sq. ft.) NA
                                             NA
                                                    50
                                                                50
                                                                      50
                                                                            0
Off-premise Signs not permitted not permitted permitted
                                                    permitted
permitted
          permitted permitted
  Maximum number NA
                    NA
                            1 per site 1 per site
                                                    1 per site
                                                                1 per site
                                                                            1 per site
  Maximum display are per
                            sign (sq. ft.)
                                          NA
                                                    NA
                                                         300
                                                                300
  [[Minimum setback from all property lines]] [[NA]] [[NA]] [[height of the sign]]
  Minimum distance between signs NA NA 500 ft. between any 2 ground or roof signs;
200 ft. between a ground or roof sign and a wall sign; 200 ft. between any 2 wall signs
  Maximum height, freestanding sign
                                      (ft.)
                                                   NA NA
                                                               35
                                                                                  35
                                                                40
  Maximum height,
                    wall sign (ft.)
                                        NA
                                              NA
                                                    40
                                                          40
                                                                     40
                                                                            40
  Maximum height, roof sign NA NA 25 ft. above roof
```

Part 44. Section 295-605-5-d-1 of the code is amended to read:

#### 5. SIGNS.

#### d. Temporary Signs.

d-1. A sign pertaining to the construction of a building or the sale or lease of vacant land shall not exceed:

Zoning District	Max. Sign Area
NS1 and NS2	36 sq. ft.
LB1, LB2 and CS	48 sq. ft.
[[ <del>RS1 and RS2</del> ]] >>RB1 and RB2<<	72 sq. ft.

Part 45. Table 295-703-1 of the code is amended to read:

#### 

Districts			-								-
Uses C9A C9B C9C	C9D	C9E	C9F	C9G	С9Н						
RESIDENTIAL USES											
Single-family dwelling	Y	Y	L	L	L	L	L	N			
Two-family dwelling Y	Y	L	L	L	L	L	N				
Multi-family dwelling	Y	Y	L	L	L	L	L	N			
Attached single-family	dwell	ing	Y	Y	L	L	L	L	L	N	
Live-work unit Y	Y	L	L	L	L	L	S				
Mobile home N N	N	N	N	N	N	N					
Watchman/service quar	ters	N	N	N	N	N	N	N	Y		
Family day care home	L	L	L	L	L	L	L	N			
Group Residential											
Rooming house S	S	S	S	S	N	S	N				
Convent, rectory or	mc	nastery	y Y	Y	N	Y	N	N	N	N	
Dormitory Y Y	N	Y	N	N	N	N					
Fraternity or sore	rity	S	S	N	S	N	N	N	N		
Adult family home L	L	L	L	L	L	L	N				
Foster Homes											
Foster family home	Y	Y	Y	Y	Y	Y	Y	N			
Small foster home	L	L	L	L	L	L	L	N			
Group home or group	foste	er home	L	L	L	L	L	L	L	N	
Shelter Care Facilities											
Family shelter care	facil	ity	Y	Y	Y	Y	Y	Y	Y	N	
Small group shelter	care	facilit	У	L	L	L	L	L	L	L	N
			_								
Large group shelter	care	facilit	У	S	S	S	S	S	S	S	N
Community living arra	ingement	: L	L	L	L	L	L	L	N		
>>Transitional living	facili	ty	SS	<u>S</u>	<u>s</u>	N	<u>S</u>	$\overline{N} <<$			
EDUCATIONAL USES											
Day care center S	S	S	S	S	S	S	S				
School, elementary or	second	lary	Y	Y	Y	Y	S	Y	Y	S	
College S S	S	Y	S	S	Y	Y					
School, specialty or	persona	al instr	ruction	S	Y	Y	S	S	S	Y	S
COMMUNITY-SERVING USES											
Library Y Y	Y	Y	S	Y	Y	N					
Cultural institution	L	L	Y	Y	S	Y	Y	N			
Community center S	S	S	S	S	S	S	S				
Religious assembly Y	Y	Y	Y	L	Y	L	N				
Cemetery or other place	of i	ntermen	ıt	N	N	N	N	N	N	N	N
Public safety facility	Y	Y	Y	Y	Y	Y	Y	Y			
Correctional facility	N	N	N	S	N	N	N	N			

Zoning

COMMERCIAL AND OFFI	רד וופדי	Q										
General office	L L	Y	Y	Y	L	Y	Y	Y				
Government office	L	Y	Y	Y	L	Y	Y	Y				
Bank or other finance			tution	_	Y	Y	Y	Y	Y	Y	N	
Currency exchange,		yday loa				agency		S	S	S	S	S
S S	pa	yday 10c	III OI C.	TCTE	IOan	agency	IN	S	D.	S	D .	S
Retail establishmen	+	general	т.	Y	Y	S	Y	Y	Y	S		
Garden supply or	•	scaping			N	N	N	N	N	S	S	
Home improvement ce		N	N	N	N	N	N	N	S	S	D	
Secondhand store	N	S	S	N	S	S	Y	S	D			
Outdoor merchandise		ales	S	S	S	N	S	S	Y	S		
Artist studio L	Y	Y	N	L	L	Y	S	D	_	D		
	tablis	_	N	N	N	N	N	N	S	S		
HEALTH CARE AND SOC				11	14	14	11	11	D	D		
Medical office	L	Y	Y	Y	L	Y	Y	Y				
Health clinic S	S	S	S	L	Y	Y	N	_				
Hospital S	S	S	S	N	S	S	N					
Medical research	-	ratory	N	S	S	S	S	Y	Y	Y		
Medical service	facil	_	N	N	N	N	S	S	S	S		
Social service faci.		S	S	S	S	S	S	S	S	U		
Emergency residentia	_	shelter		S	S	S	N	N	S	N		
Nursing home S	S	S	N	N	N	N	N		U			
GENERAL SERVICE USE		U	23	11			.,					
Personal service	L	Y	Y	S	Y	Y	Y	N				
Business service	S	Y	Y	Y	L	Y	Y	Y				
Building maintenance	-	service		S	S	N	L	Y	Y	Y		
Catering service	L	S	S	N	N	N	Y	Y	-	-		
Funeral home N	S	S	N	N	N	Y	N	-				
Laundromat S	Y	Y	N	S	Y	Y	N					
Dry cleaning es			L	Y	Y	Y	Y	Y	Y	N		
Furniture and applia						S	S	N	S	S	S	S
rariireare and appri-	arroc	101100	ii ana i	reabing	11	S	U	11	U	U	U	J
Household maintenan	ce	and rep	air se	rvice	N	Y	Y	N	Y	N	Y	Y
		_										
Tool/equipment renta	al	facilit	У	N	S	S	N	S	N	S	S	
Animal Services												
Animal hospi	tal/cl	inic	N	N	S	N	S	S	S	S		
Animal boarding	fa	cility	N	N	N	N	N	N	N	N		
Animal grooming	or	trainir	ng facil	lity	N	N	S	N	S	S	S	S
MOTOR VEHICLE USES												
Light Motor Vehicle												
Sales facility	N	N	N	N	N	N	S	Y				
Rental facility		L	L	L	L	L	L	L				
Repair facility		S	S	N	S	S	S	S				
Body shop N	N	N	N	N	N	N	S					
Outdoor storage		N	N	N	N	N	N	S				
Limited wholesale		facility	7 N	Y	Y	N	L	Y	L	Y		
Heavy Motor Vehicle												
Sales facility	N	N	N	N	N	N	N	S				
Rental facility		N	N	N	N	N	S	S				
Repair facility	N	N	N	N	N	N	N	S				
Body shop N	N	N	N	N	N	N	S					
Outdoor storage		N	N	N	N	N	N	S				
General Motor Vehic												
Filling station		S	S	S	S	S	S	S				
Car wash N	S	S	S	S	S	S	S					
Drive-through	faci	lity	N	S	S	S	S	S	S	S		
Parking												
Parking lot,		ipal use		S	S	S	S	S	S	S		
Parking lot,		sory use		S	S	S	S	S	S	S		
Parking structure					S	L	S	L	L	S	S	
Parking structure		access	sory use	€	[[ <del>S</del> ]]	>> <u>T</u> <<	[[ <del>S</del> ]]	>> <u>T</u> <<	L	[[ <del>S</del> ]]	$>>\overline{\Gamma}<<$	L
L [[S]] >> <u>L</u> <<	[[ <del>S</del> ]]	>> <u>F</u> <<										

File #: 020676, Version: 2										
Heavy motor vehicle	parking l	ot,	princip	alN	N	S	S	S	S	S
Heavy motor vehicle	parking l	ot,	accesso	ryS	S	S	S	S	S	S
ACCOMMODATION AND FOOD	SERVICE USES									
Bed and breakfast S	Y Y	N	L	L	Y	N				
Hotel, commercial S	Y Y	Y	Y	Y	Y	N				
Hotel, residential Y	Y Y	N	Y	Y	Y	N				
Tavern S Y Y	Y Y	Y	Y	Y						
Assembly hall S S	Y Y	L	Y	Y	Y					
Restaurant, sit-down	L Y	Y	Y	Y	Y	Y	Y			
	ood/carry-out	L	L	L	L	L	L	L	L	
ENTERTAINMENT AND RECR										
Park or playground Y	Y Y	Y	Y	Y	Y	Y				
Festival grounds N	N N	N	N	N	N	N				
Recreation facility,	indoor S	S	Y	Y	Y	Y	Y	Y		
Recreation facility,	outdoor N	S	S	S	N	N	S	S		
Health club L L	Y Y	L	Y	Y	Y					
Sports facility S	S Y	Y	Y	Y	Y	Y				
Gaming facility S Theater N Y	S S Y Y	S	S	S	S	S				
		Y	Y	Y	Y	37	37	37	NT.	
Convention and exp Marina N Y Y	osition center Y Y	n N Y	N Y	N Y	Y	Y	Y	Y	N	
Outdoor racing facilit		N	N	N	N	N	N			
Adult entertainment	establishmer		N	N	N	N	N	S	S	
STORAGE, RECYCLING AND				IN	IA	IA	IN	S	D	
Recycling collection	facility N	S S	S	N	N	N	S	S		
Mixed-waste processing	_	N	N	N	N	N	N	N	N	
Material reclamation	facilityN	N	N	N	N	N	N	N		
Salvage operation,	indoor N	N	N	N	N	N	N	N		
Salvage operation,	outdoor N	N	N	N	N	N	N	N		
		acility	, indoor	N	S	S	N	N	S	Y
Y										
N	ribution f	acility	, outdoo	r N	N	N	N	N	N	N
Storage Facilities										
Indoor N S	S N	N	S	Y	Y					
Outdoor N N	N N	N	N	N	N					
Hazardous materials	N N	N	N	N	N	N	N			
TRANSPORTATION USES			2.7							
Ambulance service N	N N	N	N	N	S	S	0	3.7		
Ground transportation	service N	N	N	N	N	N	S	Y		
Passenger terminal S	S S	S	S S	S S	Y S	Y S	S	C		
Helicopter landing Airport N N	facility N N N	S N	N	N	N	3	ی	S		
	ocking facilit		N	N	N	N	N	Y	Y	
Truck freight terminal		N N	N	N	N	N	N	_	_	
Railroad switching,	classificati				termina		N	N	N	N
N N Y Y	014001110401	Jaza	0.2		001110	~ —				
INDUSTRIAL USES										
Manufacturing, light	N L	L	N	L	L	Y	Y			
Manufacturing, heavy	N N	N	N	N	N	N	N			
Manufacturing, intense	N N	N	N	N	N	N	N			
Research and devel	opment N	Y	Y	N	Y	Y	Y	Y		
Processing or recyclin	g of mined	d materi	als N	N	N	N	N	N	N	N
Contractor's shop N	N N	N	N	N	S	Y				
Contractor's yard N AGRICULTURAL USES	N N	N	N	N	S	Y				
	reenhouse N	N	N	N	N	N	N	S		
Raising of crops or	livestock N	N	N	N	N	N	N	N		
UTILITY AND PUBLIC SER		τN	TA	± N	11	T.4	TA	TA		
	cording studio	o N	Y	Y	Y	L	Y	Y	Y	
Transmission tower L	L L	L	L	L	L	L	-	=	=	

File #: 020676, Version: 2										
Water treatment plant	S S	S	S	S	S	S	S			
Sewage treatment plant	S S	S	S	S	S	S	S			
Power generation plant	N N	N	N	N	N	N	N			
Substation/distribution	equipment,	indoor	S	S	S	S	S	S	S	Y
Substation/distribution	equipment,	outdoo	r L	L	L	L	L	L	L	Y
TEMPORARY USES										
Seasonal market L	L L	L	L	L	L	L				
Temporary real estate	sales office	L	L	L	L	L	L	L	L	
Concrete/batch plant,	temporary L	L	L	L	L	L	L	L		
Live entertainment sp	pecial event	L	L	L	L	L	L	L	L	
Part 46. Section 29	5-703-2-L o	f the	code	is am	ended	to re	ead:			

#### 295-703. Uses.

F:1- #. 000070 Mana!an. 0

- 2. LIMITED USE STANDARDS.
- L. Parking Structure, Principal Use [[or Accessory Use]]. At least 50% of the street frontage shall be devoted to permitted uses or uses approved by the board.
- Part 47. Section 295-703-2-m to s of the code is renumbered 295-703-2-n to t.
- Part 48. Section 295-703-2-m of the codes is created to read:
- m. Parking Structure, Accessory Use. m-1. The parking spaces shall be integrated into a larger structure that houses one or more principal uses of the premises that are permitted uses or have been approved by the board.
- m-2. If the structure is in the C9C, C9E, C9F or C9G district, at least 50% of the street frontage shall be devoted to permitted uses or uses approved by the board.
- Part 49. Table 295-705-1 of the code is amended to read:

#### Table 295-705-1 DOWNTOWN DISTRICTS DESIGN STANDARDS

C9A subdistrict A C9A subdistrict B C9B subdistrict A C9B subdistrict B C9C C9D subdistrict A >><u>(see s. 295-705-2-</u> Front setback <u>a)</u><< avg., but not more than 10 ft. avg., but not more 10 ft. than 10 ft. no requirement no requirement no requirement Side setback each side setback shall be at least 3 ft., with a minimum of 8 ft. total for 2 sides; however, side setbacks shall not be required when a side lot line is shared by separate townhouse units no requirement no requirement no requirement each side setback shall be at least 3 ft., with a minimum of 8 ft. total for 2 sides Side street setback >>(see s. 295-705-2a) << avg., but not more than 10 ft. avg., but not more than 10 ft. no requirement no requirement no requirement no requirement Rear setback 10 ft. 10 ft. no requirement no requirement no requirement no requirement >>(see s. 295-705-2-Rear street setback a) << avg., but not more than 10 ft. avg., but not more than 10 ft. no requirement no requirement no requirement no requirement Lot width, minimum 24 ft. 24 ft. none none none 100 ft. Lot area, minimum none none none none none 20,000 sq. ft. Permitted floor area [[(when lot coverage is 40% or less)]] >> (when surface open space will comprise 40% or less of the development site)<<; see s. 295-705-4 2(W) + 7.5(X) + 4(Y)2(W) + 7.5(X) + 4(Y)6(W) + 5(X) + 2.5(Y)7(W) + 10(X) + 5(Y) 3(W) + 7.5(X) + 4(Y)2(W) + 20(X) + 10(Y) +

Permitted floor area [[(when lot coverage is greater than 40% but less than 80%)]] >> (when surface open space

```
will comprise more than 40% but less than 80% of the development site) <<; see s. 295-705-4 5 (W) 5 (W) 7 (W) 8 (W) + 5 (X) + 2.5 (Y) + 0.3 (Z) 6 (W) - 4 (W) + 10 (X) + 5 (Y) + 0.05 (Z)

Permitted floor area [[(when let coverage is 80% or more)]] >> (when surface open space will comprise 80% or more of the development site) <<; see s. 295-705-4 25 (W) - 25 (X) 25 (W) - 25 (X) 11.5 (W) - 11.5 (X) 12 (W) + 12 (X) + 0.3 (Z) 30 (W) - 30 (X) 8 (W) + 0.05 (Z)

Building height, minimum 20 ft. 20 ft. 20 ft. if wholly residential; otherwise 30 ft. 20 ft. if wholly residential; otherwise 30 ft. 20 ft. 30 ft.

Building height, maximum none 40 ft. none none none none Required usable open space (as defined in s. 295-201) 75 sq. ft./ dwelling unit 75 sq. ft./
```

#### Table 295-705-1 DOWNTOWN DISTRICTS DESIGN STANDARDS

```
C9D subdist. B
                          C9E
                                C9F subdist. A
                                                    C9F subdist. B
                                                                         C9F subdist. C
                                                                                             C9G
С9Н
Front setback
                   no requirement
                                       no requirement
                                                           no requirement
                                                                               no requirement
no requirement
                  no requirement
                                       no requirement
                             no requirement
Side setback no requirement
                                                   no requirement
                                                                         no requirement
requirement no requirement no requirement
Side street setback no requirement
                                       no requirement
                                                           no requirement
                                                                               no requirement
no requirement no requirement
                                      no requirement
Rear setback no requirement no requirement no requirement
                                                                        no requirement
                            no requirement
requirement no requirement
Rear street setback no requirement no requirement
                                                           no requirement
                                                                               no requirement
               no requirement
                                      no requirement
no requirement
Lot width, minimum 100 ft. none none none none
                                                                  none
Lot area, minimum 20,000 sq. ft. none
                                             none
                                                    none
                                                           none
                                                                  none
                                                                        none
Permitted floor area [[(when lot coverage is 40% or less)]] >> (when surface open space will comprise 40% or
less of the development site) <<; see s. 295-705-4 2 (W) + 20 (X) + 10 (Y) + 0.05 (Z)
                                                                                7(W) + 13(X) + 6.5
(Y) + 0.2(Z) + 5.5(W) + 15(X) + 7.5(Y) + 0.1(Z) + 8(W) + 20(X) + 10(Y) + 0.2(Z)
                                                                               8(W) + 20(X) + 10
                                      5(W) + 5(X) + 2.5(Y)
(Y) + 0.2(Z) 5(W) + 5(X) + 2.5(Y)
Permitted floor area [[(when lot coverage is greater than 40% but less than 80%)]] >> (when surface open space
will comprise more than 40% but less than 80% of the development site)<<; see s. 295-705-4
                                                                                      4(W) + 10(X)
                   8.1(W) + 2(X) + 1(Y) + 0.2(Z)
                                                     7.5(W) + 5(X) + 2.5(Y) + 0.1(Z) 9(W) + 10(X)
+ 5(Y) + 0.2(Z)
                  9(W) + 10(X) + 5(Y) + 0.2(Z)
                                                    7 (W)
                                                          7 (W)
Permitted floor area [[(when lot coverage is 80% or more)]] >> (when surface open space will comprise 80% or
more of the development site) <<; see s. 295-705-4 8(W) + 0.05(Z) 8.5(W) + 0.2(Z)
                                                                                      9.5(W) + 0.1
      12(W) + 0.2(Z) 12(W) + 0.2(Z) 14(W) - 14(X)
                                                                  14 (W) - 14 (X)
Building height, minimum 30 ft. 40 ft. 30 ft. 40 ft. 30 ft. 20 ft. 20 ft.
Building height, maximum none none none none 50 ft. none none Required usable open space (as defined in s. 295-201) 75 sq. ft./ dwelling unit 75 sq. ft./
dwelling unit 75 sq. ft./ dwelling unit 75 sq. ft./ dwelling unit 75 sq. ft./ dwelling unit 75 sq.
ft./ dwelling unit no requirement
Part 50. Section 295-705-4-b of the code is amended to read:
```

#### 4. CALCULATION OF PERMITTED FLOOR AREA.

b. Formulas. Exact formulas vary from district to district. In general, the larger the development site and the more surface open space, roof top open space or atrium space provided, the more floor area permitted. Paragraphs c to f describe how to calculate each of the 4 variables.

[[(Note: An example illustrating many of the calculation procedures outlined in this subsection is contained in an appendix to this chapter prepared by the department of city development and available from the legislative reference bureau.)]

Part 51. Section 295-705-7-b-8-c of the code is created to read:

## 295-705. Design Standards.

#### 7. SIGNS.

b-8. Off-Premise Signs.

b-8-c. No off-premise sign shall be placed upon any premises used as a parking lot.

Part 52. Table 295-803-1 of the code is amended to read:

Table 295-803-1 INDUSTRIAL DISTRICTS	USE TAE	BLE					
Y = Permitted Use $L = Limit$	ed Use S	s = Speci	al Use		N	= Prohibited Use	Zoning
Districts							
Uses IO1/IO2 IL1/IL2 IM	IH						
RESIDENTIAL USES							
Single-family dwelling N N	Y	N					
Two-family dwelling N N Y	N						
Multi-family dwelling N N	Y	N					
Attached single-family dwelling N	N	Y	N				
Live-work unit N N Y	N						
Mobile home N N N							
Watchman/service quarters Y Y	N	Y					
Family day care home N N	Y	N					
Group Residential	_						
Rooming house N N S	N						
Convent, rectory or monastery N	N	Y	N				
Dormitory N N Y N	11	-	14				
Fraternity or sorority N N	S	N					
	N	IN					
Adult family home N N L Foster Homes	IN						
	V	NT					
Foster family home N N	Y	N					
Small foster home N N	L	N	-				
Group home or group foster home	N	N	L	N			
Shelter Care Facilities							
Family shelter care facility N	N	Y	N				
Small group shelter care facility		N	L	N			
Large group shelter care facility		N	S	N			
Community living arrangement N	N	L	N				
>>Transitional living facility N	N	<u>N</u>	$\overline{\mathrm{N}}<<$				
EDUCATIONAL USES							
Day care center S S L	S						
School, elementary or secondary N	N	Y	N				
College S S N							
School, specialty or personal instru	ction	S	S	S	N		
COMMUNITY-SERVING USES							
Library N N Y N							
Cultural institution N N	L	N					
Community center N N S	N						
Religious assembly N N N	N						
Cemetery or other place of interment	N	N	N	N			
Public safety facility Y Y	Y	Y					
Correctional facility N N	N	N					
COMMERCIAL AND OFFICE USES							
General office Y Y Y	L						
Government office Y Y Y	L						
Bank or other financial institution	S	S	Y	N			
Currency exchange, payday loan or ti	_		N	N	S	N	
Retail establishment, general N	N	Y agency	N	TA	S	11	
Garden supply or landscaping center	N	Y	Y	N			
Home improvement center N Y	Y	N	_	TA			
Secondhand store N N S	N N	IN					
peconduand profe N N 2	IN						

Outdoor merchandise	sales	N	N	L	N				
Artist studio N	Y	Y	N						
Adult retail establ			N	S	N				
HEALTH CARE AND SOC									
Medical office	S	N	S	N					
Health clinic L	N	S	N						
Hospital N	N	N	N	37	37	NT			
Medical research lab Medical service fact		N	Y S	Y N	Y N	N			
Social service facili	_	N	S	S	N				
Emergency residentia	_		N	N	N	N			
Nursing home N	N Sher	N	N	14	14	11			
GENERAL SERVICE USES									
Personal service	N	N	Y	N					
Business service	Y	S	Y	N					
Building maintenance	e servi	.ce	S	Y	S	N			
Catering service	S	Y	Y	N					
Funeral home N	N	N	N						
Laundromat N	N	Y	N						
Dry cleaning estable	ishment	: N	N	Y	N				
Furniture and applia					N	N	Y	N	
Household maintenand		_			N	Y	Y	N	
Tool/equipment renta	al faci	lity	N	Y	Y	N			
Animal Services				_					
Animal hospital/			Y	L	Y				
Animal boarding			N	Y	L	Y	3.7		
Animal grooming	or trai	ning i	acıı	ity N	Y	L	Y		
MOTOR VEHICLE USES Light Motor Vehicle									
Sales facility	N	S	S	S					
Rental facility	L	S	S	S					
Repair facility	N	S	S	L					
Body shop N	S	S	L	_					
Outdoor storage	N	Y	S	Y					
Limited wholesale	e facil	ity	Y	Y	Y	Y			
Heavy Motor Vehicle		4							
Sales facility	N	Y	S	Y					
Rental facility	N	Y	S	Y					
Repair facility	N	L	S	L					
Body shop N	L	S	L						
Outdoor storage	N	L	S	Y					
General Motor Vehic	le								
Filling station	S	S	S	S					
Car wash S	S	S	S						
Drive-through fac	cility	S	S	S	S				
Parking					_				
Parking lot, prin	_		Y	Y	L	Y			
Parking lot, acce	_		Y	Y	L	Y	3.7		
Parking structure				Y	Y	L	Y		
Parking structure		_		L	L	L S	L L	т	37
Heavy motor vehice Heavy motor vehice						S Y	У	L Y	Y Y
ACCOMODATION AND FO	_	_		accessory	use	1	1	1	1
Bed and breakfast	N SERV	N N	Y	N					
Hotel, commercial	L	N	Y	N					
Hotel, residential	N	N	Y	N					
Tavern L L	Y	L	_						
Assembly hall S	S	S	N						
Restaurant, sit-down	_	L	L	Y	L				
Restaurant, fast-foo		y-out	L	L	L	L			
ENTERTAINMENT AND R			S						
Park or playground	S	S	S	S					
Festival grounds	N	N	N	N					
Recreation facility	, indoc	r	N	S	Y	N			

Recreation facility, outdoor	N	N	S	N				
Health club L L Y	N							
Sports facility N S	S	N						
Gaming facility N S	N	N						
Theater N N Y	N							
Convention and exposition cent	er S	N	S	N				
Marina Y Y Y								
Outdoor racing facility N	N	N	S					
Adult entertainment establishm	ent N	N	N	N				
STORAGE, RECYCLING AND WHOLESA	LE TRAD	E USES						
Recycling collection facility	S	Y	S	Y				
Mixed-waste processing facilit	y N	L	S	L				
Material reclamation facility	N	N	N	L				
Salvage operation, indoor L	L	L	L					
Salvage operation, outdoor N	S	S	S					
Wholesale and distribution fac	ility,	indoor	Y	Y	Y	Y		
Wholesale and distribution fac	ility,	outdoor	S	Y	S	Y		
Storage Facilities								
Indoor Y Y Y	Y							
Outdoor N Y S	Y							
Hazardous materials N	N	N	S					
TRANSPORTATION USES								
Ambulance service Y Y	S	Y						
Ground transportation service	S	Y	S	Y				
Passenger terminal Y Y	Y	Y						
Helicopter landing facility	S	S	S	S				
Airport N Y N	N	_	-	_				
-	= -	Y	N	Y				
Ship terminal or docking facil	ityN	Y S	N L	Y				
Ship terminal or docking facil Truck freight terminal N	ityN S	S	L		al N	Y	Υ	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica	ityN S	S	L		al N	Y	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES	ityN S tion ya	S rd or f:	L reight		al N	Y	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y	ityN S tion ya Y	S rd or f: Y	L reight Y		al N	Y	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N	ityN S tion ya Y S	S rd or f: Y S	L reight Y Y		al N	Y	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N	ityN S tion ya Y S N	S rd or f: Y S N	L reight Y Y S		al N	Y	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y	ityN S tion ya Y S N Y	S rd or f: Y S N Y	L reight Y Y S Y	termin			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min	ityN S tion ya Y S N Y ed mine	S rd or f: Y S N Y rals	L reight Y Y S		al N N	Y S	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S	ityN S tion ya Y S N Y ed mine	S rd or f:  Y S N Y rals Y	L reight Y Y S Y	termin			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S	ityN S tion ya Y S N Y ed mine	S rd or f: Y S N Y rals	L reight Y Y S Y	termin			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Contractor's yard S AGRICULTURAL USES	ityN S tion ya Y S N Y ed mine Y	S rd or f:  Y S N Y rals Y	L reight Y Y S Y N	termin			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse	ityN S tion ya  Y S N Y ed mine Y Y	S rd or f:  Y S N Y rals Y Y	L reight Y Y S Y N	termin. N			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock	ityN S tion ya Y S N Y ed mine Y Y	S rd or f:  Y S N Y rals Y	L reight Y Y S Y N	termin			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE	ityN S tion ya  Y S N Y ed mine Y Y Y Y	S rd or f:  Y S N Y rals Y Y	L reight Y Y S Y N	termin. N Y Y			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud	ityN S tion ya Y S N Y ed mine Y Y Y Y Y Y Y	S rd or f:  Y S N Y rals Y Y Y S	L reight Y Y S Y N	termin. N			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L	ityN S tion ya  Y S N Y ed mine Y Y S io Y L	S rd or f:  Y S N Y rals Y Y S L	L Y Y S Y N	termin. N Y Y			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L L Water treatment plant	ityN S tion ya  Y S N Y ed mine Y Y S io Y L Y	S rd or f:  Y S N Y rals Y Y Y Y Y Y	L Y Y S Y N	termin. N Y Y			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L L Water treatment plant N	ityN S tion ya  Y S N Y ed mine Y Y S io Y L Y Y	S rd or f:  Y S N Y rals Y Y Y N	L reight Y Y S Y N Y Y Y Y Y	termin. N Y Y			Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L L Water treatment plant Y Sewerage treatment plant N Power generation plant N	ityN S tion ya  Y S N Y ed mine Y Y Y S io Y L Y S S	S rd or f:  Y S N Y rals Y Y Y N N N	L reight Y Y S Y N Y Y Y Y Y	N Y Y S	N	S	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L L Water treatment plant Y Sewerage treatment plant N Power generation plant N Substation/distribution equipm	ityN S tion ya  Y S N Y ed mine Y Y Y S io Y L Y Y S ent, in.	s rd or f:  Y s N Y rals Y Y Y N N door	L reight Y Y S Y N Y Y Y Y Y S	N Y Y S	N	S	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L L Water treatment plant Y Sewerage treatment plant N Power generation plant N Substation/distribution equipm Substation/distribution equipm	ityN S tion ya  Y S N Y ed mine Y Y Y S io Y L Y Y S ent, in.	s rd or f:  Y s N Y rals Y Y Y N N door	L reight Y Y S Y N Y Y Y Y Y	N Y Y S	N	S	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L L Water treatment plant Y Sewerage treatment plant N Power generation plant N Substation/distribution equipm Substation/distribution equipm TEMPORARY USES	ityN S tion ya  Y S N Y ed mine Y Y S io Y L Y Y S ent, in ent, ou	S rd or f:  Y S N Y rals Y Y Y O N N door	L reight Y Y S Y N Y Y Y Y Y S	N Y Y S	N	S	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L L Water treatment plant Y Sewerage treatment plant N Power generation plant N Substation/distribution equipm Substation/distribution equipm TEMPORARY USES Seasonal market L L	ityN S tion ya  Y S N Y ed mine Y Y Y S io Y L Y Y S ent, in. ent, ou	S rd or f:  Y S N Y rals Y Y Y A O N N door tdoor L	L reight Y Y S Y N Y Y Y Y L	N Y Y Y Y	N S L	S	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L L Water treatment plant Y Sewerage treatment plant N Power generation plant N Substation/distribution equipm Substation/distribution equipm TEMPORARY USES Seasonal market L L Temporary real estate sales of	ityN S tion ya  Y S N Y ed mine Y Y Y S io Y L Y Y S ent, in ent, ou L fice	S rd or f:  Y S N Y rals Y Y Y T S L Y N N door tdoor L L	L reight Y Y S Y N Y Y Y L	termin.  N  Y Y Y Y L	N	S	Y	Y
Ship terminal or docking facil Truck freight terminal N Railroad switching, classifica INDUSTRIAL USES Manufacturing, light Y Manufacturing, heavy N Manufacturing, intense N Research and development Y Processing or recycling of min Contractor's shop S Y Contractor's yard S Y AGRICULTURAL USES Plant nursery or greenhouse Raising of crops or livestock UTILITY AND PUBLIC SERVICE USE Broadcasting or recording stud Transmission tower L L Water treatment plant Y Sewerage treatment plant N Power generation plant N Substation/distribution equipm Substation/distribution equipm TEMPORARY USES Seasonal market L L	ityN S tion ya  Y S N Y ed mine Y Y S io Y L Y Y S ent, in ent, ou L fice Y L	S rd or f:  Y S N Y rals Y Y Y A O N N door tdoor L	L reight Y Y S Y N Y Y Y Y L	N Y Y Y Y	N S L	S	Y	Y

Pat 53. Section 295-805-2-b of the code s repealed and recreated to read:

#### 295-805. Industrial Design Standards.

- 2. PRINCIPAL BUILDING STANDARDS.
- b. Conversion of Industrial Buildings. Industrial buildings may be converted to

permitted

10

non-industrial uses as permitted by table 295-803-1 or as approved by the board. The design standards for non-industrial and residential buildings specified in table 295-805-2 shall apply to new construction only. Converted buildings shall not be subject to these design standards.

Part 54. Table 295-805-2 of the code is amended to read:

#### Table 295-805-2 PRINCIPAL BUILDING DESIGN STANDARDS

Design Standards for Industrial Buildings; see table 295-805-4-d if the building site is adjacent to or across a street or alley from a residential, institutional, park or non-industrial planned development district.

IO2 IO1 IL1 IL2 IM IΗ Front setback, minimum (ft.) none none none none none none none Side street setback, minimum (ft.) none none none none none Rear street setback, minimum (ft.) none none none none none none none Side setback, minimum (ft.) none none none none none Rear setback, minimum (ft.) none none none none none none Height, maximum (see also s. 295-805-4-e) 85 ft. (new con- strucnone none none none none tion only)  $\textit{Design Standards for Non-industrial} [ \textit{$||} | \textit{$||} | \textit{$||} | \textit{$||} | \textit{$||} | \textit{$||$ family Dwellings<< IO1 IO2 IL1 IL2 IM ΙH Refer to design standards in subch. 6 for this commercial district: LB1 LB1 LB2>>\*<< LB2 >>\* Compliance with the lot area and lot coverage requirements of the LB2 district shall not be required and maximum building height shall be 85 feet. For residential buildings, compliance with the glazing requirements of the LB2 district shall not be required.<< Design Standards for [[Residential Buildings]] >> Single-family and Two-family Dwellings <<I01 IO2 IL1 IL2 IM ΙH Refer to design standards in subch. 5 for this residential district: RM1 RM5 RM5 [[<del>RM6</del>]] >>RM5<< RM5

Part 55. Table 295-805-5 of the code is amended to read:

#### Table 295-805-5 INDUSTRIAL DISTRICT SIGN STANDARDS

Zoning District IO1/IO2 IL1/IL2 IM Freestanding Signs permitted permitted permitted permitted Maximum number 1 per street frontage 1 per site 1 per site 1 per site "B" display area permitted (sq. ft.) 80 Total type "A" and type 100 80 100 Type "B" max. display area (sq. ft.) 40 50 40 50 Maximum height 15 1.5 15 30 permitted permitted Wall Signs permitted permitted Total type "A" and type "B" display area permitted per 25 lineal feet (sq. 60 120 60 120 Type "B" max. display area per 25 lineal feet (sq. ft.) 30 60 30 60 Projecting Signs permitted permitted permitted permitted Maximum number 1 per 25 lineal ft. Total type "A" and type "B" display area permitted (sq. ft.) 50 60 Type "B" max. display area (sq. ft.) 25 30 Awning Signs permitted permitted permitted permitted Maximum number 1 per 25 lineal ft. "B" display area Total type "A" and type permitted (sq. ft.) 20 Type "B" max. display area (sq. ft.) type "B" not permitted 10 type "B" not

```
Canopy and Hood Signs
                       permitted
                                    permitted
                                                permitted
                                                            permitted
  Maximum number 1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft. 1 per 25 lineal ft.
  Total type "A" and type "B" display area permitted (sq. ft.) 50 60 50
60
                           area (sq. ft.) 25
                                                30
                                                      25
  Type "B" max. display
                                                             30
Roof Signs type "A" permitted only permitted
                                                type "A" permitted only
                                                                         permitted
                                                                      1 per building
50 no limit
  Maximum number 1 per building 1 per building 1 per building
                              "B" display area
  Total type "A" and type
                                                   permitted (sq. ft.)
   no limit
5.0
  Type "B" max. display
                       area (sq. ft.) NA
                                               100
                                                            100
                                                      NA
Off-premise Signs permitted permitted
                                         permitted
                                                      permitted
  Maximum number
                 1 per site 1 per site
                                          1 per site
                                                      1 per site
                           sign (sq. ft.)
  Maximum display are per
                                                672
                                                      672
                                                            300
  [[Minimum setback from
                            all property lines]][[height of the sign]]
  Minimum distance between
                             signs 500 ft. between any 2 ground or roof signs; 200 ft. between
a ground or roof sign and a wall sign; 200 ft. between any 2 wall signs
  Maximum height, freestanding sign
                                                      35
                                                           3.5
                                                                 40
                                                                        40
                                             (ft.)
                                         40
  Maximum height,
                     wall sign (ft.)
                                               40
                                                      60
                                                            60
  Maximum height, roof sign 25 ft. above roof
```

#### Part 56. Table 295-903-2-a of the code is amended to read:

```
Table 295-903-2-a PARKS DISTRICT USE TABLE
Y = Permitted Use
                    L = Limited Use S = Special Use
                                                                      N = Prohibited Use
Zoning District
Uses PK
RESIDENTAL USES
Single-family dwelling
Two-family dwelling N
Multi-family dwelling
Attached single-family dwelling N
Live-work unit
Mobile home N
Watchman/service quarters N
Family day care home
Group Residential
  Rooming house N
  Convent, rectory or monastery {\tt N}
```

Adult family home N
Foster Homes

Fraternity or sorority N

Foster family home N Small foster home N

Group home or group foster home

Shelter Care Facilities

Dormitory N

Family shelter care facility N
Small group shelter care facility N
Large group shelter care facility N

Community living arrangement N >>  $\underline{Transitional\ living\ facility}$   $\underline{N} <<$ 

EDUCATIONAL USES

```
Day care center
School, elementary or secondary Y
College
             Υ
School, specialty or personal instruction
COMMUNITY-SERVING USES
Librarv
Cultural institution
Community center
Religious assembly L
Cemetery or other place of interment
Public safety facility
Correctional facility
COMMERCIAL AND OFFICE USES
General office
Government office
Bank or other financial institution
Currency exchange, payday loan agency or title loan agency N
Retail establishment, general
Garden supply or landscaping center
Home improvement center
Secondhand store
Outdoor merchandise sales N
Artist studio N
Adult retail establishment N
HEALTH CARE AND SOCIAL ASSISTANCE
Medical office
                    N
Health clinic N
Hospital
Medical research laboratory
Medical service facility N
Social service facility
Emergency residential shelter
Nursing home N
GENERAL SERVICE USES
Personal service
Business service
Building maintenance service
Catering service
Funeral home N
Laundromat
Dry cleaning establishment N
Furniture and appliance rental and leasing
Household maintenance and repair service
Tool/equipment rental facility
Animal Services
  Animal hospital/clinic N
  Animal boarding facility
  Animal grooming or training facility N
MOTOR VEHICLE USES
Light Motor Vehicle
   Sales facility N
   Rental facility N
  Repair facility N
```

```
Body shop N
   Outdoor storage N
  Limited wholesale facility
Heavy Motor Vehicle
  Sales facility N
  Rental facility N
  Repair facility N
  Body shop N
  Outdoor storage N
General Motor Vehicle
  Filling station N
   Car wash N
   Drive-through facility N
Parking
   Parking lot, principal use
   Parking lot, accessory use
  Parking structure, principal use
   Parking structure, accessory use
  Heavy motor vehicle parking lot, principal use
  Heavy motor vehicle parking lot, accessory use
ACCOMODATION AND FOOD SERVICE USES
Bed and breakfast
Hotel, commercial
Hotel, residential N
Tavern N
Assembly hall L
Restaurant, sit-down
Restaurant, fast-food/carry-out
ENTERTAINMENT AND RECREATION USES
Park or playground Y
Festival grounds
Recreation facility, indoor
Recreation facility, outdoor
Health club N
Sports facility
Gaming facility
Theater
             L
Convention and exposition center S
Marina L
Outdoor racing facility
Adult entertainment establishment N
STORAGE, RECYCLING AND WHOLESALE TRADE USES
Recycling collection facility
Mixed-waste processing facility N
Material reclamation facility
Salvage operation, indoor N
Salvage operation, outdoor N
Wholesale and distribution facility, indoor
Wholesale and distribution facility, outdoor
Storage Facilities
   Indoor
   Outdoor
   Hazardous materials
```

```
TRANSPORTATION USES
Ambulance service
Ground transportation service
Passenger terminal L
Helicopter landing facility
Airport
             Ν
Ship terminal or docking facility N
Truck freight terminal
Railroad switching, classification yard or freight terminal N
INDUSTRIAL USES
Manufacturing, light
Manufacturing, heavy
                          N
Manufacturing, intense
Research and development
Processing or recycling of mined materials
Contractor's shop
                   Ν
Contractor's yard
AGRICULTURAL USES
Plant nursery or greenhouse
Raising of crops or livestock
UTILITY AND PUBLIC SERVICE USES
Broadcasting or recording studio N
Transmission tower L
Water treatment plant
Sewerage treatment plant
Power generation plant
Substation/distribution equipment, indoor
                                              S
Substation/distribution equipment, outdoor
TEMPORARY USES
Seasonal market
Temporary real estate sales office
                                       Ν
Concrete/batch plant, temporary L
Live entertainment special event L
Part 57. Table 295-905-2-a of the code is amended to read:
Table 295-905-2-a INSTITUTIONAL DISTRICT USE TABLE
                                                                        N = Prohibited Use
Y = Permitted Use
                           L = Limited Use S = Special Use
Zoning District
Uses
      TL
RESIDENTAL USES
Single-family dwelling
Two-family dwelling N
Multi-family dwelling
Attached single-family dwelling N
Live-work unit
Mobile home N
Watchman/service quarters Y
Family day care home
Group Residential
  Rooming house
  Convent, rectory or monastery Y
  Dormitory Y
```

```
Fraternity or sorority S
Adult family home
Foster Homes
   Foster family home
   Small foster home
                          Ν
  Group home or group foster home
Shelter Care Facilities
  Family shelter care facility N
   Small shelter care facility
  Large shelter care facility
Community living arrangement
>>Transitional living facility
                                N<<
EDUCATIONAL USES
Day care center
School, elementary or secondary Y
College
             Y
School, specialty or personal instruction
COMMUNITY-SERVING USES
Library
            Y
Cultural institution
                          Υ
Community center
Religious assembly Y
Cemetery or other place of interment
Public safety facility
Correctional facility
COMMERCIAL AND OFFICE USES
General office
Government office Y
Bank or other financial institution
Currency exchange, payday loan agency or title loan agency S
Retail establishment, general
Garden supply or landscaping center
Home improvement center
Secondhand store
Outdoor merchandise sales N
Artist studio Y
Adult retail establishment N
HEALTH CARE AND SOCIAL ASSISTANCE
Medical office
Health clinic S
Hospital
Medical research laboratory
Medical service facility S
Social service facility
Emergency residential shelter
Nursing home Y
GENERAL SERVICE USES
Personal service
Business service
Building maintenance service
Catering service
Funeral home Y
Laundromat
```

```
Dry cleaning establishment S
Furniture and appliance rental and leasing
Household maintenance and repair service
Tool/equipment rental facility
Animal Services
  Animal hospital/clinic N
  Animal boarding facility
  Animal grooming or training facility N
MOTOR VEHICLE USES
Light Motor Vehicle
   Sales facility N
  Rental facility N
  Repair facility N
  Body shop N
   Outdoor storage N
  Limited wholesale facility
Heavy Motor Vehicle
   Sales facility N
  Rental facility N
  Repair facility N
  Body shop N
  Outdoor storage N
General Motor Vehicle
  Filling station N
  Car wash N
   Drive-through facility L
Parking
  Parking lot, principal use
   Parking lot, accessory use
   Parking structure, principal use
  Parking structure, accessory use
                                        Υ
  Heavy motor vehicle parking lot, principal use
   Heavy motor vehicle parking lot, accessory use
ACCOMODATION AND FOOD SERVICE USES
Bed and breakfast
Hotel, commercial
Hotel, residential N
Tavern N
Assembly hall S
Restaurant, sit-down
Restaurant, fast-food/carry-out
ENTERTAINMENT AND RECREATION USES
Park or playground Y
Festival grounds
Recreation facility, indoor
Recreation facility, outdoor
Health club Y
Sports facility
Gaming facility
Theater
Convention and exposition center S
Marina Y
Outdoor racing facility
                          Ν
```

```
Adult entertainment establishment N
STORAGE, RECYCLING AND WHOLESALE TRADE USES
Recycling collection facility
Mixed-waste processing facility
Material reclamation facility
Salvage operation, indoor N
Salvage operation, outdoor N
Wholesale and distribution facility, indoor
Wholesale and distribution facility, outdoor
Storage Facilities
  Indoor
  Outdoor
             N
   Hazardous materials
TRANSPORTATION USES
Ambulance service
Ground transportation service
Passenger terminal Y
Helicopter landing facility
Airport
             Ν
Ship terminal or docking facility N
Truck freight terminal
Railroad switching, classification yard or freight terminal N
INDUSTRIAL USES
Manufacturing, light
Manufacturing, heavy
Manufacturing, intense
Research and development
Processing or recycling of mined materials
Contractor's shop
Contractor's yard
AGRICULTURAL USES
Plant nursery or greenhouse
Raising of crops or livestock
UTILITY AND PUBLIC SERVICE USES
Broadcasting or recording studio Y
Transmission tower L
Water treatment pant
2Sewerage treatmen plant Y
Power generation plant
Substation/distribution equipment, indoor
Substation/distribution equipment, outdoor
TEMPORARY USES
Seasonal market
Temporary real estate sales office
Concrete/batch plant, temporary L
Live entertainment special event L
            Section 295-1017-2-f-6 of the code is created to read:
Part 58.
```

#### 295-1017. Master Sign Program Overlay Zone (MSP).

#### 2. PROCEDURES.

- f. Required Findings.
- f-6. The height of any freestanding sign will not exceed 150% of the maximum height otherwise allowed.

Part 59. The official City of Milwaukee zoning map is replaced by the zoning map which is attached to and made a part of this file.

APPROVED AS TO FORM

Legislative Reference Bureau
Date:
IT IS OUR OPINION THAT THE ORDINANCE
IS LEGAL AND ENFORCEABLE

Office of the City Attorney
Date:
City Clerk-Legislative Reference Bureau
LRB02277-2
JDO
10/23/2002