

City of Milwaukee

200 E. Wells Street Milwaukee, Wisconsin 53202

Legislation Details (With Text)

File #: 190982 **Version**: 1

Type: Ordinance Status: Passed

File created: 10/15/2019 In control: ZONING, NEIGHBORHOODS & DEVELOPMENT

COMMITTEE

On agenda: Final action: 11/26/2019

Effective date:

Title: A substitute ordinance relating to regulations for accessory structures in residential zoning districts.

Sponsors: THE CHAIR Indexes: ZONING

Attachments: 1. Zoning Code Technical Committee Letter, 2. City Plan Commission Letter, 3. DCD PowerPoint

Presentation, 4. Hearing Notice List, 5. Proof of Publication, 6. Proof of publication

Date	Ver.	Action By	Action	Result	Tally
10/15/2019	0	COMMON COUNCIL	ASSIGNED TO		
10/17/2019	1	CITY CLERK	DRAFT SUBMITTED		
10/17/2019	1	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	REFERRED TO		
10/17/2019	1	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	REFERRED TO		
11/11/2019	1	CITY PLAN COMMISSION	RECOMMENDED FOR PASSAGE AND ASSIGNED	Pass	6:0
11/13/2019	1	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	HEARING NOTICES SENT		
11/13/2019	1	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	HEARING NOTICES SENT		
11/19/2019	1	ZONING, NEIGHBORHOODS & DEVELOPMENT COMMITTEE	RECOMMENDED FOR PASSAGE	Pass	4:0
11/26/2019	1	COMMON COUNCIL	PASSED	Pass	14:0
12/4/2019	1	MAYOR	SIGNED		

190982

SUBSTITUTE 1

THE CHAIR

A substitute ordinance relating to regulations for accessory structures in residential zoning districts.

295-201-7	am
295-201-40	cr
295-201-412	cr
295-201-447.5	cr
295-201-544	am
295-201-666	cr
295-205-15-b	am
295-505-3 (table)	am
295-505-3-c	am

File #: 190982, Version: 1

295-505-3-e am

This ordinance defines 2 types of accessory structures, "open pavilions" and "pergolas," and establishes the accessory structure design standards (e.g., maximum lot coverage, minimum setbacks and maximum height) for these types of structures.

The Mayor and Common Council of the City of Milwaukee do ordain as follows:

Part 1. Section 295-201-7 of the code is amended to read:

295-201. Definitions.

- **7.** ACCESSORY STRUCTURE means a structure on the same lot as a principal structure and customarily incidental and subordinate to the principal structure or use. An accessory structure may be attached or detached from the principal structure. An accessory structure does not contain habitable space. Examples of accessory structures include, but are not limited to, garages, sheds, decks, fences, trellises, >>arbors, pergolas, << flagpoles, air conditioners >>, open pavilions << and awnings.
- Part 2. Section 295-201-40 of the code is created to read:
- 40. ARBOR. See PERGOLA.
- Part 3. Section 295-201-412 of the code is created to read:
- **412.** OPEN PAVILION means a freestanding canopy that provides shade or rain coverage over a patio or deck not more than 3 feet above grade.
- Part 4. Section 295-201-447.5 of the code is created to read:
- **447.5.** PERGOLA means a vertical structure without a solid roof or solid walls, but which may include lattice. It is typically used for decoration, to provide support for plants, or to frame a view.
- Part 5. Section 295-201-544 of the code is amended to read:
- **544.** SHED means an >><u>enclosed</u><< accessory building of not more than 150 square feet in floor area and not more than 14 feet in maximum height.
- Part 6. Section 295-201-666 of the code is created to read:
- 666. TRELLIS. See PERGOLA.
- Part 7. Section 295-205-15-b of the code is amended to read:
- 295-205. Rules of Measurement.
- **15.** LOT COVERAGE.
- b. Trellises >>, arbors, pergolas<< and similar structures which do not have solid roofs.
- Part 8. Table 295-505-3 of the code is amended to read:

	Garage	Shed	Deck/stoop less than one foot above grade	Deck/stoop one to 3 feet above grade	Deck/stoop 3 to 7 feet above grade	Deck/stoop mo than 7 feet abo grade	Pergola,<< trell or arbor	
Included in lot calculation?	Yes	Yes	No	No	Yes	Yes	No	>> <u>Yes</u> <<
Minimum front	principal building; if the garage door faces the front of the lot, an additional 4 ft. shall be required.	Same as principal building.	No restriction.	Same as principal building.	Same as principal building.	Same as princ building.		>> <u>Same as</u> principal building. <<
Minimum side setback	Same as principal No building, but not restrictio closer to side street n. than any existing principal building.		restrictio	Same as principal building.		Same as principal building.	No restriction.	>> <u>No restriction.</u> <
Minimum rear s setback	Average in acc	cordance with s	. 295-505-2-е			No restrictio n.	No restriction.	>> <u>Average in</u> <u>accordance</u> with s. 295- 505-2-e.<<
Minimum side when located in yard		Same as principal building.	No restriction.	Up to property line; however, all railings above 4 feet shall be at least 50% open.	1.5 feet; however, all railings above 4 feet shall be at least 50% open.	Same as princ building.	Same as principal buildir	>> <u>Same as</u> principal building <u>.</u> <<
Minimum side when located ir /ard	,	1.5 feet.	No restriction.	No restriction.	1.5 feet; however, all railings above 4 feet shall be at least 50% open.	1.5 feet; howev all railings abov feet shall be at 50% open.	No restriction.	>> <u>1.5 feet.</u> <<

Table 295-505-3 ACCESSORY STRUCTURE DESIGN STANDARDS									
Γ		Garage	Shed	Deck/stoop	Deck/stoop	Deck/stoop 3	Deck/stoop mor	[[Open]] >>	>>Open pavilion
				less than	one to 3 feet	to 7 feet	than 7 feet abov	Pergola,<< trelli:	<<
				one foot	above grade	above grade	grade	or arbor	
				above grade					

File #: 190982, Version: 1

Min. rear setbac	4 feet;	4 feet;	No	No restriction.	1.5 feet;	4 feet; may be	No restriction.	>> <u>1.5 feet.</u> <<
	may be	may be	restriction.		however, all	reduced to 1.5 fe		
	reduced	reduced			railings above	if there is no alle		
	to 1.5	to 1.5			4 feet shall be			
	feet if	feet if			at least 50%			
	there is	there is			open			
	no alley	no alley						
	or no	or no						
	access	access						
	from an	from an						
	alley	alley						
Max. height of s	10 feet	8 feet	No	No restriction.	No	10 feet	8 feet	>> <u>Not applicable</u>
			restriction.		restriction.			.<<
Max. overall he	24 feet	14 feet	Not	Not	Not	14 feet	14 feet	>> <u>10 feet.</u> <<
	or the		applicable.	applicable.	applicable.			
	height of							
	the							
	principal							
	building,							
	whichev							
	er is less							

Part 9. Section 295-505-3-c and e of the code is amended to read:

295-505. Design Standards.

- 3. ACCESSORY STRUCTURE STANDARDS.
- c. Maximum Lot Coverage. See table 295-505-3 to determine which structures shall be included when calculating the lot coverage of accessory structures. The total lot coverage of all accessory structures which are subject to inclusion in the lot coverage calculation shall not exceed 15% of the lot area. >> Total lot coverage may be increased to 22% if at least 7% of the coverage is for an open pavilion.<<
- e. Maximum Size. For any lot occupied solely by a single-family or 2-family dwelling, no garage or deck shall exceed 1,000 square feet in area >> and no open pavilion shall exceed 500 square feet in area << .

APPROVED AS TO FORM

LRB175197-2

Legislative Reference Bureau
Date:
IT IS OUR OPINION THAT THE ORDINANCE
IS LEGAL AND ENFORCEABLE
Office of the City Attorney
Date:
Dept. of City Development

File #: 190982, Version: 1

Jeff Osterman 10/09/2019